ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Patterson-Kelley / Harsco 3 Cubic Foot* at our website: ***Click HERE***

PK Cross-Flow® Spec Sheet



Get Twin Shell® precision blending of solids-solids faster than with other tumble blenders.

Cross-Flow® Blender Features:

- Sharper angle improves discharge
- Quick release access covers and no-glue gasket
- Quick charging and discharging
- Easy cleaning
- Low horsepower operation
- UL Labeled components
- Cost effective
- Energy efficient
- User and maintenance-friendly
- Sanitary design for complete washdown

Uneven shell design creates a unique axial flow for quick, efficient product exchange for intimate solids-solids blending within a closed system to maintain product integrity.

Covers: Access covers with quick release bolts can be removable, or hinged for easy access to the internal blender. Covers are stainless steel, with the torque knob on the end for easier operator access. The center load point is a seal welded U-bracket and the entire cross arm can be removed from the cover with the central pin.

Direct Shell Drive: Shell RPM is set by the gear ratio and the VFD, which is incorporated into the control system.

Control Systems: Options range from Start/Stop, OCS, to PLC systems. OCS controls include memory that retains "run time" values in case of an emergency stop or power brownout and can integrate and/or communicate with peripheral systems, scales, feeders, pumps, or plant automation systems.

Materials: Product contact materials are 316 stainless steel and pharmaceutical grade elastomers. Non-product contact materials are 304 stainless steel.

Sizes:

- Portable units are available up to 5 cu. ft. and larger
- Fixed mount models are available in standard sizes up to 150 cu. ft.
- Larger, custom designs available

Patterson-Kelley/Harsco
100 Burson Street
East Stroudsburg, PA 18301
1-800-413-8772
www.pkblenders.com

Copyright 2007 Patterson-Kelley/Harsco

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP