ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Ricoh Imaging / Pentax B7514C C27509* at our website: *Click HERE*

MODEL	Focal Length (mm)	Iris Range	Mount	Horizontal Angle of View (°) 1/4 format	1/3 format	1/2 format	2/3 format	Filter Size	Dimensions (D×L) (W×H×L) mm	Weight (g)	Remarks	Page
Monofocal Manual Iris Lens												
●1/2 format												
H416(C60402)	4.2	1.6-C	C	47.87	64.27	86.77	—	—	42×43.5	120	Lock Screws	40
H612A(C60607)	6.0	1.2-C	C	32.97	43.55	56.93	—	40.5 P=0.5	42×46	125	Lock Screws	40
H1212B(C61215)	12.0	1.2-22	C	16.93	22.60	30.18	—	27 P=0.5	30×35.5	67	Lock Screws	40
●2/3 format												
C418DX(C30405)	4.8	1.8-C	C	41.68	55.11	72.37	96.36	—	40.5×35.5	105	Lock Screws	40
C815B(C30811)	8.5	1.5-C	C	24.02	31.87	42.09	56.49	40.5 P=0.5	42×40	120	Lock Screws	40
C1614A(C31630)	16.0	1.4-22	C	12.70	16.91	22.48	30.72	27 P=0.5	30×33	58	Lock Screws	40
●1 format												
B1214D-2(C21211)	12.5	1.4-C	C	16.21	21.53	28.51	38.65	40.5 P=0.5	42×50	135	Lock Screws	41
B1218A(C21228)	12.5	1.8-C	C	16.53	21.97	29.12	39.56	40.5 P=0.5	42×40	95	Lock Screws	41
B2514D(C22525)	25.0	1.4-22	C	8.23	10.97	14.62	20.10	27 P=0.5	30×37.3	76	Lock Screws	41
B2518(C22516)	25.0	1.8-C	C	8.23	10.95	14.55	19.87	40.5 P=0.5	42×40	87	Lock Screws	41
B5014A(C25011)	50.0	1.4-C	C	4.13	5.50	7.32	10.04	46 P=0.75	48×48	180	Lock Screws	41
B7514C(C27509)	75.0	1.4-C	C	2.75	3.67	4.90	6.75	58 P=0.75	62×79	450	Lock Screws	41









Model Code	B2518 C22516	B5014A C25011	B7514C C27509
Format Size	1 format	1 format	1 format
Focal Length	25.0mm	50.0mm	75.0mm
Max. Aperture Ratio	1:1.8	1:1.4	1:1.4
Iris Range	1.8~C	1.4~C	1.4~C
Mount	C	C	C
Horizontal Angle of View 1/4 format	8.23°	4.13°	2.75°
Horizontal Angle of View 1/3 format	10.95°	5.50°	3.67°
Horizontal Angle of View 1/2 format	14.55°	7.32°	4.90°
Horizontal Angle of View 2/3 format	19.87°	10.04°	6.75°
Min. Object Distance	0.6m	1.0m	1.2m
Back Focal Length	15.80mm	18.10mm	18.50mm
Filter Size	40.5mm P=0.5mm	46.0mm P=0.75mm	58.0mm P=0.75mm
Dimensions	42×40mm	48×48mm	62×79mm
Weight	87g	180g	450g
Remarks	Lock Screws	Lock Screws	Lock Screws


Unit:mm



Unit:mm



Unit:mm



Artisan Scientific - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-scientific.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP