

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Visit our website - *Click HERE*

FLKM 50 - Interface module

2281089

https://www.phoenixcontact.com/in/products/2281089

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



VARIOFACE module, with screw connection and flat-ribbon cable connector, for mounting on NS 32 oder NS 35/7.5, with male connector and short and long locking latches for female connectors, number of positions 50, (1-1 connection)

Commercial Data

Item number	2281089
Packing unit	5 pc
Minimum order quantity	1 pc
Sales Key	CK2
Product Key	CK2212
Catalog Page	Page 242 (IF-2007)
GTIN	4017918054533
Weight per Piece (including packing)	242.03 g
Weight per Piece (excluding packing)	223.664 g
Customs tariff number	85369010
Country of origin	DE

Technical Data

Product properties

Product type	Interface module
Product family	VARIOFACE
Number of positions	50
No. of channels	16

Insulation characteristics

Insulation	Functional insulation

Insulation characteristics

Insulation	Functional insulation
Overvoltage category	II
Pollution degree	2

Electrical properties

No. of channels	16 (variable)
Max. permissible operating voltage	25 V AC
	60 V DC
Max. current carrying capacity per branch	1 A
Rated insulation voltage	63 V
Rated surge voltage	0.6 kV

Supported controller SIEMENS S7-400

Suitable I/O card	6ES7431-0HH0-0AB0
	6ES7431-1KF00-0AB0
	6ES7431-1KF10-0AB0
	6ES7431-1KF20-0AB0
	6ES7431-7KF00-0AB0
	6ES7431-7KF10-0AB0
	6ES7431-7QH00-0AB0
	6ES7432-1HF00-0AB0

Connection data

Field level

Connection in acc. with standard	IEC / EN
Connection method	Screw connection
Stripping length	8 mm
Screw thread	M3
Conductor cross section solid	0.2 mm² ... 4 mm²
Conductor cross section flexible	0.2 mm² ... 2.5 mm²
Conductor cross section AWG	24 ... 12

Controller level

Connection method	IDC/FLK pin strip
Number of connections	1
Number of positions	50
Pitch	2.54 mm

LED signaling

Status display present	No

Dimensions

Width	135 mm
Height	77 mm
Depth	57.5 mm

Material specifications

Housing insulation material	Polyamide 6 green

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

Approval data

UKCA

Certificate	UKCA-compliant

Standards and regulations


Standards/regulations	IEC 60664
	DIN EN 50178

Mounting

Mounting type	DIN rail mounting
Mounting position	any

Drawings

Circuit diagram



Approvals

cUL Recognized
Approval ID: FILE E 118976

UL Recognized
Approval ID: FILE E 118976

EAC
Approval ID: RU C-DE.A*30.B.01742

Classifications

ECLASS

ECLASS-10.0.1	27141152
ECLASS-11.0	27141152
ECLASS-12.0	27141152

ETIM

ETIM 8.0	EC002780

UNSPSC

UNSPSC 21.0	39121400

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values


Accessories

FLK EZ-DR.../.../... - Cable

2295059

https://www.phoenixcontact.com/in/products/2295059

Round cable, with preassembly, not shielded, variable cable length



FLK EZ-DR-S.../.../... - Cable

2295046

https://www.phoenixcontact.com/in/products/2295046


Round cable, with preassembly, shielded, variable cable length



FLK 50/EZ-DR/ 50/KONFEK - Cable

2289065

https://www.phoenixcontact.com/in/products/2289065




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 0.5 m

FLK 50/EZ-DR/ 100/KONFEK - Cable

2289078

https://www.phoenixcontact.com/in/products/2289078




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1 m

FLK 50/EZ-DR/ 150/KONFEK - Cable

2289081

https://www.phoenixcontact.com/in/products/2289081




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1.5 m

FLK 50/EZ-DR/ 200/KONFEK - Cable

2289094

https://www.phoenixcontact.com/in/products/2289094




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 2 m

FLK 50/EZ-DR/ 250/KONFEK - Cable

2289104

https://www.phoenixcontact.com/in/products/2289104




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 2.5 m

FLK 50/EZ-DR/ 300/KONFEK - Cable

2289117

https://www.phoenixcontact.com/in/products/2289117




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 3 m

FLK 50/EZ-DR/ 350/KONFEK - Cable

2289120

https://www.phoenixcontact.com/in/products/2289120




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 3.5 m

FLK 50/EZ-DR/ 400/KONFEK - Cable

2289133

https://www.phoenixcontact.com/in/products/2289133




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 4 m

FLK 50/EZ-DR/ 450/KONFEK - Cable

2289573

https://www.phoenixcontact.com/in/products/2289573




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 4.5 m

FLK 50/EZ-DR/ 500/KONFEK - Cable

2289586

https://www.phoenixcontact.com/in/products/2289586




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 5 m

FLK 50/EZ-DR/ 550/KONFEK - Cable

2289599

https://www.phoenixcontact.com/in/products/2289599




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 5.5 m

FLK 50/EZ-DR/ 600/KONFEK - Cable

2289609

https://www.phoenixcontact.com/in/products/2289609




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 6 m

FLK 50/EZ-DR/ 700/KONFEK - Cable

2289625

https://www.phoenixcontact.com/in/products/2289625




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 7 m

FLK 50/EZ-DR/ 750/KONFEK - Cable

2289638

https://www.phoenixcontact.com/in/products/2289638




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 7.5 m

FLK 50/EZ-DR/ 800/KONFEK - Cable

2289641

https://www.phoenixcontact.com/in/products/2289641




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 8 m

FLK 50/EZ-DR/ 850/KONFEK - Cable

2289654

https://www.phoenixcontact.com/in/products/2289654




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 8.5 m

FLK 50/EZ-DR/ 900/KONFEK - Cable

2289667

https://www.phoenixcontact.com/in/products/2289667




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 9 m

FLK 50/EZ-DR/1000/KONFEK - Cable

2289683

https://www.phoenixcontact.com/in/products/2289683




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 10 m

FLK 50/EZ-DR/ 125/KONFEK - Cable

2296197

https://www.phoenixcontact.com/in/products/2296197




Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1.25 m

FLK 50/EZ-DR/1200/KONFEK - Cable

2296223

https://www.phoenixcontact.com/in/products/2296223



Round cable set; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 12 m

FLK 50/EZ-DR/ 50/KONFEK/S - Cable

2299097

https://www.phoenixcontact.com/in/products/2299097



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 0.5 m

FLK 50/EZ-DR/ 100/KONFEK/S - Cable

2299107

https://www.phoenixcontact.com/in/products/2299107



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 1 m

FLK 50/EZ-DR/ 150/KONFEK/S - Cable

2299110

https://www.phoenixcontact.com/in/products/2299110



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 1.5 m

FLK 50/EZ-DR/ 200/KONFEK/S - Cable

2299123

https://www.phoenixcontact.com/in/products/2299123



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 2 m

FLK 50/EZ-DR/ 300/KONFEK/S - Cable

2299136

https://www.phoenixcontact.com/in/products/2299136



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 3 m

FLK 50/EZ-DR/ 400/KONFEK/S - Cable

2299149

https://www.phoenixcontact.com/in/products/2299149



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 4 m

FLK 50/EZ-DR/ 600/KONFEK/S - Cable

2299152

https://www.phoenixcontact.com/in/products/2299152



Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 6 m

FLK 50/EZ-DR/1000/KONFEK/S - Cable

2299178

https://www.phoenixcontact.com/in/products/2299178




Assembled shielded round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position) (The braided shield is routed to a separate cable end.); cable length: 10 m

CABLE-FLK50/0,14/HF/ 0,5M - Cable

2314134

https://www.phoenixcontact.com/in/products/2314134




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 0.5 m

CABLE-FLK50/0,14/HF/ 1,0M - Cable

2314147

https://www.phoenixcontact.com/in/products/2314147




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1 m

CABLE-FLK50/0,14/HF/ 1,5M - Cable

2314150

https://www.phoenixcontact.com/in/products/2314150




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1.5 m

CABLE-FLK50/0,14/HF/ 2,0M - Cable

2314163

https://www.phoenixcontact.com/in/products/2314163




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 2 m

CABLE-FLK50/0,14/HF/ 2,5M - Cable

2314176

https://www.phoenixcontact.com/in/products/2314176




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 2.5 m

CABLE-FLK50/0,14/HF/ 3,0M - Cable

2314189

https://www.phoenixcontact.com/in/products/2314189




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 3 m

CABLE-FLK50/0,14/HF/ 4,0M - Cable

2314192

https://www.phoenixcontact.com/in/products/2314192




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 4 m

CABLE-FLK50/0,14/HF/ 5,0M - Cable

2314202

https://www.phoenixcontact.com/in/products/2314202




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 5 m

CABLE-FLK50/0,14/HF/10,0M - Cable

2314244

https://www.phoenixcontact.com/in/products/2314244




Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 10 m

CABLE-FLK50-0,14-HF/... - Cable

2314257

https://www.phoenixcontact.com/in/products/2314257



Assembled, halogen-free round cable; connection 1: IDC/FLK socket strip (1x 50-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: variable

Phoenix Contact 2023 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP