ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Phoenix Contact ATP-UK* at our website: ***Click HERE***

Accessories for CLIPLINE Terminal Blocks

Marker Pens



For manually labeling unprinted marker strips and sheets. Smear-proof and waterproof. Black

Mfr.'s Type	Order No.	Tip Size	Each
B-PEN	1051993	0.5 mm	9.26

Partition Plates



ATP partition plates extend on all sides above the terminal profile for a clear visual and electrical separation of terminal block groups.

Mfr.'s Type	Order No.	Fits Block	Each
TP-UK 35	3008096	UK35	0.92
ATP-UK	3003224	UK1.5, UK2.5N,UK3N, UK5N, UK6N, UK10N, UK16N, UK4-TG	0.74
ATP-UKK 3/5	2778521	UKK3, UKK5	1.10
ATP-UKKB 3	2771065	UKKB3, UKKB5	1.14
ATP-DIK 1.5	1413272	DIK1.5	0.95
ATP-DIKD 1.5	1413285	DIKD1.5, DOK1.5	1.06
ATP-MBK	1413227	MBK3/E-Z, MBK6/E, MBK5/E	0.77
ATS-RTK-BEN	0308223	URTK/S-BEN	1.50
ATP-URTK/SS	0321226	URTK/SS	0.57

TS Separating Plates



These plates guarantee electric and visual isolation in the cases of bridges in the terminal center which are in direct contact with one another. It's designed to be inserted later and snap locks into place. A separation plate should be used on both sides for all bridges in the terminal center.

Mfr.'s Type	Order No.	Fits Block	Each
TS-KK 3	2770215	UK2.5N,UKK3, UKKB3, UKK5, UKKB5,UDK3, UDK4, MBK3/E-7, MBK6/E MBK5/E, MBKKB2.5, MZFKKB1.5, ZDIK1.5, ZVIOK1.5	0.18
TS-K	1302215	UK3N, UK5N, UK6N, UK10N, UK16N, UK35, UK3-TWIN, UK5-TWIN	0.23
TS-RTK-BEN	0308210	URTK/S-BEN	0.93
TS-URTK/SS	0321213	URTK/SS	0.45

Mounting Rails

The design of these mounting rails complies with European standard EN 50045 (NS 15) and EN 50022 (NS 35) and feature outstanding accuracy and surface tempering. The steel rails are galvanized and yellow chromated. A line of dots is marked along the center of the rail to simplify drilling of mounting holes.
Length: 2m (6'6").



NS 35/7.5

Mfr.'s Type	Order No.	Dimensions (mm)			Each
		W	H	T	
NS 15 UNPERFORATED	1401695	15	5.5	1	9.00
NS 15 PERFORATED	1401682				10.00
NS 35/7.5 UNPERFORATED	0801681	35	7.5	1	11.00
NS 35/7.5 PERFORATED	0801733				12.00
NS 35/15 UNPERFORATED	1201714	35	15	1.5	22.00
NS 35/15 PERFORATED	1201730				23.00

End Brackets for Mounting Rails



Mounts to end of terminal block assembly to prevent blocks from being pushed along mounting rail. **Flammability Rating:** UL94V0. Color: gray

Mfr.'s Type	Order No.	Description	Each
E/MK 1	1421659	Snaps on NS 15 mounting rail, 6 mm wide.	.61
E/UK	1201442	For NS 32 or NS 35 rail, 9.5 mm wide.	.85
E/UK 1	1201413	As above, except for 2 and 3-level blocks.*	.92
Clipfix 35	3022218	Toolless for NS 35 rail, 9.5 mm wide	.70
E/NS 35N	0800886	One screw for NS 32 or NS 35 rail, 9.5mm wide.	.91

*10 mm wide

Reducing plug



Reducing plug for connecting a 4 mm test plug to a 2.3 mm test plug socket. Gray.

Mfr.'s Type RPS **(Order No. 0201647)...** 5.45 Each

Test Plug Sockets

4 mm test plug sockets for **UK**-terminal blocks.
Material: Silver-plated brass



Mfr.'s Type	Order No.	Fits Block	Each
PSB 3/10/4	0601292	UK2.5N, UK3N, UK5N	.33
PSB 4/7/6	0303299	UK6N, UK10N, UK16N	.50
PSB 6/5/6	0205290	UK35	.90

Stripping Tools



QUICK-WIREFOX 6



QUICK-WIREFOX 16

These stripping tools "automatically" adjust to the proper AWG depth. QUICK-WIREFOX 6 has an AWG range of 30-10 and QUICK-WIREFOX 16 has a range of AWG 10-6.

Mfr.'s Type	Order No.	Description	Each
QUICK-WIREFOX 6	1204384	Stripping Tool, AWG 30-10	51.60
QUICK-WIREFOX 16	1205105	Stripping Tool, AWG 10-6	96.00
QUICK-WIREFOX 6 EM	1204371	Repl. Blade for WIREFOX 6	22.75
QUICK-WIREFOX 16 EM	1204944	Repl. Blade for WIREFOX 16	33.00

Cable Cutter

Tempered steel to ensure high cutting efficiency over a long period of time. Conductors can be cut easily and cleanly due to the specific design of the blades. For copper and aluminum conductors and fixed bridges FBI10-6, FBI10-8, FBI10-10, FBI10-12.
Cutting capacity (solid strand/multi-strand/fine strand): 10/8/4 AWG.



Mfr.'s Type	Order No.	Length	Each
Cutfox FB	1205985	175mm (6.9")	42.31

Screwdrivers for Spring Cage Terminal Blocks



Ideal for **ZFK** and **ST** Series spring cage terminal blocks.

- Ergonomically designed
- Fully insulated blade shaft
- Flat tips

Mfr.'s Type	Order No.	Blade Size (mm)	Length (mm)	Each
SZF0-0.4X2.5	1204504	0.4T x 2.5W x 75	160	6.24
SZF1-0.6X3.5	1204517	0.6T x 3.5W x 100	180	7.24
SZF2-0.8X4.0	1204520	0.8T x 4.0W x 100	230	8.26

1907

The word TELEVISION first appeared in print in SCIENTIFIC AMERICAN Magazine.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP