

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *HBM / LDS Nicolet Vision XP* at our website: ***Click HERE***


Pomona ELECTRONICS

Technical Data Sheet

Model 1452
Adapter-Binding Posts to BNC Receptacle



Model 1452
Adapter-Binding Posts to BNC Receptacle



Features

- Permits single or double banana plugs to be used with equipment having a BNC male.
- Cross holes .166 (4.2) dia. in body provide side stack up connections.

Materials

Upper Connector: Binding Posts, Insulated.
Material: Binding Post body, brass H.H. per QQ-B-626, Alloy 360.
Finish: Nickel plated per QQ-N-290, class 2 (.0002 min.).
Insulation: Acrylonitrile-Butadiene-Styrene, molded to Binding Posts and BNC receptacle.
Color: One Red and one Black (Gnd).
Operating Temperature: +115ºC. (+239ºF.) Max.
Marking: "POMONA 1452"
Lower Connector: BNC receptacle, comparable to UG 1094/U.
Finish: Body and fittings, tarnish resistant
Nominal Impedance: 50 Ohms

Specifications

Operating Temperature: +50ºC. (+122ºF.) Max.
Operating Voltage: Hand-held testing: 30 VAC/60 VDC Max.
Hands free testing in controlled voltage environments: 500 VRMS

Ordering Information

Model: 1452

USA: Sales: 800-490-2361
Technical Support: technicalsupport@pomonatest.com
Fax: 425-446-5844
Europe: 31-(0) 40 2675 150 **International:** 425-446-5500
Where to Buy: www.pomonaelectronics.com

All dimensions are in inches. Tolerances (except noted): .xx = ±.02" (,51 mm), .xxx = ± .005" (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies.

Copyright © 2009

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP