

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Pomona®

Model 3786 Minigrabber® Test Clips To Double Banana Plug



FEATURES:

- Converts double Banana Jacks to Minigrabber Test Clip.
- Lengths other than those specified are available upon request.

MATERIALS:

Conn: 1st End-Double Banana Plug
Material: Spring-Beryllium Copper per QQ-C-533, Alloy 172, Cond. HT.
Plug Body: Brass per QQ-B-626, Alloy 360, ½ Hard.
Finish: Nickel plated per QQ-N-290, Class 2, 200/300 microinches.
Insulation: Polypropylene molded to plug bodies and cable. Color matches color of cable.
Marking: "POMONA ELECTRONICS CO., INC. POMONA CALIFORNIA".
Cable: RG58C/U.
Marking: "POMONA 3786-C-XX".
Molded Breakout: PVC molded to breakout leads and cable. Color: Black Breakout Leads: 20 AWG, 41 x 36 T.C., PVC insulated, 2.21 (.087) O.D.
One Red Lead, one Black Lead
Conn: 2nd End-Minigrabber®
Material: Contact – Beryllium Copper per QQ-C-533, Alloy 165, ¼ HM.
Spring: stainless steel, Alloy 302.
Finish: Contact – Gold plated per MIL-G-45204, Type I, Class 00.
Insulation: Glass filled Nylon. Color: One Red and one Black.
Marking: "POMONA ELECTRONICS "MINIGRABBER®".

RATINGS:

Operating Voltage: 300 VRMS/DC
Operating Temperature: +50°C. (+122°F.) Max
Current: 5 Amperes

ORDERING INFORMATION: Model 3786-C-XX
XX=Cable Length, Standard Length: 18" (457), 24" (610), 36" (914), 48" (1219), 60" (1524)
Ordering Example: Model 3786-C-60 indicates 60" in length.

All dimensions are in inches. Tolerances (except noted): .xx = ±.02" (,51 mm), .xxx = ± .005" (,127 mm).
All specifications are to the latest revisions. Specifications are subject to change without notice.
Registered trademarks are the property of their respective companies. Made in USA

Sales: 800-490-2361 Fax: 888-403-3360
Technical Assistance: 800-241-2060

Pomona*ACCESS* **90584** (800) 444-6785 or (425) 446-6010
More drawings available at www.pomonaelectronics.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP