

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Procon Series 4* at our website: ***Click HERE***

Series 4 Rotary Vane Pump



*Standard Specifications:


Body	**brass**
Capacity	**115 to 330 gph**
Nominal speed	**1,725 rpm**
Max. discharge pressure	**250 psi**
Rotation	**clockwise**
Dry weight	**approx. 3.3 lbs**
Self-priming (water)	**6 ft max. lift** (330 GPH model requires min. 20 psi inlet pressure

Capacities and Horsepower Requirements

PROCON's Series 4 is designed and built to meet your needs for flow rates ranging from 115 to 330 gallons per hour at 250 psi. This PROCON pump maintains all the quality features and construction of our Series 1, 2, & 3 pumps. Clamp-on mounting style is shown in the photo; bolt -on mounting is also available.)

Series 4 & 5 Nominal Volume at 1725 RPM

Flow Rate (GPH)	Gallons Per Hour					Brake Horsepower				
	Pressure (PSI)					Pressure (PSI)				
	50	100	150	200	250	50	100	150	200	250
330	331	330	328	327	326	0.33	0.55	0.78	1.00	1.22
265	265	263	261	259	257	0.24	0.43	0.63	0.82	1.01
240	243	240	236	232	228	0.21	0.37	0.54	0.70	0.86
215	218	215	211	207	203	0.20	0.35	0.50	0.65	0.80
190	193	190	186	182	178	0.18	0.33	0.47	0.61	0.75
165	168	165	161	157	153	0.17	0.30	0.43	0.57	0.70
140	143	140	136	132	128	0.16	0.28	0.40	0.52	0.64
115	118	115	111	107	103	0.15	0.25	0.35	0.45	0.55



*330 GPH - 20 psi inlet required

***Note:** Specifications and dimensions are subject to change without notice.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Series 5 Rotary Vane Pump



*Standard Specifications:


Body	**stainless steel**
Capacity	**115 to 330 gph**
Nominal speed	**1,725 rpm**
Max. discharge pressure	**250 psi**
Rotation	**clockwise**
Dry weight	**approx. 4.1 lbs**
Self-priming (water)	**6 ft max. lift** (330 GPH model requires min. 20 psi inlet pressure

Capacities and Horsepower Requirements

PROCON's Series 4 is designed and built to meet your needs for flow rates ranging from 115 to 330 gallons per hour at 250 psi. This PROCON pump maintains all the quality features and construction of our Series 1, 2, & 3 pumps. Clamp-on mounting style is shown in the photo; bolt -on mounting is also available.)

Series 4 & 5 Nominal Volume at 1725 RPM

Flow Rate (GPH)	Gallons Per Hour					Brake Horsepower				
	Pressure (PSI)					Pressure (PSI)				
	50	100	150	200	250	50	100	150	200	250
330	331	330	328	327	326	0.33	0.55	0.78	1.00	1.22
265	265	263	261	259	257	0.24	0.43	0.63	0.82	1.01
240	243	240	236	232	228	0.21	0.37	0.54	0.70	0.86
215	218	215	211	207	203	0.20	0.35	0.50	0.65	0.80
190	193	190	186	182	178	0.18	0.33	0.47	0.61	0.75
165	168	165	161	157	153	0.17	0.30	0.43	0.57	0.70
140	143	140	136	132	128	0.16	0.28	0.40	0.52	0.64
115	118	115	111	107	103	0.15	0.25	0.35	0.45	0.55



*330 GPH - 20 psi inlet required

***Note:** Specifications and dimensions are subject to change without notice.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP