

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Dual Magnet Mount Surface Thermometers





Dual Magnet
Surface Thermometer



Dual Magnet
Surface Thermometer
With Ancillary Hand



Dual Magnet
Surface Thermometer
With Max-Min Hands




Dual Magnet
Surface Thermometer
Dual Scale F & C

- PTC® Quality Made in the U.S.A.
- NIST Certification Available
- Accuracy of ±2% of Full Scale Range
- Each Instrument is Individually Calibrated
- Available in Celsius, Fahrenheit or Dual Scale
- Also Available in Tab Mount (no magnets)



Tab Mount Surface
Thermometer (no magnets)



Dual Magnet Surface
Thermometer Back View

THE best bimetal surface thermometer on the market for over sixty years. PTC®'s surface thermometers are unrivaled for their combination of accuracy, quality, versatility, and economy. Manufactured from the finest materials, these instruments will continue to give accurate readings for many years. Each thermometer is individually calibrated and serialized. Our thermometers have an accuracy of ±2% of full scale range and are backed by a one year warranty. Certification service using NIST traceable standards and in accordance with ANSI/NCSL Z540-1 is available for all of these units.

ISO 17025 ACCREDITED LABORATORY

ISO 17025 ACCREDITED LABORATORY

SPECIFICATIONS	
Time Constant	0.6 to 1 Minute
Accuracy	±2% of Full Range
Diameter	2 in (5.1cm)
Height	0.5 in. (1.3 cm)
Weight	1 1/2 oz (43 g)
Shipping Weight	1 lb. (454 g)

Model	Range	Divisions
312C	-20°C to 120°C	1°C
312F	0°F to 250°F	2°F
313C	-20°C to 250°C	2°C
313F	0°F to 500°F	5°F
314C	10°C to 400°C	5°C
314F	50°F to 750°F	10°F
315C	-15°C to 65°C	1°C
315F	0°F to 150°F	1°F
330C	-70°C to 70°C	2°C
330F	-100°F to 160°F	2°F

Toll Free: 877-782-2329 Outside the US: 310-478-1134 web: ptc1.com email: info@ptc1.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP