

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Single Phase Systems–NORTH AMERICAN
T8–A SERIES: 120V~,15A, 1Ø, 50/60Hz



RACK MOUNTED
- 19" x 1.75" (1U) x 4.5"
- Approximate shipping weight: 7 lbs.

(8) NEMA OUTLETS
- Rear panel

EMI/RFI FILTERING
- Common Mode: Line to Ground
- Differential Mode: Line to Line
- Refer to Chart 2 on page 40

SPIKE/SURGE SUPPRESSION
- L-N, L-G, N-G
- Refer to Chart 1 on page 40

OVERLOAD CIRCUIT PROTECTION
- 15A Electromagnetic high inrush long time delay curve breaker - add "CB" to p/n or for a 15A thermal re-set breakers add "RCB" to p/n.

POWER INPUT
- Power cable with plug is attached to unit through the rear panel cable grip.

INDICATOR LIGHT
- Models A-S and A-RCB utilize a lighted on/off rocker switch, which illuminates when it is put in the "on" position.
- Model A-CB utilizes a rectangular indicator light that illuminates when the breaker is put in the "on" position.

SPECIFICATIONS	T8-A-S	T8-A-RCB	T8-A-CB
Approvals	N/A	N/A	N/A
Voltage Input/Output (50/60Hz)	120V~	120V~	120V~
Current Input	15A	15A	15A
Current Output De-Rated	12A	12A	12A
Full-Load V/A De-Rated	1440VA	1440VA	1440VA
NEMA Outlets (8) on rear panel	5-15R	5-15R	5-15R
Circuit Breaker	N/A	15A re-set	15A
EMI/RFI Filter	N/A	YES	YES
Multi-Stage Surge Suppression	150V	150V	150V
Power Input Cord/Length/Plug	14/3, 9', 5-15P	14/3, 9', 5-15P	14/3, 9', 5-15P

T8S Series: 120V~ OR 240V~, 15A and 20A, 1Ø, 50/60Hz



RACK MOUNTED
- 19" x 1.75" (1U) x 7"
- Approximate shipping weight: 7 lbs.

SPIKE/SURGE SUPPRESSION
- L-N, L-G, N-G
- Refer to Chart 1 on page 40

EMI/RFI FILTERING
- Common Mode: Line to Ground
- Differential Mode: Line to Line
- Refer to Chart 2 on page 40

OVERLOAD CIRCUIT PROTECTION
- Precision electromagnetic breaker provides manual on/off switching and trips in an overload condition.
- Main Power "ON" Indicator light

(8) ON/OFF LIGHTED ROCKER SWITCHES
- (1) Each for the (8) switched outlets

POWER INLET
- IEC320 (C20) 120V~/20A to 250V~/16A Maximum input
- Mating power cables are ordered separately. Reference Pages 36-37

(8) NEMA OUTLETS
- 120v systems: 5-15R (120V/15A)
- 240v system: 6-15R (240V/15A)

SPECIFICATIONS	T8S-A	T8S-A-CB	T8S-A-CB-SF	T8S-B-CB-SF
Approvals	N/A	N/A	N/A	N/A
Voltage input/output (50/60Hz)	120~	120V~	120V~	240V~
Maximum current input	20A	15A	15A	15A
Current output (De-rated)	16A	12A	12A	12A
Full load V/A (De-rated)	1920VA	1440VA	1440VA	2880VA
Circuit Breaker with kick guard	N/A	15A	15A	15/15A
EMI/RFI filter	N/A	N/A	20A	20A
Multi-Stage Surge Suppression	N/A	N/A	YES	YES
NEMA Outlets (8)	5-15R	5-15R	5-15R	6-15R
Power Inlet (IEC60320)	Type C20	Type C20	Type C20	Type C20

Please refer to page 36 for power cable assemblies to match your country specific requirements.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. © 2001 Pulizzi Engineering, Inc.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP