



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT


Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

- **Up to Eight Serial Interface Channels**
- **Configurable as RS-232, RS-422, RS-423 or RS-485**
- **128k/512kBytes of Memory Allocatable to Input and Output Buffers**
- **Standard Baud Rates Selectable up to 38.4k Baud**
- **Ideal for Interfacing the VXIbus to Other Peripherals**
- **Easy Software Control**
- **6065P Provides Software Programmable Data Rate**



#### **Re-configurable Serial Interfaces**

The Racal Instruments 6065 is available as either an eight channel or four channel module. Each individual channel can be configured, under software control, to be an RS-232, RS-422, RS-423 or RS-485 interface. Any combination of interface standards can be user configured on the same card without opening the unit.

The ability to have Request to Send (RTS)/Clear to Send (CTS) hardware handshaking is also available for faster data communications. RTS/CTS is activated under program control. Data Terminal Ready (DTR)/Data Set Ready (DSR) control lines are also provided.

In addition, each individual channel can be looped back on itself at the line driver/receiver level under program control in order to perform a full self test of the Model 6065.

#### **Easy Software Control**

The Model 6065 is a high performance, message-based

module that can accommodate transmitting and receiving on all eight channels simultaneously.

All of the key protocol parameters (baud rate, word length, parity checking, and handshaking), are software programmable on each of the eight channels. These configurations can then be stored in non-volatile memory for added flexibility and ease of setup. Device dependent commands meet the Standard Commands for Programmable Instruments (SCPI) specifications.

#### **Flexible Memory Eases Data Throughput**

128kBytes of transmit and receive memory (512kBytes option) are user allocatable among the eight channels, allowing complete flexibility for all interface applications. These buffers can be loaded under program control in either a repetitive loop mode controlled by an internal timer or burst mode.

Each buffer is supported by a programmable threshold which can be set to any level within the buffer.

## 6065/6065P SPECIFICATIONS

**Buffer Size**

128k or 512kBytes input and/or output

**Serial Port**

**Baud Rate**

300, 600, 1200, 2400, 4800, 9600, 19200, 38400

**Data Length**

5, 6, 7, 8

**Receive Jitter Tolerance**

4.5%

**Parity**

None, odd, even and mark or space

**Stop Bits**

1,2

**Handshaking**

Software: X ON/X OFF

Hardware: DSR and CTS for output pacing

**Power Requirements ( $I_{pm}$ )**

+5 V: 2 A

±12 V: 100 mA

±24 V: 200 mA

**Weight**

2.20 lb (1kg)

**Dimensions**

C-size, Single-slot VXIbus Module

**VXIbus**

Message-based Revision 1.4 compatible

<b>ORDERING INFORMATION</b>		
<b>Model</b>	<b>Description</b>	<b>Part Number</b>
6065-4	4-Channel Serial Interface Module	70-006-000
6065-8	8-Channel Serial Interface Module	70-0036-001
6065-4 w/512kB	4-Channel Serial Interface Module w/ 512kB	70-0036-003
6065-8 w/ 512kB	8-Channel Serial Interface Module w/ 512kB	70-0036-004
6065P-4	4-Channel Serial Interface with Programmable Data Rate	70-0036-007
6065P	8-Channel Serial Interface with Programmable Data Rate	70-0036-008
98072*	Instruction Manual	980728

◆Racal Instruments◆ ☎(800) 722-2528 or FAX (714) 859-2505



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)