ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Radiall R141 207 000W* at our website: *Click HERE*

Straight plugs

STRAIGHT PLUGS CLAMP TYPE






Fig. 1




Fig. 2




Fig. 3

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)			Captive center contact	Note
				A	B	C		
RG178 / RG196	2/50/S + D	R141 003 000	1	27	2.2	0.6	yes	
RG174 / RG316 / RD316 / RG179	2.6/50+75/S+D	R141 004 000			3.1			
PPD Cable	3.5/50	R141 005 000	2	28	3.7	1.2	no	
RG58 / RG141	5/50/S	R141 007 000						
		R141 007 161						
RG58 / RG141 / RG142 / RG223 / RG400	5/50/S + D	R141 008 000	1	28	5.6	1.2		
		R141 009 000		28	5.6	1.2		
		R141 010 000				1.05	yes	
RG59 / RG62	6/75+93	R141 012 000		27.5	6.6	1.05	no	
RG213 / RG393 / RG214 / RG216	10 + 11/50/S + D	R141 018 000	3				yes	
RG402	.141"	R141 052 000	1	29	3.65	1.2	no	Semi-rigid cable

STRAIGHT PLUGS FULL CRIMP TYPE FOR FLEXIBLE CABLES







Fig. 1


Fig. 2




Fig. 3




Fig. 4




Fig. 5

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)			Captive center contact	Note
				A	B	C		
RG178 / RG196	2/50/S	R141 070 520	1	23	1.7	0.4	yes	Reverse crimp
RG174 / RG316	2.6/50/S	R141 075 000	2	30.3	1.8	0.6		
		R141 075 161						Commercial version
		R141A 075 161	3	26	1.7	0.6		Single piece body ECO version
	3.8/93/S	R141 077 000	2	28	2.7	0.4		
RG58 / RG14	5/50/S	R141 072 000	4	39	3.1			
		R141 082 000	5	28				Single piece body
		R141 082 161	3					Single piece body Commercial version
		R141A 082 161		30	3.1	1		ECO version
RG142 / RG223 / RG400	5/50/D	R141 083 000	5	28	3	1.05		Single piece body

Right angle plugs and straight jacks

RIGHT ANGLE PLUGS CLAMP TYPE FOR FLEXIBLE CABLES






Fig. 1




Fig. 2

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)		Captive center contact	Note
				A	B		
RG178 / RG196	2/50	R141 153 000	1	2.2	0.6	yes	100 pieces
RG174 / RG316 / RD316 / RG179	2.6/50+75/S+D	R141 154 000		3.1			
RG58 / RG141 / RG142 / RG223 / RG400	5/50/S + D	R141 156 000	2	5.6	1.05		Unit packaging

RIGHT ANGLE PLUGS FULL CRIMP TYPE FOR FLEXIBLE CABLES






Fig. 1




Fig. 2

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)		Captive center contact	Note
				B	C		
RG174 / RG316	2.6/50/S	R141 181 161	1	3.25	1.7	yes	Commercial version
RG58 / RG141	5/50/S	R141 182 000	2	5.5	1.05		Single piece body
		R141 182 161	1	5.5	3.15		Commercial version
		R141 182 177	2	5.55	3.2		Non magnetic
RG142 / RG223 / RG400	5/50/D	R141 183 000		5.8	1.05		Single piece body

STRAIGHT JACKS FOR FLEXIBLE CABLES








Fig. 1




Fig. 2

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)		Captive center contact	Note
				A	B		
RG58 / RG141 / RG142 / RG223 / RG400	5/50/S + D	R141 207 000	1	5.6	1.05	no	Clamp type
		R141 208 000				yes	
RG174 / RG316	2.6/50/S	R141 217 000	2		0.57		Full crimp type
RG58 / RG141	5/50/S	R141 237 000		5.5	1.05		Single piece body, full crimp type
		R141 237 161					Commercial version, full crimp type
RG142 / RG223 / RG400	5/50/D	R141 220 000					Single piece body, full crimp type

Square flange jacks

STRAIGHT SQUARE FLANGE JACKS CLAMP TYPE FOR FLEXIBLE CABLES






Fig. 1




Fig. 2

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)				Captive center contact	Panel drilling	Note
				A	B	C	D			
RG178 / RG196	2/50/S + D	R141 253 000	1	29.5	2.2	0.6	3-56-UNF-2B	yes	P01	
RG174 / RG316 / RD316 / RG179	2.6/50+75/S+D	R141 254 000			3.1					
		R141 278 000					2.7		P02	
		R141 277 000	2		3		2.6		P01	Insulated flange
RG58 / RG141	5/50/S	R141 257 000	1	30	5.6	1.05	2.5	no	P01	
		R141 256 000	2		5.6	1.05	2.6		P02	Insulated flange
RG58 / RG141 / RG142 / RG223 / RG400	5/50/S + D	R141 258 000	1	30	5.6	1.05	3-56-UNF-2B		P01	Unit packaging
RG59	6/75	R141 261 000		30	6.5	1	2.5		P10	

STRAIGHT SQUARE FLANGE JACKS FULL CRIMP TYPE FOR FLEXIBLE CABLES






Fig. 1




Fig. 2

Cable group	Cable group dia.	Part number	Fig.	Dimensions D (mm)	Captive center contact	Panel drilling	Note
RG174 / RG316	2.6/50	R141 290 200	1	M3 x 0.5	yes	P04	Reverse crimping, Unit packaging
RG58 / RG141	5/50/S	R141 292 000	2	3 x 56 UNEF 2B		P17	Single piece body

STRAIGHT BULKHEAD JACKS CLAMP TYPE






Fig. 1




Fig. 2




Fig. 3

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)		Captive center contact	Panel drilling	Note
				A	B			
RG178 / RG196	2/50/S	R141 323 000	1	2.2	0.6	yes	P11	Panel sealed
RG174 / RG316 / RD316 / RG179	2.6/50+75/S+D	R141 304 000	2					
		R141 324 000	1	3.1	0.6			Panel sealed
RG174 / RG316 / RD316	2.6/50/S + D	R141 324 200		3.1	0.6			Totally sealed
RG58 / RG141 / RG142 / RG223 / RG400	5/50/S + D	R141 327 000		5.6	1.05	no		Panel sealed
RG401	.141"	R141 338 007		3.68	1.27	yes		Panel sealed, non magnetic
		R141 338 000		3.65	1.05	no		Panel sealed
RG174 / RG316 / RG179	2.6/50+75S	6501-6571-103	3	27.42	20.98	yes	P11	
RD316	2.6/50D	6501-7551-219		25.4	20.47			

STRAIGHT BULKHEAD JACKS CRIMP TYPE FOR FLEXIBLE CABLES






Fig. 1




Fig. 2




Fig. 3




Fig. 4

Cable group	Cable group dia.	Part number	Fig.	Dimensions (mm)			Captive center contact	Panel drilling	Note
				A	B	C			
RG178	2/50S	R141 303 503	2	26.4	2	0.4	yes		Reverse crimping/ commercial version
RD178	2/50D	R141 301 000	1	33.35	1.09	0.6		P14	Reverse crimping/ commercial version
RG174 / RG316	2.6/50/S	R141 306 000		34	1.7	0.6			
		R141 306 503	2	26	2.95				
		R141 331 500	3	38.5	1.7			P11 or P16	Panel sealed
		R141A 306 000	1	31	1.7	0.6	no	P14	ECO version
RG58 / RG141	5/50/S	R141 308 000	4				yes		Single piece body
		R141 332 500	3	35.5	3.1	1.05		P11 or P16	Panel sealed single piece body

Flange receptacles

FLANGE RECEPTACLES






Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5

Part number	Fig.	Dimensions (mm)			Captive center contact	Panel drilling	Flange holes	Note
		A	B	C				
R141 403 000	1				yes	P07	4 x M2.5	
R141 404 000	2					P06		
R141 406 000	1					P07	4 x M2.6	
R141 407 000	2					P06		
R141 410 000	3					P02		Insulated flange/solder tag
R141 453 000	4					P18		2 hole flange
R141 654 000	5	26.9	12.7	17.5		P05	4 x M2.6	Right angle receptacle

Bulkhead receptacles

RIGHT ANGLE BULKHEAD RECEPTACLE WITH SOLDER POT





Part number	Captive center contact	Panel drilling
R141 680 000	yes	P14

STRAIGHT BULKHEAD RECEPTACLES WITH SOLDER POT






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

Part number	Fig.	A (Length)	Captive center contact	Panel drilling	Note
R141 554 000	1		yes	P12	
R141 557 000	2			P14	
R141 559 000	3				Solder tag
R141 563 161	2				Silver plated center contact/ commercial version
R141 572 000	4			P11	Insulated receptacle + solder tag
R141 574 000	5			P14	
R141 574 161					Commercial version/insulated
R141 603 000	6			P15	Fully sealed/Q200-5 insulator
R141 605 000					Fully sealed
R141A 605 000	3	28		P21	Not sealed/ECO version
R141 625 000	7			P14	Hermetically sealed

RECEPTACLES






Fig. 1




Fig. 2

Part number	Fig.	Captive center contact	Panel drilling	Note
R141 440 000	1	yes	P03	Male square flange
R141 580 000	2		P14	Male bulkhead / Panel sealed / Solder tag

STRAIGHT PCB FEMALE RECEPTACLES






Fig. 1




Fig. 2




Fig. 3

Part number	Fig.	Captive center contact	Panel drilling	Note
R141 426 000	1	yes	P08	
R141 426 161	2			Die cast body / Commercial version
R141 426 168	3			

RIGHT ANGLE PCB FEMALE RECEPTACLES






Fig. 1




Fig. 2

Part number	Fig.	Captive center contact	Panel drilling	Finish	Note
R141 665 000	1	yes	P19	Nickel	
R141 665 200	2		P08		

IN SERIES ADAPTERS






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

Part number	Fig.	Captive center contact	Dimension A (mm)	Flange holes	Panel drilling	Note
R141 703 000	1	yes				male - male
R141 704 000	2					female - female
R141 710 000	3			4 x M2.5	P10	female - female square flange
R141 717 000	4			4 x 2.6	P02	female - female square insulated flange
R141 720 000	5				P13	female - female bulkhead
R141A 720 000						female - female bulkhead/ECO version
R141 723 000					P13 or P16	female - female insulated bulkhead
R141 723 161						female - female insulated bulkhead/commercial version
R141 730 000	6		35.7		P13	female - female panel sealed bulkhead
R141 753 000			35.3			female - female hermetically sealed bulkhead
R141 770 000	7					male - female right angle

CROSS AND TEE IN SERIES ADAPTERS






Fig. 1




Fig. 2




Fig. 3




Fig. 4

Part number	Fig.	Captive center contact	Note
R141 780 000	1	yes	male/female-female tee
R141 782 000	2		female/female-female tee
R141 789 000	3		female/female-male tee
R141 799 000	4		male/female-female-female cross/unit packaging

MALE AND FEMALE CAPS









Fig. 1



Fig. 2


Fig. 3


Fig. 4

Part number	Fig.	Note
R141 802 000	1	male
R141 805 000	2	male with cord
R141 812 000	3	male with chain
R141 842 000	4	female with chain
R141 862 000	3	male short circuit / with chain

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP