ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Abaco Systems / Ramix CP237* at our website: ***Click HERE***

CP237 Multipurpose CompactPCI PMC carrier

- 64-bit PCI 6U CompactPCI expansion card
- Capable of 66Mhz PCI
- 2 PMC slots
- Ethernet Port 10/100Base-TX
- RS232 port
- Optional rotating or flash disk on board for boot/storage purposes



The CP237 is a 6U CompactPCI form factor card that expands to two PMC slots. An optional Enhanced IDE/ATA disk can be deployed in addition for use of external and/or booting devices. The two PMC slots are 64 Bit wide. For PMC cards that route the I/O to the rear the CP237 routes these signals to J3 and J4 of Compact PCI.

As any CompactPCI product from RAMiX, it offers hot insertion capability for higher reliability and rapid servicing.

Functional specifications

I/O connections	Front
compatibility	PCI REV. 2.2 PICMG 2.0 R3.0 IEEE 1386 (PMC) IEEE 802.3

Operating systems

drivers	VxWorks, pSOS, Lynx, Digital64, HP-UX, Linux, Solaris, NT

Electrical / Mechanical

power	1.5W
size	IEEE 1386, Standard Single PMC card
operating temperature	0° C to +65° C
storage temperature	-40° C to + 80° C
relative humidity	5% to 95% (non-condensing)

Ordering info

When ordering specify the model followed by operating system and processor architecture.

part number	CP237	
disk size	(C) 6 Gbyte	(F20) 20 Mbyte Flash disk
	(D) 9 Gbyte	(F40) 40 Mbyte Flash disk
	(E) 12.5 Gbyte	(F60) 60 Mbyte Flash disk
	(F) 17 Gbyte	(F80) 80 Mbyte Flash disk
	(G) 25 Gbyte (takes adjacent slot)	(F100) 100 Mbyte Flash disk
		(F220) 220 Mbyte Flash disk
		(F440) 440 Mbyte Flash disk
software environment	(SEV) VxWorks	(SED) Digital UNIX
	(SEL) LynxOS	(SES) Solaris
	(SEP) pSOS	(SEU) Custom

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

processor architecture	(ARC) Power PC	(AR6) R6000
	(AR8) 68K	(ARF) ALPHA
	(ARS) SPARC	(ARX) Custom
example	CP237-C-SEV-ARC// CP237 with 6 Gbyte disk in VxWorks environment on Power PC	

© 2000 RAMiX inc. all rights reserved

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP