ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Roper Scientific CoolSnap K4* at our website: *Click HERE*

Photometrics CoolSNAP™ K4

2048 x 2048 imaging array
7.4 x 7.4-µm pixels



The CoolSNAP™ K4 Monochrome camera from Photometrics® delivers high-resolution imaging for low-light scientific applications that require a large field of view. This cooled CCD camera provides 12-bit digitization at 20 MHz. The large format of the CCD allows the user to image the microscope's whole field of view, while the small pixel size is ideally matched to the resolution limit of the microscope. The 4-megapixel detector enables very fine image detail to be resolved, yet the pixels can be easily binned to improve sensitivity. Advanced interline-transfer CCD technology provides high quantum efficiency.


Primary applications

Histology
Immunofluorescence
FISH
Fixed-cell GFP imaging
3D deconvolution
Multiple-wavelength FRET
High-resolution time-lapse microscopy

Features	Benefits
20-MHz readout	High-speed, high-sensitivity image capture
2048 x 2048 imaging array	Resolves fine detail
7.4 x 7.4-µm pixels	Ideally matched to optical microscope
Interline-transfer, progressive-scan CCD	Eliminates camera vibration and facilitates fast triggering
Flexible binning and readout	Increases light sensitivity while increasing the frame rate
12-bit digitization	Quantifies bright and dim signals in the same image
Thermoelectric cooling	Long integration times for higher sensitivity
Enhanced quantum efficiency	Provides higher sensitivity than typical interline cameras
C-mount	Easily attaches to microscopes, standard lenses, or optical equipment
Acquisition software	Captures, analyzes, and saves high-resolution images
PCI interface	High-bandwidth, uninterrupted data transfer
PVCam® Circular buffers Device sequencing	Supported by numerous third-party software packages Real-time focus Precise integration with shutters, filter wheels, etc.
	Compatible with Windows® XP/Vista 32, Mac OS X, and Linux® (kernel versions 2.4 and 2.6.8)

 ©2010 Photometrics. All rights reserved.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



Region

Binning	2048 x 2048	1024 x 1024	512 x 512
1 x 1	3	5	8
2 x 2	5	8	10
3 x 3	6	10	11
4 x 4	8	11	12

(Frames per second)

Note: Frame rates are measured at 20 MHz with 0-second exposure times.

	Specifications
CCD image sensor	Kodak® KAI-4020M; interline-transfer, progressive-scan device with microlenses
CCD format	2048 x 2048 imaging array 7.4 x 7.4-µm pixels 15.16 x 15.16-mm imaging area (optically centered)
Linear full well	30,000 e- (single pixel) 60,000 e- (2 x 2 binned pixel)
Read noise	≤10 e- rms @ 20 MHz
Nonlinearity	<1%
Digitizer type	12 bits @ 20 MHz
CCD temperature	-25°C (regulated)
Dark current	0.1 e-/p/s @ -25°C
Operating environment	0 to 30°C ambient, 0 to 80% relative humidity noncondensing
I/O	TTL (trigger/status): trigger, invert, inhibit, exposing, interline shift, frame readout 8-bit TTL (programmable) 8-bit DACs (two)

Note: Specifications are typical and subject to change.

CoolSNAP is a trademark of Photometrics. Photometrics and PVCAM are registered trademarks of Photometrics. Kodak is a registered trademark of Eastman Kodak Company. Linux is a registered trademark of Linus Torvalds. Mac OS is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. Other brand and product names are the trademarks or registered trademarks of their respective owners and manufacturers.

PHOTOMETRICS®

USA 520.889.9933
Asia Pacific +65.6841.2094
France +33.1.60.86.03.65
Germany +49.89.660.779.3
Japan +81.3.5639.2731
UK +44.1628.890858

www.photometrics.com
info@photometrics.com

 ©2010 Photometrics. All rights reserved.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP