ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Teledyne / Photometrics Quantix 1401E* at our website: ***Click HERE***



DATA SHEET

SENSYS

SenSys:1401E

Photometrics

1317 x 1035 imaging array
6.8 x 6.8-µm pixels

The SenSys:1401E is a high-resolution digital camera system designed for low-light scientific and industrial applications. This cooled CCD camera system provides 12-bit digitization. The fine pitch of the pixels, 6.8 x 6.8 microns, is ideally matched to the resolution of optical microscopes. Megapixel resolution and small pixels allow imaging of very fine detail, yet the pixels can be easily binned to improve sensitivity. The CCD uses indium tin oxide (ITO) technology to raise quantum efficiency, particularly in the blue/green.


FEATURES	BENEFITS
1317 x 1035 imaging array 6.8 x 6.8-µm pixels	Resolves fine detail Ideally matched to optical microscope
Scientific-grade CCD	Few defects and hot pixels
Single-window imaging path	Minimizes reflections and distortion
ITO transparent gates	Higher QE performance throughout visible spectrum
Three detection modes	Optimized for high sensitivity, high dynamic range, and high SNR
Flexible binning and readout	Increases light sensitivity while increasing the frame rate
12-bit digitization	Quantifies both bright and dim signals in the same image
Thermoelectric cooling	Long integration times for higher sensitivity
C-mount or F-mount with shutter	Selectable for the best optical path Easily attaches to standard lenses or optical equipment
Compact camera head	Easily fits your instrument
PCI, ISA, or SCSI interface	Works with PC, Macintosh, Linux®, Sun™ or SGI®
Detailed calibration report	Proven performance characteristics


Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



DATA SHEET

SENSYS SYSTEM





To calculate total frame read time, add exposure time and shutter open and close delays to "time to memory."

SPECIFICATIONS

CCD image sensor	Kodak KAF1401E; scientific grade; MPP; Metachrome® II UV enhancement (optional)
CCD format	1317 x 1035 imaging pixels plus 26/5 serial pre/postscan pixels; 1/1 parallel pre/postscan rows; 6.8 x 6.8-µm pixels; 100% fill factor; 9.0 x 7.0-mm imaging area (optically centered)
Grades	Grade 1: ≤5 point defects, 0 cluster defects, 0 column defects; Grade 2: ≤10 point defects, ≤4 cluster defects, ≤2 column defects; Grade 3: ≤20 point defects, ≤8 cluster defects, ≤4 column defects
User gains	Three detection modes or gains; user selectable; high sensitivity, high dynamic range, high SNR
Linear full well	80,000 e^- @ 0.5x; 40,000 e^- @ 1x; 10,000 e^- @ 4x
Read noise	20 e^- rms @ 0.5x; 17 e^- rms @ 1x; 12 e^- rms @ 4x
Nonlinearity	≤0.5%
Sensitivity	50 microLux for 30-second exposure
Readout bits/speed	12 bits @ 1 MHz
Parallel shift rate	10.4 µsec/row
Serial discard rate	0.1 µsec/pixel
Frame readout	1.39 seconds for full frame
Dark current	1.0 e^-/p/s with passive-air cooling (+10°C)
Operating environment	0 to 40°C ambient, 0 to 70% relative humidity

Note: Specifications are typical and subject to change.

ROPER SCIENTIFIC™ PHOTOMETRICS

3440 East Britannia Drive, Tucson, AZ 85706 tel: 520.889.9933 fax: 520.573.1944 email: info@roperscientific.com web: www.roperscientific.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP