

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*



Stereo / Mono Distribution Amplifier with Separate Output Level Controls

Ideal for situations where the distribution system must feed different signal levels to various pieces of equipment or output lines.

Each of the 8 outputs has a separate level control with a +/- 6 dB range. Two separate 4 output amplifiers are contained on a card for stereo use. A jumper plug provides a Mono mode in which all 8 outputs are fed from the Left input.


The Left and Right Amplifiers each have a master gain control with +/-6 dB range and a gain-setting jumper with positions from -12 dB to +28 dB to accommodate a wide range of input levels.

The amplifier has a high level of signal transparency and will provide virtually flawless performance in any television, radio, duplication or recording studio application.

This amplifier fits into either Ross 7550 series or GVG 8550 series frames (3 outputs per channel in GVG frames). The power to each card is individually fused to prevent failure of any one card from affecting the rest of the cards in the frame.

Special design precautions have been taken to ensure that the amplifier is perfectly stable under all load and rack wiring conditions. The amplifier also provides exceptionally good rejection of ground loop hum and other common-mode interference.

Functional Block Diagram



Features:

GVG Compatible

- Each output has a separate output level control
- Dual amplifiers, each with 4 outputs
- Mono mode provides 8 outputs
- Very low distortion
- Excellent common-mode rejection
- Wide gain range
- Low power consumption for cool, reliable operation
- 5-year transferable warranty
- Fits Ross 7550 series and GVG 8550 series frames

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP