



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Gamma7



Processor

Mobile Pentium III @500 MHz
Intel 440BX Chipset
Write Back L1 Cache, 256KB
L2 Cache

Graphic

XVGA, PCI, 8MB VRAM, up to
1280*1024, 24 Bit
DVI-Interface for Panel Link and
CRT

Memory

up to 256 MB DIMM

Masstorage

2,5" Harddisk (EIDE), 3GB or
Silicondisk (IDE) up to 1 GB,
Floppydisk Interface

LAN

100Base-TX

Front Panel/IOs

**** Gamma7**** Industrial VMEbus-PC

PS2-Keyboard/Mouse, COM1,
COM2, LPT1, LAN 100Base-Tx,
DVI, USB, Status-LEDs

RT-Support

Watchdogtimer,
NMI generated through any
ISA-Bus Interrupt
NMI-Timer for Realtime-OS or
Windows-RTK, Realtime Clock
with Calendar and Alarm
256 KB Shared SRAM, battery
backped (HW-Byte-Swapping)

VMEbus Interface

PC-to-VME Bridge Universe II (Tundra)

Extensions

PC104 Interface or ISA-Bus-
Extension w/ 2x16Bit Slots
IEEEP996.1(Option, 6U)

Supported Operatingsystems

Windows98, WindowsNT, emb.NT,
Windows2000, VxWorks, QNX, RT-Linux

► **Description**

► **Technical Specification**

Description

Gamma7 is a complete Industrial PC with a VMEbus interface which satisfies the specific requirements of industrial applications:

- * watchdog timer function for monitoring the local software and hardware
- * voltage and temperature monitoring
- * NMI timer for real-time operating under Windows and other RT-OS like VxWorks

The modular upgrade options and the ruggedness of the VME technology guarantee safe and reliable use in the harshest of environments. Economical I/O boards or supplementation with fieldbus modules enable local and remote extensions.

The expansion of the Gamma7 itself via an ISA bus adapter is provided independently of the VMEbus interface so that standard ISA bus boards (e.g. SCSI bus masters) can be operated. Alternatively, PC/104 boards can be employed via another adapter.

By using Gamma7 you have all the benefits of working with a PC, also with the VMEbus, as well as a wide range of standard application software and development tools. VME PCs are your ideal interface between the VMEbus and the operator. Take advantage of all that Windows has to offer in visual displays, data-base evaluation and networking

The powerful VisionControl software completes VisionCompact as the ideal solution for automation tasks. This software offers all you need to build an big application in a short time. A real time core brings Windows NT™ 4.0 and 9x™ up to an "hard" real time

operating system, so you can use all features of Microsofts Windows technology in industrial applications.

Technical Specification

LAN-Interface Ethernet	
	Western(RJ45)
Controller	AMD 79C975
Physical interface	NE2000 compatible, 100Base-Tx
Transmission rate	max. 100 MBaud
USB	
	Serie A, 2 ports
Controller	PIIX4 (Intel)
Transmission rate	max. 12 MBaud
Graphics Output	
	DVI
Controller	SMI Lynx 3DM, PCI
Physical interface	DVI for CRT-Monitors and LC-Displays
Resolution	max. 1600x1200
Color depth/ Image buffer	24 bit, True Color /8 MB
Serial Ports COM1/2	
	9-pin Sub-D connector (male)
Controller	SMSC FDC 37B78X
Physical interface	acc. to EIA RS232
Transmission rate	max. 115,2 KBaud
Parallel Port LPT	
	25-pin Sub-D connector (female)
Controller	SMSC FDC 37B78X
Physical interface	acc. to IEEE 1284-A
Transmission rate	max. 2MB/s
PS/2 Keyboard and Mouse	
	6-pin Mini-DIN-connector (female)
Controller	SMSC FDC 37B78X
Physical interface	PS/2 keyboard and mouse combination connection
Floppy Connection	
	26-pin mini delta ribbon connector (female)
Controller	NEC uPD72065B compatible
Physical interface	34-pin array for IDC-connector
Transmission rate	250 KB/s, 300KB/s, 500KB/s and 1 MB/s
Other Interface	
ISA PC-boards	upt to 2 ISA slots (6HE)
PC/104 boards	1 PC/104 slot
for Mass storage	Enhanced IDE on PCI (inside housing)
Diagnostic LEDs	Power supply, Watchdog, HDD, Ethernet
Power Supply	
Nominal Value	5 VDC
Admissable voltage range	4,875...5,25 VDC
Current Consumption	max tbdA@5V DC (depending on G7-version)
Ambient Conditions	
Temperature operating (storage)	0..+55°C (-20..+60°C) with Harddisk 0..+60°C (-40..+85°C) with SiliconDisk
Vibration operating (storage)	with SiliconDisk: 5g(5g) with Harddisk: 0,5g(5g) Sine, DIN IEC 68 part 2-6, sine, 12...300Hz, 10kt/min, 1h/axis
shock, permanent operating (storage)	15g(15g) DIN IEC part 2-29, halfsine, 11ms 1000 per direction and axis
shock, single, operating (storage)	40g(40g) DIN IEC part 2-27, halfsine, 6 ms, 3 per direction and axis

humidity operating (storage)	8 .. 80%, non condensing
altitude operating (storage)	(-300..3000m above sea level)
Dimensions/Weight	
With / Height / Dept	3U (6U w/ ISA bus extension), 3 slots w/HDD
Electromagnetics Compatibility	
Unwanted Emission	Limits and operation acc. to DIN EN 55022, DIN EN 50081-1
Interference Immunity	Limits and operation acc. to DIN EN 50082-2
Protection & Safety	
Safety	Limits and operation acc. to DIN EN 60950
Protection	IP20 acc. to DIN 40050 (front side)

Depending on the Gamma7 version, not all features might be available.
Subject to corrections and technical changes.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com