



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

MSA 170

Scale model	System resolution	Accuracy grades*	Grating pitch* (Edge separation a_{min})	Max. velocity
• Sinusoidal voltage signals 1 V_{pp}				
MSA 170.03	depending on external subdividing	±3, ±5, μm/m	20 μm	1 m/s
• Sinusoidal micro-current signals				
MSA 170.13	depending on external subdividing	±3, ±5, μm/m	20 μm	1 m/s
• Square wave Line Driver signals with integrated Subdividing				
MSA 170.23	5 μm	±3, ±5 μm/m	20 μm	1 m/s (3.3 μs)
MSA 170.63	1 μm	±3, ±5 μm/m	20 μm	1 m/s (500 ns)
MSA 170.73	0.5 μm	±3, ±5 μm/m	20 μm	1 m/s (300 ns)
MSA 170.53	0.2 μm	±3, ±5 μm/m	20 μm	0.6 m/s (300 ns)
MSA 170.83	0.1 μm	±3, ±5 μm/m	20 μm	0.3 m/s (300 ns)

* Other accuracy grades or grating pitches (e.g. Inch) upon request

Standard measuring lengths: (mm)

50, 70, 120, 170, 220, 270, 320, 370, 420, 470, 520,

Measuring type: glass scale

Reference mark (RI): selectable

MSA 170.xx **K**

Distance coded Reference Marks (**K**): after travelling 20 mm the absolute position will be shown on the display.

MSA 170.xx

One Reference Mark in the middle of the measuring length, or 10 mm from either end of the measuring length (excluding ML 50 mm).

Option:

One Reference mark at any location, or two or more Reference Marks separated by distances of $n \times 25$ mm.

Required moving force: < 1 N

Environmental sealing DIN 40050:

IP 53 (with standard sealing lips)

IP 64 with DA300 (DA300 see page 45)

Permissible vibration: 100 m/s² (40 to 2000 Hz)

Permissible shock: 150 m/s² (8 ms)

Permissible temperature:

-20°C to +70°C (storage), 0°C to +50°C (operation)

Weight (approx.):

22 g/100 mm (scale spar) + 35 g (scanning head without cable)

Signal-outputs (optional):

**• Sinusoidal voltage signals
MSA 170.03**

Power supply:

+5V ±5%, max. 75 mA (unloaded)

Output signals:

Encoder signals: 0.6 to 1,2 V_{pp}, typical 1 V_{pp}
with terminating resistor $Z_0 = 120 \Omega$

Reference pulse:

0.2 to 0.85 V_{pp}, typical 0.4 V (useable component)
with terminating resistor $Z_0 = 120 \Omega$

Max. output frequency:

100 kHz (with 3 m cable)

**• Sinusoidal micro-current signals
MSA 170.13**

Power supply:

+5V ±5%, max. 75 mA

Output signals:

Encoder signals: 7 to 16 μA_{pp},
typical 11.5 μA_{pp} at 1 K Ω

Reference pulse: 2 to 8 μA,

typical 5 μA (useable component) at 1 K Ω

Max. output frequency:

50 kHz (with 3 m cable)

**• Square wave signals (single ended)
with integrated Subdividing Electronics**

**• Square wave signals (differential)
via Line Driver RS 422 standard
with integrated Subdividing Electronics**

MSA 170.23 = times1

MSA 170.63 = times5

MSA 170.73 = times10

MSA 170.53 = times25

MSA 170.83 = times50

Power supply:

+5V ±5%, max. 120 mA (unloaded)



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com