



Artisan Scientific

QUALITY INSTRUMENTATION ... GUARANTEED

Looking for more information?

Visit us on the web at <http://www.artisan-scientific.com> for more information:

- Price Quotations
- Drivers
- Technical Specifications, Manuals and Documentation

Artisan Scientific is Your Source for Quality New and Certified-Used/Pre-owned Equipment

- Tens of Thousands of In-Stock Items
- Hundreds of Manufacturers Supported
- Fast Shipping and Delivery
- Leasing / Monthly Rentals
- Equipment Demos
- Consignment

Service Center Repairs

Experienced Engineers and Technicians on staff in our State-of-the-art Full-Service In-House Service Center Facility

InstraView™ Remote Inspection

Remotely inspect equipment before purchasing with our Innovative InstraView™ website at <http://www.instraview.com>

We buy used equipment! We also offer credit for Buy-Backs and Trade-Ins

Sell your excess, underutilized, and idle used equipment. Contact one of our Customer Service Representatives today!

Talk to a live person: 888-88-SOURCE (888-887-6872) | Contact us by email: sales@artisan-scientific.com | Visit our website: <http://www.artisan-scientific.com>

Product Details: 4427-V



Product Description

The Model 4427-V is a forward error correction module for the VMEbus. All functions of the Model 4427-V comply with those specified by the Consultative Committee for Space Data Systems (CCSDS) in the Space Data System Standards of Telemetry Channel Coding. The integrated design provides a total hardware solution to the CCSDS Encoding and Decoding requirements defined in the CCSDS 101.0-B-3 Blue Book.

The Model 4427-V provides independent encoding and decoding operations. Standard encoding functions include Convolutional Encoding, Reed-Solomon Encoding, Symbol Interleaving, Attached Sync Marker (ASM) Insertion and Bit-Stream Randomization. Standard decoding functions include Viterbi Decoding, Reed-Solomon Decoding, Symbol Deinterleaving, Frame Synchronization and Bit-Stream Derandomization.

All setup parameters for the Model 4427-V are programmable via the VMEbus. Readback (status) from the module is available over the same bus.

Product Specifications: 4427-V

Form Factor: VME 6U

Accessory List: cables

Host OS: VxWorks

Host Bus: VME 6U

Carrier Type: Not Applicable

Power Consumption: 1.45 @ +5, 0.0 @ +12, 0.01 @ -12

Supply Voltages: +5, ± 12 V

Operating Temperature: 0 to 50 °C

Number of Channels: 1

Maximum Data Rate: 25

Data Rate Units: M bits/sec

Specifications Text:

- Complies with CCSDS 101.0-B-3 Blue Book
- Reed-Solomon Encoding/Decoding (25 Mbps)
- Code-Block Randomization/Derandomization
- Symbol Interleaving/Deinterleaving (depths 1-8)
- ASM Insertion for Code-Block Synchronization
- Quality Accounting and Bit-Error Rate Readback
- Convolutional Encoder/Viterbi Decoder (Option-V)



Artisan Scientific

QUALITY INSTRUMENTATION ... GUARANTEED

Looking for more information?

Visit us on the web at <http://www.artisan-scientific.com> for more information:

- Price Quotations
- Drivers
- Technical Specifications, Manuals and Documentation

Artisan Scientific is Your Source for Quality New and Certified-Used/Pre-owned Equipment

- Tens of Thousands of In-Stock Items
- Hundreds of Manufacturers Supported
- Fast Shipping and Delivery
- Leasing / Monthly Rentals
- Equipment Demos
- Consignment

Service Center Repairs

Experienced Engineers and Technicians on staff in our State-of-the-art Full-Service In-House Service Center Facility

InstraView™ Remote Inspection

Remotely inspect equipment before purchasing with our Innovative InstraView™ website at <http://www.instraview.com>

We buy used equipment! We also offer credit for Buy-Backs and Trade-Ins

Sell your excess, underutilized, and idle used equipment. Contact one of our Customer Service Representatives today!

Talk to a live person: 888-88-SOURCE (888-887-6872) | Contact us by email: sales@artisan-scientific.com | Visit our website: <http://www.artisan-scientific.com>