



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗


### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)



# Ruggedization

## Full Environmental Compliance

### Features

- Unique expertise/experience in ruggedization
- Products designed to be rugged
- Five levels of ruggedization available
- Compliant with all relevant standards, including:
  - ANSI/VITA 1.1-1997
  - ANSI/VITA 20-2001
  - ANSI/VITA 30.2-2002
  - PICMG 2.0 R3.0-1999
  - IEEE 1101.2-1992
- All build levels compatible, interoperable

GE Intelligent Platforms was among the very first companies to bring to market commercial off-the-shelf (COTS) products that were rugged by design – as opposed to commercial products that were ruggedized as an afterthought. Created to operate in the harshest environments, GE's products now reflect the company's unparalleled experience and expertise in ruggedization, with its unique combination of design evaluation and assembly and test practices through to advanced thermal management, mechanical engineering and hermetic control techniques.

GE ruggedizes its products by upgrading or screening parts for extended temperatures, adding mechanical stiffening bars, and/or changing substrate materials for thermal conduction. An integrated stiffening frame/thermal management assembly is used to optimize the mechanical dynamic and thermal performance. A variety of conformal coatings are available for humidity and static control.

The wide range of harsh military, aerospace and industrial environments for which GE products are designed sees them built in five

distinct ruggedization levels. Development systems are compatible and interoperable with deployed systems through the use of shared circuit design and software compatibility, allowing the most cost-effective option to be selected: each of the five levels differ only in the mechanical build standard, type of cooling and the quality of the electronic components used.

GE's five ruggedization levels offer increasing levels of environmental durability, enabling operational goals to be met at the lowest possible cost. Each ruggedization level has been carefully tailored to provide the optimal trade-off between cost, performance and reliability. Selection will depend on the type of cooling required – either forced air or by conduction – and the overall requirements for environmental performance.

Fully compliant with the ANSI/VITA 1-1994 VMEbus and IEEE Std 1101.2-1992 conduction-cooled specifications, GE products can be used with complete confidence in conjunction with both in-house designs and other vendor products that meet the same internationally recognized standards.



# Ruggedization – Full Environmental Compliance

## Summary Table

Ruggedization Level 1 Standard (Air-cooled)	
Operating Temperature	0 to +55°C with 300 linear ft./min. airflow
Storage Temperature	-50 to +100°C
Vibration	0.002g <sup>2</sup> /Hz from 10 to 2000Hz random and 2g sinusoidal from 5 to 500Hz
Shock	20g peak sawtooth, 11mS duration
Humidity	Up to 95% RH

**Notes:** Commercial grade, for use in benign environments and software development applications.

Ruggedization Level 2 Extended Temperature (Air-cooled)	
Operating Temperature	-20 to +65°C with 300 linear ft./min. airflow
Storage Temperature	-50 to +100°C
Vibration	0.002g <sup>2</sup> /Hz from 10 to 2000Hz random and 2g sinusoidal from 5 to 500Hz
Shock	20g peak sawtooth, 11mS duration
Humidity	Up to 95% RH with varying temperature, 10 cycles, 240 hours

**Notes:** Similar to standard, conformally-coated for added protection and temperature characterized.

Ruggedization Level 3 Rugged (Air-cooled)	
Operating Temperature	-40 to +75°C with 600 linear ft./min. airflow
Storage Temperature	-50 to +100°C
Vibration	0.04g <sup>2</sup> /Hz 20 to 2000Hz, with a flat response to 1000Hz, 6dB/octave roll-off from 1000 to 2000Hz
Shock	20g peak saw tooth, 11mS duration
Humidity	Up to 95% RH with varying temperature, 10 cycles, 240 hours

**Notes:** Wide temperature, conformally-coated for added protection. Optional Environment Stress Screening (ESS).

Ruggedization Level 4 Rugged (Conduction-cooled)	
Operating Temperature	-40 to +75°C at the thermal interface
Storage Temperature	-50 to +100°C
Vibration	Random, 0.1g <sup>2</sup> /Hz from 15 to 2000Hz per MIL-STD-810E Fig 514.4 - 8 for high performance aircraft. ~12g RMS
Shock	40g peak saw tooth, 11mS duration
Humidity	Up to 95% RH with varying temperature, 10 cycles, 240 hours

**Notes:** Designed for severe environment applications with high levels of shock and vibration, small space envelope and restricted cooling. Optional Environment Stress Screening (ESS).


Ruggedization Level 5 Rugged (Conduction-cooled)	
Operating Temperature	-40 to +85°C at the thermal interface
Storage Temperature	-50 to +100°C
Vibration	Random, 0.1g <sup>2</sup> /Hz from 15 to 2000Hz per MIL-STD-810E Fig 514.4 - 8 for high performance aircraft. ~12g RMS
Shock	40g peak saw tooth, 11mS duration
Humidity	Up to 95% RH with varying temperature, 10 cycles, 240 hours

**Notes:** Designed for severe environment applications with high levels of shock and vibration, small space envelope and restricted cooling. Optional Environment Stress Screening (ESS).

## Ruggedization Levels A to E

GE Intelligent Platforms has also introduced Ruggedization Levels A to E which are identical in every respect to Ruggedization Levels 1 to 5 except that the upper operating temperature limits are defined on a product by product basis. This allows GE to offer the very highest performance products without the restrictions of fixed upper temperature limits. For products rated under this scheme the upper temperature limit is defined in the product manual.

- Level A = Level 1 : except Operating Temperature = 0 to X°C (consult manual for X)
- Level B = Level 2 : except Operating Temperature = -20 to X°C (consult manual for X)
- Level C = Level 3 : except Operating Temperature = -40 to X°C (consult manual for X)
- Level D = Level 4 : except Operating Temperature = -40 to X°C (consult manual for X)
- Level E = Level 5 : except Operating Temperature = -40 to X°C (consult manual for X)



## GE Intelligent Platforms Contact Information

Americas: 1 800 433 2682 or 1 434 978 5100

Global regional phone numbers are listed by location on our web site at [www.ge-ip.com/contact](http://www.ge-ip.com/contact)

[defense.ge-ip.com](http://defense.ge-ip.com)



©2011 GE Intelligent Platforms, Inc. All rights reserved.  
All other brands or names are property of their respective holders.  
Specifications are subject to change without notice.

05.11 GFA-926A



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)