

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*



control and versatility

The RTC5 **control board** provides synchronous, interference-resistant control of scan systems, lasers and peripheral equipment in real time. It is available as a PC interface board, or as a PCI-Express board.


A high-performance signal processor and the supplied DLL simplify programming under Windows. Software commands are loaded into the RTC5's freely-configurable list buffer and processed by the DSP. Every 10 µs, appropriate signals are output to or read-out from the scan system, laser and peripheral equipment.

The RTC5 communicates with scan systems via the new SL2-100 data transfer protocol. This protocol supports 20-bit control signals and thereby a 16x higher positioning resolution compared to the RTC4 predecessor board. The RTC5's processor automatically performs micro-vectorization and image field correction.

For laser control, various programmable laser signals are available for vector and bitmap processing. During execution, the board can provide automatic position/speed/vector-dependent readjustment of laser power. Furthermore, the scan system can be synchronized to the laser. This "output synchronization" is a prerequisite for exact and reproducible laser processing when the laser-pulse signal is defined by a fixed (external) laser clock, as is the case for ultrashort pulse lasers.

For SCANLAB scan systems with fully digital servo electronics (e.g. intelli*SCAN*, intelli*cube*, intelli*DRILL*, intelli*WELD*, power*SCAN* i), the RTC5 also supports all possibilities arising from the i*DRIVE* technology. This includes real-time monitoring and remote diagnosis of key operational parameters, simulation-assisted process optimization and the use of different dynamics tunings. The feedback of the scan-system speed can be used for speed-dependent laser control.

Numerous options provide the extensive flexibility system integrators need for meeting diverse customer requirements.



SCANLAB
innovators for industry

System Integration

- PCI bus interface or PCI-Express interface (PCIe-x1 version 1.0)
- Any number of RTC5 PCI or PCIe boards in one PC
- Master/slave synchronization
- Drivers for (32-bit and 64-bit) Windows 10/8/7/Vista
- Multi threading, multi processing

Scan System Control

- SL2-100 transfer protocol (control of scan systems per XY2-100 transfer protocol via an optional converter)
- 20-bit positioning resolution
- Virtual processing field (24 bit)
- 10 µs output period
- Galvanically isolated signals
- Tuning selection
- Vector and jump mode, tuning auto-switching
- Scan-system diagnosis
- Reading back actual-position values
- Synchronization of scanning motions to the laser clock (e.g. ultrashort pulse lasers) – "output synchronization"

Laser Control

- 15-pin D-Sub connector
- Laser signals with 15 ns resolution and 20 mA output current
- Various laser modes for controlling all typical lasers
- Bitmap mode with pixel frequencies up to 300 kHz, 15 ns resolution, 0-100% laser pulse width
- RS232 interface
- Speed- and position-dependent laser control

Control of Peripheral Equipment

- 16-bit digital output and input
- 8-bit digital output
- 2-bit digital output and input
- 12-bit analog output (0...10 V)
- McBSP interface
- Stepper motor signals

Command Management

- Configurable list buffers with 1,000,000 list positions, protected memory area definable
- Lists and subroutines
- "Short" list commands for changing (laser) output signals without interrupting polygonal traversal (the laser remains on)
- Download verification
- Enhanced list and list execution status
- Definable and selectable character sets
- Marking of dates, times and serial numbers
- Marking of circles and ellipses
- Sky writing
- Conditioning of all list commands possible

Options


- Control of 3-axis scan systems
- Processing-on-the-fly functionality for objects in motion (two encoder inputs with 32-bit counter, up to 8 objects between trigger and marking position, etc.)
- Dual-head capability for simultaneous control of two scan systems
- Customer-specific extensions possible

Other RTC control boards

- RTC4 (PCIe, Ethernet)
- RTC6 (PCIe, Ethernet, EtherBox)

Accessories

- laserDESK laser processing software



09/2022 Information is subject to change without notice.
Product photos are non-binding and may show customized features.

SCANLAB GmbH · Siemensstr. 2a · 82178 Puchheim · Germany
Tel. +49 89 800 746-0 · Fax +49 89 800 746-199
info@scanlab.de · www.scanlab.de

SCANLAB America, Inc. · 100 Illinois St · St. Charles, IL 60174 · USA
Tel. +1 630 797-2044 · Fax +1 630 797-2001
info@scanlab-america.com · www.scanlab-america.com

SCANLAB innovators for industry

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP