

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

FN 323

SCHAFFNER

IEC plug
Compact size
General equipment protection
Up to 10 A maximum
B-version: for medical equipment




Applications: where small filter size is required


FN 323	Rated current A 40°C	25°C	Leakage current 220V/50Hz	Inductance mH	Connections Input	Output	Weight g	
♥ FN 323-1/01	1	1 2	2 x 0 21 mA	2 8	IEC 320 C14	soldering lug	40	X X X X X X X
♥ FN 323-1/05	1	1 2	2 x 0.21 mA	2.8	IEC 320 C14	fast-on 6.3 x 0.8	40	X X X X X X X
♥ FN 323-3/01	3	3 6	2 x 0.21 mA	0 75	IEC 320 C14	soldering lug	40	X X X X X X X
♥ FN 323-3/05	3	3 6	2 x 0 21 mA	0 75	IEC 320 C14	fast-on 6 3 x 0.8	40	X X X X X X X
♥ FN 323-6/01	6	7 3	2 x 0.21 mA	0 3	IEC 320 C14	soldering lug	40	X X X X X X X
♥ FN 323-6/05	6	7 3	2 x 0.21 mA	0 3	IEC 320 C14	fast-on 6 3 x 0.8	40	X X X X X X X
♥ FN 323-10/01	10	12	2 x 0.21 mA	0 16	IEC 320 C14	soldering lug	40	X X* X X X O X
♥ FN 323-10/05	10	12	2 x 0.21 mA	0.16	IEC 320 C14	fast-on 6 3 x 0.8	40	X O* X X X O X
FN 323B								
FN 323B-1/01	1	1 2	2 x 2 µA	2 8	IEC 320 C14	soldering lug	45	X X X X X O X
FN 323B-1/05	1	1 2	2 x 2 µA	2.8	IEC 320 C14	fast-on 6 3 x 0 8	45	X X X X X O X
♥ FN 323B-3/01	3	3.6	2 x 2 µA	0.75	IEC 320 C14	soldering lug	45	X X X X X O X
FN 323B-3/05	3	3 6	2 x 2 µA	0.75	IEC 320 C14	fast-on 6 3 x 0 8	45	X X X X X O X
FN 323B-6/01	6	7 3	2 x 2 µA	0.3	IEC 320 C14	soldering lug	45	X X X X X O X
FN 323B-6/05	6	7 3	2 x 2 µA	0.3	IEC 320 C14	fast-on 6 3 x 0 8	45	X X X X X O X
FN 323B-10/01	10	12	2 x 2 µA	0.16	IEC 320 C14	soldering lug	45	X X* X X X O X
FN 323B-10/05	10	12	2 x 2 µA	0.16	IEC 320 C14	fast-on 6.3 x 0 8	45	X X* X X X O X

♥ stock types

X = approved O = not approved
* with 6 A approved


Operating voltage	250 V max.
Operating frequency	DC to 400 Hz max.
Temperature range	- 25°C to + 85°C
Test voltage	P/N → E 2 kV/50 Hz








For further information, see general part.


Insertion loss























Dimensions




* with soldering lug 46



Cut out



Alternative connections



Soldering lug /01

Option with discharge resistor (R)

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP