



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT


Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

Circuit diagram



Allgemeine Toleranzen General tolerances Tolerances en général

Daten (multi phase) data caractéristiques

Nennstrom bei Umgebungstemp. rated current at ambient temp. courant nominal à une température ambiante

Nennspannung rated voltage tension nominale

Betriebsfrequenz operating frequency fréquence de service

Abbleitstrom im Betrieb operational leakage current courant de fuite en fonction

Spannungssymmetrie (IEC 1000-2-4) non symmetrical voltage (IEC 1000-2-4) fonction non symétric (IEC 1000-2-4)

Maximaler Ableitstrom Worst case leakage current courant maximale de fuite

Unterbruch von 2 Phasen 2 phases open circuit 2 phases circuit ouvert de test

Berechnung mit C-tol. Calculation with C-tol. Calculations avec C-tol.

DC-Widerstand DC-resistance DC-résistance

Prüfspannung 100% Schlusskontr. test voltage 100% final test tension d'essais contrôle final 100%


Wiederholung mit 80% der angegebenen Werte repetition with max 80% of the specified values répétition avec max 80% des valeurs spécifiées

Zulaessige Betriebstemp. temperature range gamme de température

Klimatische Pruefklasse climatic test class classe d'essais climatique

I | IISCHAFFNER Type FS6043-120-35

Dimensions (mm)



Zusatzangaben additional information informations supplémentaires

Vergussmasse potting compound matière de moulage Polyurethane

Gewicht weight poids 4,7 kg

Pruefzeichen approvals homologations

Zusätzliche Angaben: Additional remarks: Remarques additionals:

Fier Masse ohne Toleranz for dimensions without tolerance pour mesure sans tolérance

Datenblatt (multi phase) data sheet fiche technique

Copyright by SCHAFNER EMV AG

www.schaffner.com

Scale 1:25

SCHAFFNER EMV AG CH-4542 LUTERBACH I | IISCHAFFNER DB3



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)