ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Schneider Kreuznach COMPONON-S* at our website: ***Click HERE***

COMPONON-S


The standard in the professional labs


Schneider COMPONON-S enlarging lenses meet or exceed the resolving power of most camera lenses. The six-element, four group design reproduces the finest details with a fair balance of contrast and sharpness. For all intent and purpose, chromatic aberrations have been eliminated. The COMPONON-S is the first choice when image quality can not be compromised. It is a versatile design and may be used to make enlargements in the 2x to 20 magnification range. The COMPONON-S 50mm, 80mm and 100mm lenses, are mounted in a (BLV-L) Leica mount barrel that features an illuminated aperture, a pre-set aperture to check focus, and a click-stop override for precise expose control.

Focal lengths 135, 150, 180 and 210mm, are in a BL-1 barrel with an illuminated aperture and half-step apertures with click-stop override control. Focal lengths 240, 300 and 360mm are in a B-3 barrel with half-step diaphragm click-stops. Additional technical specifications may be found at the end of the brochure.



COMPONON-S 5,6/210
iris mount B-3





Relative aperture	Focal length in mm	Recommended negative size	Screw on thread	Mounting thread	Front mount diameter	Rear mount diameter	Iris mount diameter	Diameter light guide	Overall length	Seating face to edge of rear mount	Seating face to light guide	Smallest aperture	Flange focal distance	Irismount	Weight in grams	Order number
			$Thread_1$	$Thread_2$	d_1	d_2	d_3	d_4	h_1	h_2	h_3		$s'A_\infty$			
1:2.8	**50**	24 x 36	LEICA M25x0.5	M43.0 x 0,75 M28.5 x 0.5	-	24.7	46.0 40.0	-	40.8 34.9	10.8 12.5	-	16	42.0 43.8	BLV-L B-00	105 70	**16828** **18827**
1:4.0	**80**	60 x 60	LEICA M25x0.5	M43.0 x 0,75 -	-	- 27	46.0 40.0	-	43.3 38.0	13.3 15.0	-	22	77.5 79.2	BLV-L B-00	130 90	**14850** **37185**
1:5.6	**100**	65 x 90	LEICA M32.5x0.5	M43.0 x 0,75 M40.5 x 0.5	- 42.0	29.0 31.5	46.0 52.0	-	41.5 38.8	11.5 13.3	-	32 45	95.8 97.1	BLV-L B-0	130 125	**14022** **12720**
1:5.6	**135**	90 x 120	M50.0x0.75	M49.0 x 0.75	51.0	40.5	59.0	-	50.5	19.9	-	45	129.6	BL-0a	150	**39569**
1:5.6	**150**	90 x 120	M50.0x0.75	M52.0 x 0,75	54.0	40.5	59.0	-	52.8	19.6	-	45	144.3	BL-0a	140	**39570**
1:5.6	**180**	130 x 180	M55.0 x 0.75	M62.0 x 0.75	65.0	48.0	61.0	64.4	63.6	23.2	23.0	45	172.0	BL-1a	310	**39571**
1:5.6	**210**	130 x 180	M55.0 x 0.75	M72.0 x 0.75	75.0	54.0	61.0	64.4	73.6	27.6	23.0	45	201.8	BL-1a	380	**39572**
1:5.6	**240**	180 x 240	M66.0 x 0.75	M82.0 x 0.75	85.0	65.0	78.0	-	84.8	10.0	-	45	209.7	B-3	735	**12728**
1:5.6	**300**	240 x 300	M77.0 x 0.75	M100.0 x 1.0	105.0	75.0	78.0	-	102.5	10.8	-	45	254.6	B-3	990	**12730**
1:6.8	**360**	240 x 300	M90.0 x 1.0	M110.0 x 1.0	115.0	86.0	78.0	-	113.3	15.0	-	45	307.2	B-3	1310	**12732**

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP