ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.





Find the *Schonbuch Electronic ORFR1207* at our website: *Click HERE*

Color Senoric: Remmisions-Measuring Heads for color-OPTOR® Halogen


Accessoires for color-OPTOR®:

Passive (Halogen) color-OPTOR® Digital

Passive (Halogen) color-OPTOR® Analog

scale drawing	technical Data	Type
	**Remission Measuring Head for color-OPTOR® Halogen** **Gerneral Data** short designation: optical O, measuring head, Remission R, focused F, circle arranged light R Fiber: Polymethylmetacrylat (PMMA) Protection sleeve: PVC - schwarz, Ø 1 x 9 mm / 2 x 7 mm Protection class: IP 65 Temperature range: 0 °C ... 70 °C Min. bending radius: 80 mm	
	Lense: Planar aspherial: Ø 10,0 mm / f = 7 mm Measring range: 5 - 7 mm	ORFR 1207
	Lense: plankonvex: Ø 10,0 mm / f = 13,4 mm Measring range (Focus 18 mm): 10 - 30 mm Measring range (Focus 25 mm): 5 - 15 mm	ORFR 1213
	Lense: planar convex: Ø 14,0 mm / f = 20,6 mm Measring range (Focus 25 mm): 15 - 55 mm Measring range (Fokus 43 mm): 10 - 25 mm	ORFR 1620
	Lense: planar convex: Ø 17,9 mm / f = 29,8 mm Measring range (Focus 35 mm): 20 -100 mm Measring range (Focus 68 mm): 10 - 40 mm	ORFR 2030

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



Remissions-Doppelmeßköpfe für Farb-OPTOR® Halogen

Allgemeine Daten

Short designation	optical measuring head, Remission focused circle arranged light	O R F D
Fiber	Polymethylmetacrylat (PMMA)	
Protection sleeve	PVC - black Ø 2 x 9 mm / 3 x 7 mm	
Protection class	IP 65	
Temperature range	0 °C ... 70 °C	
Min. bending radius	80 mm	

Lense Measring range	Planar aspherial: Ø 10,0 mm / f = 7 mm 5 - 7 mm	ORFD 1207
Lense Measring range (Focus 18 mm) Measring range (Fokus 25 mm)	planar convex: Ø 10,0 mm / f = 13,4 mm 10 - 30 mm 5 - 15 mm	ORFD 1213
Lense Measring range (Focus 25 mm) Measring range (Focus 43 mm)	planar convex: Ø 14,0 mm / f = 20,6 mm 15 - 55 mm 10 - 25 mm	ORFD 1620
Lense Measring range (Focus 35 mm) Measring range (Focus 68 mm)	planar convex: Ø 17,9 mm / f = 29,8 mm 20 -100 mm 10 - 40 mm	ORFD 2030


Color-OPTOR®



passive (Halogen) Color-OPTOR Digital
passive (Halogen) Color-OPTOR Analog
active (LED) Color-OPTOR Digital
active (LED) Color-OPTOR Analog

Peripherie Color-Sensoric
Remission Measuring heads for Color-OPTOR® Halogen

Color-Sensoric - Halogen und LED



Peripherie
Power Supply
DC Power Supply
Controller
Time Delay Relay

Peripherie
Hirschmann-plugs
Lumberg-plugs
Clamps
Reflector

Peripherie for OPTOR
Platic Fiber for OPTOR
Glas Fiber for OPTOR

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP