ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Sealevel Systems COMM+4.PCI* at our website: *Click HERE*

PCI 4-Port RS-232, RS-422, RS-485 Serial Interface

sealevel.com/product/7404-pci-4-port-rs-232-rs-422-rs-485-serial-interface

Part: 7404 **Model:** COMM+4.PCI



Description

The 7404 PCI serial interface provides four field selectable ports configurable as RS-232, RS-422, or RS-485 supporting asynchronous data rates up to 460.8K bps. In RS-485 mode, our auto-enable feature allows the 7404 to be viewed by the operating system as a standard COM port. The 7404 is Universal Bus (3.3V and 5V) compatible and can be installed in a standard height PCI slot. The included 36-inch cable terminates to four DB9 Male connectors.

Categories: Boards, PCI, Serial Interfaces, Serial Interfaces

Additional information

Communications Chip	16C864
Electrical Interface	RS-232, RS-422, RS-485
Humidity Range	10 – 90% Relative Humidity, Non-Condensing

Host Interface(s)	PCI
Max Data Distance	4000 feet
Max Data Rate	460.8K bps
Operating Temperature	0°C to 70°C (32°F to 158°F)
PC Bracket	Standard Height
# of Ports	4
RoHS Compliant	Yes
Serial Connector(s)	DB9M
Storage Temperature	-50 – +105C
UART Series	850 UART

Compliant with RoHS and WEEE directives
Each port individually configurable for RS-232, RS-422, or RS-485
16C864 buffered UART with 128-byte FIFOs
Data rates to 460.8K bps
Automatic RS-485 enable/disable
Universal Bus (3.3V and 5V) compatible
Included 36" cable terminates to four DB9 Male connectors (Item# CA143)

Copyright 1996 - 2019 - Sealevel Systems, Inc. All rights reserved.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP