

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

SEIKOH GIKEN

POLISHING, CLEANING & INSPECTION SOLUTIONS



- Polishing Machines
- Inspection Machines
- Polishing Holders
- Polishing Accessories
- End Face Cleaners



Polishing Machines

● Seikoh Giken's polishing lineups provide high volume assemblers with an ultra ruggedized polisher for 24/7/365 operation. Mechanical durability, low operational costs and reduced maintenance requirements offer near zero downtime for maximum return on investment.

Japanese Pat. No2133258 / 302763 U.S.Pat. No4,979,334 / 5,351445 / 6,165,055

SFP-560A2/A2C

- Open workspace design offers creative handling solutions for Multi-Fiber, large O.D. cables
- IPC mode: Independent Pressure Control - High Capacity, Mega-Axis Single-Fiber polishing
- Dynamic Pressure Control (Pat. Pending)
- Pneumatic, Pressurized Turntable pressurize from the bottom to the top for Multi-Fiber, Arrays, Waveguides
- Multi-fiber ferrule epoxy removal can be done by SFP-560A2; performs MT polishing similar simplicity to standard single fiber polishing
- Process programmable (up to 60 processes)
- Data Transfer via USB Interface
- Backwards Compatible with SFP-550 Legacy holders
- Suitable for cellular manufacturing system
- Small Quantity polishing even from 1 piece
- Scanner option available (P/N: FP-SCN56-A)



SFP-560A2
Programmable Pneumatic
Active Pressure



SFP-560A2C
Auto Clamping
Programmable Pneumatic
Active Pressure

New Technology
DPC
Dynamic Pressure Control
(Patent Pending)






SFP-550E3



- Variable revolution speed (70rpm to 200rpm)
- Multi timer on the Touch Panel (4 timers)
- Programmable polishing process (8 steps each x 12 processes)
- By adding Center Pressure Module, the machine can be converted to advanced multi fiber polisher.
- Pressure source: controlled distance / IPC

IPC
Independent Pressure Control




SFP-550C



- Basic model for mass production use
- Compatible with existing SFP-550 holders
- Polishes up to 54 connectors
- No variability in result when polishing 1 or 54 connectors
- Efficient and fast processes for all connector types.
- Pressure source: controlled distance / IPC

IPC
Independent Pressure Control



OFL-15A




- High performance polishing
- Polishing capacity (max.) : 24
- Programmable polishing process (5 steps each x 15 processes)
- Pressure Source: Motor driven pressure arm with load-cell sensor

SFP-70D



- High performance polishing
- Polishes up to 6 connectors
- Ergonomic, simple design for ease of use
- AC or DC power for field use
- Short cycle time (2 min typical for rework)
- High portability
- Hard shell carrying case for easy and safe transport
- Pressure source: Controlled distance / IPC

IPC
Independent Pressure Control




SFP-70D2



- High performance polishing
- Polishes up to 2 connectors
- Ergonomic, simple design for ease of use
- Suitable for light production environments like field termination and laboratory use
- Short cycle time (2 min typical for rework)
- Pressure source: Controlled distance / IPC / Holder weight


IPC
Independent Pressure Control



Inspection Machines




FAIS




SOFTWARE

FIBER AUTO INSPECTION SYSTEM (FAIS)

- Automated Inspection System
- Inspection of the polished passive elements while they are mounted on the polishing holder
- Fast and constant inspection
- 4 types of automation
  - Auto-Position
  - Auto-Center
  - Auto-Focus
  - Auto-Inspection
- Intuitive PASS/FAIL Result
- Inspection Profile according to IEC
- Central data management for an advanced production quality control
  - Reporting, Statistics
- Barcode scanning for automation




INSPECTION RESULT




PASS / FAIL


- Auto-Position and Auto-Inspection
- Auto focus per port
- Positioning calibration per type of the polishing holder
- Support for all types of polishing holders
- Less then 6 seconds per port - Positioning, focusing, inspection and result














MT/PC One-lever Holder
PH55-MT-24SQ1-B




MT/PC One-lever Holder and Cable Man.
PH55-MT-24SQ1-B and MT-P-CMH-D




LC/PC Holder
PH55-PL-48



LC/PC Duplex Holder
PH55-PL-32DHP




LC/PC Duplex Holder
PH55-PL-48DHP



LC/PC Duplex Fix Holder
PH55-PL-32DFX



MDC/PC and MDC/PC Fix Holder
PH55-MDC-24 and PH55-MDC-24FX




MDC/APC and MDC/APC Fix Holder
PH55-MDC8A-24 and PH55-MDC8A-24FX



MDCJR/APC and MDCJR/APC Fix Holder
PH55-MDCJR8A-24 and PH55-MDCJR8A-24FX




MDCJR/PC and MDCJR/PC Fix Holder
PH55-MDCJR-24 and PH55-MDCJR-24FX




SN/APC and SN/APC Fix Holder
PH55-SN8A-24 and PH55-SN8A-24FX



SN/PC and SN/PC Fix Holder
PH55-SN-24 and PH55-SN-24FX



CS/PC IPC and CS/PC Fix Holder
PH55-CS-20 and PH55-CS-20FX




Conical SC/APC Fix Holder
PH55-CP8C-16FX

and many more...

Polishing Accessories


Wide Holder Handle




- More convenient handling
- Wide handles are standard with Universal, MT and Mega Axis Holder (32, 40,48 axis)
- Wide handles are required for Washing Stations

MT-P-WH-55-B	WIDE HANDLE, ECONOMY TYPE FOR PH55 SERIES HOLDERS

Cable Management






- Allows easy operation
- Provides a stable fiber polishing
- Custom designs available


IPC-P-CMH-SCA18	FOR PH55-CP8C / CP8A -18
IPC-P-CMH-SCA32	FOR PH55-CP8C / CP8A -32 (FOR D2mm to D3mm cable)
IPC-P-CMH-SCA32-D5	FOR PH55-CP8C / CP8A -32 (FOR D4mm to D5mm cable)
IPC-P-CMH-LC24	FOR PH55-PL-24 FOR SINGLE BOOT
IPC-P-CMH-LC32DHP	FOR PH55-PL-32DHP FOR BOTH SINGLE AND UNIBOOT
IPC-P-CMH-LC48HP-U	FOR PH55-PL-48 FOR UNIBOOT
IPC-P-CMH-LC48DHP-U	FOR PH55-PL-48DHP FOR UNIBOOT
IPC-P-CMH-LC48HP-S	FOR PH55-PL-48 FOR SINGLE BOOT
IPC-P-CMH-LCA32-U	FOR PH55-PL8A-32DHP-POR FOR UNIBOOT
PRM-P-CMH-A	FOR SINGLE BODY MT HOLDER (SCREW LOCK TYPE) (2mm to 4mm Jacket)
PRM-P-CMH-B	FOR SINGLE BODY MT HOLDER (SRPING LOCK TYPE) (2mm to 4mm Jacket)
PRM-P-CMH-C	FOR SINGLE BODY MT HOLDER (SCREW LOCK FOR FEEDER CABLE 4MM TO 8MM)
PRM-P-CMH-D	FOR SINGLE BODY MT HOLDER (SCREW LOCK FOR FEEDER CABLE 5mm TO 13mm), 12-axis
MT-P-CMH56-A	FOR SFP-560A (SPRING LOCK TYPE 2mm to 4mm Jacket) 12/24-axis
MT-P-CMH56-B	FOR SFP-560A (SCREW LOCK FOR FEEDER CABLE 4MM TO 8MM) 12/24-axis
MT-P-CMH56-D	FOR SFP-560A SLIM AND TALL (SPRING LOCK TYPE 2mm to 4mm Jacket) 12/24-axis
MT-P-CMH56-E	FOR SINGLE BODY MT HOLDER (SCREW LOCK FOR FEEDER CABLE 5mm TO 13mm), 12-axis

Washing Station



- New metal design for enhanced durability
- Improved handling of SFP series polishing holders
- Keeps polisher safe from excessive water; equipped with drain tube

MT-P-WSH56-C	METAL WASHING STATION (560A2)




Polishing Pad



- Tightly controlled thickness and flatness
- Precision controlled hardness

Polishing Film




- Scratch free polishing
- Easy cleaning using only purified water
- Designed to provide GR-326 endface geometry

End Face Cleaners

End face Cleaner SPR-3 (FerrulePro ™) for mass production sites



- **Excellent** for **Multi Fiber ferrule/connector** cleaning
- Unique forward-reverse motion for double action
- Wet-Dry combination
- Excellent cleaning yield of MT Ferrule thanks to the double motion and wet-dry combination
- Less than 3.0 s **Multi Fiber ferrule/connector** cleaning cycle
- LED lighting for better visibility during operation
- Compatibility with existing chucks and cleaning cassette SPRP-10K







SPR-3	AUTOMATIC DESKTOP CLEANER, WITH 1PCE CASSETTE, SOLVENT, PUMP DISPENSER & 4PCS HOLDERS (-H8,- H25, -H26, -H27)

End face Cleaner SPR-2 (FerrulePro ™) for mass production sites



- **Excellent** for **Single Fiber ferrule/connector** cleaning
- **1.5 s** connector cleaning time
- Efficient, quick, consistent cleaning results
- No training required
- Lint free cleaning paper
- SC, FC, ST, LC, MU connector and ferrule cleaning

SPR-2	AUTOMATIC DESKTOP CLEANER, WITH 1PCE CASSETTE & 4PCS HOLDERS (H1, H3L, H4 & H6)

End Face Cleaners

SHM-502 (HandiMate)





- Automatic “Clean and Advance” tape technology
- Excellent cleaning tool for field technicians
- Duplex connector cleaning in one simple operation
- Disposable with **over 500 times** cleaning with use of **specialized cleaning paper**
- Supports both **PC and Angled PC** endface designs
- Applicable Connectors:
  Duplex LC/PC (Standard Pitch 6.25 and Narrow Pitch 5.25mm)
  Duplex MU/PC (Standard Pitch width 4.5mm)

handi mate

HandiMate	SHM-502	Ferrule Cleaner

SHM-503 (HandiMate)





- Automatic “Clean and Advance” tape technology
- **More than 500 times cleaning** with use of **synthetic cleaning cloth** to improve a durability
- Supports both **PC and Angled PC** endface designs
- Handy palm sized unit
- Works with both Simplex and Duplex applications
- Applicable Connectors:
  Simplex SC, FC, ST, LC and MU (For PC and APC)
  Duplex LC/PC (Standard Pitch 6.25 and Narrow Pitch 5.25mm)
  Duplex MU/PC (Standard Pitch width 4.5mm)

handi mate

HandiMate	SHM-503	Ferrule Cleaner (synthetic cloth)

End Face Cleaners

SFM 2.0-250/125/MPO (FerruleMate)



- Patented 360 degree Rotational Tip for extra wide cleaning
- Easy **one-push** operation
- Highly effective cleaning via non-woven micro fiber
- Lint free and zero static
- More than 800 cleanings per unit
- Meets and exceeds all current fiber cleaning standards

ferrule mate 2.0

FERRULE MATE 2.0	SFM2.0-250	FERRULE MATE 2.0 FOR 2,5mm
	SFM2.0-125	FERRULE MATE 2.0 FOR 1,25mm
	SFM2.0-MPO	FERRULE MATE 2.0 FOR MPO



SFM 2.0 - MPO

500+ cleaning

MPO
(PC and Angled PC)



SFM 2.0 - 250

800+ cleaning

SC / FC / ST 2.5mm
(PC & Angled PC)




SFM 2.0 - 125


800+ cleaning

LC / MU 1.25mm
(PC & Angled PC)

Dust




Before cleaning




After cleaning

Skin oil




Before cleaning




After cleaning

Dust + Salad oil



Before cleaning



After cleaning

Polishing Holders
&
Ordering Numbers

Polishing Holders for SFP-550 / SFP-560A (IPC)

FERRULE	PH55-FF-20	2.5MM FERRULE PC, 20 AXIS
	PH55-FF-24	2.5MM FERRULE PC, 24 AXIS
	PH55-FF8A-18-1.5	2.5MM FERRULE APC STEP, 18 AXIS, KEY 1.5MM WIDTH
	PH55-FF8A-18-1.3	2.5MM FERRULE APC STEP, 18 AXIS, KEY 1.3MM WIDTH
	PH55-FF8C-18-1.5	2.5MM FERRULE APC CONICAL, 18 AXIS, KEY 1.5MM WIDTH
	PH55-FF8C-18-1.3	2.5MM FERRULE APC CONICAL, 18 AXIS, KEY 1.3MM WIDTH
	PH55-FLM-40	1.25MM FERRULE 40 AXIS
	PH55-FLM-48	1,25 MM FERRULE 48 AXIS
	PH55-FF-40	2.5 MM FERRULE 40 AXIS
	PH55-FF-48	2.5 MM FERRULE 48 AXIS
	PH55-FF8A-40-1.3	2.5 MM APC STEP FERRULE 40 AXIS, KEY 1.3MM
	PH55-FF8C-40-1.3	2.5 MM APC CONICAL FERRULE 40 AXIS KEY, 1.3MM
	PH55-FF8A-40-1.5	2.5 MM APC STEP FERRULE 40 AXIS, KEY 1.5MM
	PH55-FF8C-40-1.5	2.5 MM APC CONICAL FERRULE 40 AXIS, KEY 1.5MM
	PH55-FF8A-52-1.3	2.5 MM APC STEP FERRULE 52 AXIS, KEY 1.3MM
	PH55-FF8C-52-1.3	2.5 MM APC CONICAL FERRULE 52 AXIS KEY, 1.3MM
	PH55-FF8A-52-1.5	2.5 MM APC STEP FERRULE 52 AXIS, KEY 1.5MM
	PH55-FF8C-52-1.5	2.5 MM APC CONICAL FERRULE 52 AXIS, KEY 1.5MM
	PH55-FLM-16	1.25MM FERRULE, 16 AXIS
FC	PH55-FP-20	FC/PC, 20 AXIS
	PH55-FP-24	FC/PC, 24 AXIS
	PH55-FP8R-18-I	FC/APC STEP, 18 AXIS NARROW KEY 2MM WIDTH
	PH55-FP8N-18-I	FC/APC STEP, 18 AXIS WIDE KEY 2.14MM WIDTH
	PH55-FP8RC-18	FC/APC CONICAL, 18 AXIS NARROW KEY 2MM WIDTH
	PH55-FP8NC-18	FC/APC CONICAL, 18 AXIS WIDE KEY 2.14MM WIDTH
	PH55-FP8R-24	FC/APC STEP, 24 AXIS NARROW KEY 2MM WIDTH
	PH55-FP8N-24	FC/APC STEP, 24 AXIS WIDE KEY 2.14MM WIDTH
	PH55-FP8RC-24	FC/APC CONICAL, 24 AXIS NARROW KEY 2MM WIDTH
	PH55-FP8NC-24	FC/APC CONICAL, 24 AXIS WIDE KEY 2.14MM WIDTH
ST	PH55-SP-20	ST/PC, 20 AXIS
	PH55-SP-24	ST/PC, 24 AXIS
	PH55-SP-28	ST/PC 28 AXIS
SC	PH55-CP-20	SC/PC, 20 AXIS
	PH55-CP-24	SC/PC, 24 AXIS
	PH55-CP8A-18	SC/APC STEP, 18 AXIS
	PH55-CP8C-18	SC/APC CONICAL, 18 AXIS
	PH55-CP8A-24	SC/APC STEP, 24 AXIS
	PH55-CP8C-24	SC/APC CONICAL, 24 AXIS
	PH55-CP-32	SC/PC 32 AXIS
	PH55-CP8A-32	SC/APC STEP 32 AXIS
	PH55-CP8C-32	SC/APC CONICAL 32 AXIS

E2000 FERRULE	PH55-EF-18-HS	E2000/PC FOR H+S FERRULE, SNAP-IN TYPE
	PH55-EF-18-RS	E2000/PC FOR R&M FERRULE SNAP-IN TYPE
	PH55-EF8A-18-H	E2000/APC FOR H+S FERRULE SNAP-IN TYPE
	PH55-EF8A-18-R	E2000/APC FOR R&M FERRULE SNAP-IN TYPE
	PH55-EF-24-H	E2000/PC 24 AXIS FOR H&S SNAP-IN TYPE
	PH55-EF-24-R	E2000/PC 24 AXIS FOR R&M SNAP-IN TYPE
	PH55-EF8A-24-H	E2000/APC 24 AXIS FOR H&S SNAP-IN TYPE
	PH55-EF8A-24-R	E2000/APC 24 AXIS FOR R&M SNAP-IN TYPE
	PH55-EF-40-H	E2000/PC 40 AXIS FOR H&S SNAP-IN TYPE
	PH55-EF-40-R	E2000/PC 40 AXIS FOR R&M SNAP-IN TYPE
	PH55-EF8A-40-H	E2000/APC 40 AXIS FOR H&S SNAP-IN TYPE
	PH55-EF8A-40-R	E2000/APC 40 AXIS FOR R&M SNAP-IN TYPE
E2000 PLUG	PH55-EP-12I	E2000/PC PLUG, 12 AXIS, IPC
	PH55-EP-20I	E2000/PC PLUG, 20 AXIS, IPC
	PH55-EP8A-12I	E2000/APC plug type holder IPC type, 12-axis
	PH55-EP8A-20I	E2000/APC plug type holder IPC type, 20-axis
LEMO F2	PH55-F0332-800	LEMO F2, COUPLING NUT TYPE, 24-AXIS
	PH55-F0415-440B	SMPTE D9,2mm CABLE with LEMO F2 / F2Y, REMOVABLE MAGNETIC IPC POST, 16-AXIS, WITH CABLE MANAGEMENT
ELIO	PH55-F0391-140	IPC Polishing holder for ELIO/PC, 20-axis, Coupling nut type
LC	PH55-PL-24	LC/PC, 24 AXIS
	PH55-PL-24HP	LC/PC, 24 AXIS, HIGH PRESSURE TYPE,
	PH55-PL-32DHP	LC/PC, 32 AXIS, SIMPLEX AND DUPLEX, HIGH PRESSURE TYPE
	PH55-PL8A-20-B	LC/APC, 20 AXIS
	PH55-PL8A-20HP-B	LC/APC, 20 AXIS HIGH PRESSURE TYPE,
	PH55-PL8A-24	LC/APC, 24 AXIS
	PH55-PL8A-24HP	LC/APC, 24 AXIS, HIGH PLESSURE TYPE,
	PH55-PL8A-32DHP-POR	LC/APC, 32 AXIS, FOR DUPLEX WITH POLARITY ROTATE, HIGH PRE. TYPE
	PH55-PL-48DHP	LC/PC 48 AXIS, HIGH PRESSURE TYPE, SIMPLEX & DUPLEX
	PH55-PL8A-48HP	LC/APC 48 AXIS, HIGH PRESSURE TYPE
	PH55-PL-54DHP	LC/PC 54 AXIS, HIGH PRESSURE TYPE, SIMPLEX & DUPLEX
	PH55-PL8A-54HP	LC/APC 54 AXIS, HIGH PRESSURE TYPE (NEW)
MU	PH55-PM-24	MU/PC, 24 AXIS
	PH55-PM8A-20	MU/APC, 20 AXIS
	PH55-PM-40	MU/PC 40 AXIS
SMA	PH55-M5P-20	SMA905/PC, 20 AXIS
CS SN Ferrule	PH55-F0420-900B	CS and SN ferrule, 64-ferrules (32 two-fiber-cables), Plate spring type IPC, with CMH, Circular layout
	PH55-F0423-700	SN, CS, IP-16, BTW / PC ferrule, Plate spring IPC, with CMH, Circular layout
	PH55-F0423-930	CS and SN / APC ferrule, 24-ferrules (6 ferrules per side x 4 sides), Plate spring type IPC, with CMH, Circular layout
	PH55-F0423-940	CS and SN / APC ferrule, 48-ferrules (12 ferrules per side x 4 sides), Plate spring type IPC, with CMH, Circular layout
MDC Ferrule	PH55-F0423-740	MDC ferrule, 48-ferrules, Plate spring type IPC, with CMH, Circular layout
CS	PH55-CS-20	CS/PC plug, 20-plugs (40 ferrules), Snap-in type IPC, Circular layout
	PH55-CS8A-18	CS/APC plug, '18-plugs (36 ferrules), Snap-in type IPC, Circular layout
SN	PH55-SN-24	SN plug, 24-plugs (48 ferrules), Snap-in type IPC, Circular layout
	PH55-SN8A-24	SN/APC plug, 24-plugs (48 ferrules), Snap-in type IPC, Circular layout
SN-JR	PH55-SNJR-12	SN-JR / PC plug, '12-plugs (24 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNJR-24	SN-JR / PC plug, '24-plugs (48 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNJR8A-12	SN-JR / APC plug, '12-plugs (24 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNJR8A-24	SN-JR / APC plug, '24-plugs (48 ferrules), Snap-in type IPC, Metal adapter, Circular layout
SN COMPACT	PH55-SNCOM-12	SN-COMPACT / PC plug, '12-plugs (24 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNCOM-24	SN-COMPACT / PC plug, '24-plugs (48 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNCOM8A-12	SN-COMPACT / APC plug, '12-plugs (24 ferrules), Snap-in type IPC, Metal adapter, Circular layout
	PH55-SNCOM8A-24	SN-COMPACT / APC plug, '24-plugs (48 ferrules), Snap-in type IPC, Metal adapter, Circular layout
MDC	PH55-MDC-24	MDC plug, 24-plugs (48 ferrules), Snap-in type IPC, Circular layout
	PH55-MDC8A-24	MDC/APC plug, 24-plugs (48 ferrules), Snap-in type IPC, Circular layout
MDC JR	PH55-MDCJR-24	MDC-JR plug, '24-plugs (48 ferrules), Plate spring type IPC, Liner layout
	PH55-MDCJR8A-24	MDC-JR/APC plug, '24-plugs (48 ferrules), Plate spring type IPC, Liner layout

Fixed Polishing Holders for SFP-560A Series (DPC)

SC	PH55-CP-32FX	SC/PC HIGH VOLUME HOLDER, 32 axis
	PH55-CP8C-32FX	SC/APC HIGH VOLUME HOLDER, 32 axis
	PH55-CP-36FX	SC/PC HIGH VOLUME HOLDER, 36 axis
	PH55-CP8C-36FX	SC/APC HIGH VOLUME HOLDER, 36 axis
	PH55-CP-16FX	SC/PC 16 AXIS, Fixed type for Rigid cable
	PH55-CP8C-16FX	SC/APC 16 AXIS, Fixed type for Rigid cable
OPTITAP	PH55-OPTC-18FX	OptiTap, 18-axis, Snap-in trype, Circular layout
	PH55-OPT8C-24FX	OptiTap, 24-axis, Snap-in trype, Circular layout
E2000 PLUG FOR NEW H+S	PH55-EP-24A	E2000/PC 24 AXIS FOR H&S PLUG TYPE
	PH55-EP8A-24A	E2000/APC 24 AXIS FOR H&S PLUG TYPE
LC	PH55-PL-32DFX	LC/PC, 32 AXIS, SIMPLEX AND DUPLEX,
	PH55-PL-48DFX	LC/PC, 48 AXIS, SIMPLEX AND DUPLEX,
	PH55-PL8A-24FX	LC/APC, 24 FIXED DPC type (Simplex only)
	PH55-PL8A-32DFX-POR	LC/APC, 32 AXIS, SIMPLEX AND DUPLEX,
SMA	PH55-M5P-18	SMA905/PC, 18 AXIS
CS SN Ferrule	PH55-F0423-700FX	SN, CS, IP-16, BTW / PC ferrule, Linear slide fixation, with CMH, Circular layout
	PH55-F0423-930FX	CS and SN / APC ferrule, 24-ferrules (6 ferrules per side x 4 sides), Linear-slide fixation, with CMH, Circular layout
	PH55-F0423-940FX	CS and SN / APC ferrule, 48-ferrules (12 ferrules per side x 4 sides), Linear-slide fixation, with CMH, Circular layout
MDC Ferrule	PH55-F0423-740FX	MDC ferrule, 48-ferrules, Liner slide fixation, with CMH, Circular layout
CS	PH55-CS-20FX	CS/PC plug, '20-plugs (40 ferrules), Snap-in type, Circular layout
	PH55-CS8A-18FX	CS/APC plug, '18-plugs (36 ferrules), Snap-in type, Circular layout
SN	PH55-SN-24FX	SN plug, 24-plugs (48 ferrules), Snap-in type, Circular layout
	PH55-SN8A-24FX	SN/APC plug, 24-plugs (48 ferrules), Snap-in type, Circular layout
SN-JR	PH55-SNJR-12FX	SN-JR / PC plug, '12-plugs (24 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNJR-24FX	SN-JR / PC plug, '24-plugs (48 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNJR8A-12FX	SN-JR / APC plug, '12-plugs (24 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNJR8A-24FX	SN-JR / APC plug, '24-plugs (48 ferrules), Snap-in type, Metal adapter, Circular layout
SN COMPACT	PH55-SNCOM-12FX	SN-COMPACT / PC plug, '12-plugs (24 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNCOM-24FX	SN-COMPACT / PC plug, '24-plugs (48 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNCOM8A-12FX	SN-COMPACT / APC plug, '12-plugs (24 ferrules), Snap-in type, Metal adapter, Circular layout
	PH55-SNCOM8A-24FX	SN-COMPACT / APC plug, '24-plugs (48 ferrules), Snap-in type, Metal adapter, Circular layout
MDC	PH55-MDC-24FX	MDC plug, 24-plugs (48 ferrules), Snap-in type, Circular layout
	PH55-MDC8A-24FX	MDC/APC plug, 24-plugs (48 ferrules), Snap-in type, Circular layout
MDC JR	PH55-MDCJR-24FX	MDC-JR plug, '24-plugs (48 ferrules), Liner slide fixation, Liner layout
	PH55-MDCJR8A-24FX	MDC-JR/APC plug, '24-plugs (48 ferrules), Liner slide fixation, Liner layout
Universal Ferule	PH55-F0423-210	Univ. MIL PC ferrule holder for D1.0 to D2.5mm ferrule, 24-axis
	PH55-F0423-210A	Univ. MIL PC ferrule holder for D1.0 to D2.5mm ferrule, 24-axis, with CMH
	PH55-F0423-210B	Univ. MIL PC ferrule holder for D1.0 to D2.5mm ferrule, 24-axis, with Setting jig
	PH55-F0423-210C	Univ. MIL PC ferrule holder for D1.0 to D2.5mm ferrule, 24-axis, with CMH and Setting jig

MT Holders

POLISHING HOLDER FOR MINI / BIG-MT CURRENT	PH55-MT-12S1	SINGLE BODY MT HOLDER 12-AXIS
	PH55-MT-24S1	SINGLE BODY MT HOLDER 24-AXIS
	PH55-MT8A-12S1	SINGLE BODY MT/APC HOLDER 12-AXIS
	PH55-MT8A-24S1	SINGLE BODY MT/APC HOLDER 24-AXIS
	PH55-MT-12R1	SINGLE BODY REPOLISHING MT/PC HOLDER 12-AXIS including setting disk and ferrule stopper
	PH55-MT8A-12R1	SINGLE BODY REPOLISHING MT/APC HOLDER 12-AXIS including setting disk and ferrule stopper
	PH55-MT-12SQ1-B	ONE LEVER TYPE QUICK LOAD MT/PC HOLDER 12-AXIS (LOCK-DOWN)
	PH55-MT-24SQ1-B	ONE LEVER TYPE QUICK LOAD MT/PC HOLDER 24-AXIS (LOCK-DOWN)
	PH55-MT8A-12SQ1-B	ONE LEVER TYPE QUICK LOAD MT/APC HOLDER 12-AXIS (LOCK-DOWN)
	PH55-MT8A-24SQ1-B	ONE LEVER TYPE QUICK LOAD MT/APC HOLDER 24-AXIS (LOCK-DOWN)

Polishing Holders for SFP-70D

FERRULE	PH07-FF-6	2.5MM FERRULE PC, 6 AXIS
	PH07-FF8A-6-1.5	2.5MM FERRULE APC STEP, 6 AXIS, KEY 1.5MM WIDTH
	PH07-FF8A-6-1.3	2.5MM FERRULE APC STEP, 6 AXIS, KEY 1.3MM WIDTH
	PH07-FF8C-6-1.5	2.5MM FERRULE APC CONICAL, 6 AXIS, KEY 1.5MM WIDTH
	PH07-FF8C-6-1.3	2.5MM FERRULE APC CONICAL, 6 AXIS, KEY 1.3MM WIDTH
FC	PH07-FP-6	FC/PC, 6 AXIS
	PH07-FP8R-6	FC/APC STEP, 6 AXIS NARROW KEY 2MM WIDTH
	PH07-FP8N-6	FC/APC STEP, 6 AXIS WIDE KEY 2.14MM WIDTH
	PH07-FP8RC-6	FC/APC CONICAL, 6 AXIS NARROW KEY 2MM WIDTH
	PH07-FP8NC-6	FC/APC CONICAL, 6 AXIS WIDE KEY 2.14MM WIDTH
ST	PH07-SP-6	ST/PC, 6 AXIS
SC	PH07-CP-6	SC/PC,6 AXIS
	PH07-CP8A-6	SC/APC STEP, 6AXIS
	PH07-CP8C-6	SC/APC CONICAL, 6 AXIS
FERRULE	PH07-FLM-6	1.25MM FERRULE PC, 6 AXIS
LC	PH07-PL-6	LC/PC, 6 AXIS
	PH07-PL8A-6	LC/APC, 6 AXIS
MU	PH07-PM-6	MU/PC, 6 AXIS
	PH07-PM8A-6	MU/APC, 6 AXIS
SMA905	PH07-M5P-6	SMA905, 6 AXIS
E2000 FERRULE	PH07-EF-2-H	H&S E2000/PC FERRULE, 2 AXIS
	PH07-EF-2-R	R&M E2000/PC FERRULE, 2 AXIS
	PH07-EF8A-2-H	H&S E2000/APC FERRULE, 2 AXIS
	PH07-EF8A-2-R	R&M E2000/APC FERRULE, 2 AXIS
LEMO F2	PH07-F0188-910	LEMO F2, COUPLING NUT TYPE, 6-AXIS
ELIO	PH07-F0390-30	ELIO/PC IPC polishing holder for SFP-70D, 6-axis
MT	PH07-MT-6T1	MT/PC, 6 AXIS, TORQUE WRENCH TYPE
	PH07-MT8A-6T1	MT/APC, 6 AXIS, TORQUE WRENCH TYPE

Polishing Holders for SFP-70D2

FERRULE	PH072-FF-2	2.5MM FERRULE PC, 2 AXIS
	PH072-FF8A-2-1.5	2.5MM FERRULE APC STEP, 2 AXIS, KEY 1.5MM WIDTH
	PH072-FF8A-2-1.3	2.5MM FERRULE APC STEP, 2 AXIS, KEY 1.3MM WIDTH
	PH072-FF8C-2-1.5	2.5MM FERRULE APC CONICAL, 2 AXIS, KEY 1.5MM WIDTH
	PH072-FF8C-2-1.3	2.5MM FERRULE APC CONICAL, 2 AXIS, KEY 1.3MM WIDTH
FC	PH072-FP-2	FC/PC, 2 AXIS
	PH072-FP8R-2	FC/APC STEP, 2 AXIS NARROW KEY 2MM WIDTH
	PH072-FP8N-2	FC/APC STEP, 2 AXIS WIDE KEY 2.14MM WIDTH
	PH072-FP8RC-2	FC/APC CONICAL, 2 AXIS NARROW KEY 2MM WIDTH
	PH072-FP8NC-2	FC/APC CONICAL, 2 AXIS WIDE KEY 2.14MM WIDTH
ST	PH072-SP-2	ST/PC, 2 AXIS
SC	PH072-CP-2	SC/PC, 2AXIS
	PH072-CP8A-2	SC/APC STEP, 2 AXIS
	PH072-CP8C-2	SC/APC CONICAL, 2 AXIS
FERRULE	PH072-FLM-2	1.25MM FERRULE PC, 2 AXIS
LC	PH072-PL-2	LC/PC, 2 AXIS
	PH072-PL-2DFX	LC/PC Duplex / Uniboot, 2 AXIS (Fixed Type, DPC)
	PH072-PL8A-2	LC/APC, 2 AXIS
MU	PH072-PM-2	MU/PC, 2 AXIS
	PH072-PM8A-2	MU/APC, 2 AXIS
LEMO F2	PH072-F0186-910	LEMO F2, COUPLING NUT TYPE, 2-AXIS
	PH072-F0422-490	SMPTE D9,2mm CABLE with LEMO F2 / F2Y, REMOVABLE MAGNETIC IPC
ELIO	PH072-F0442-440	ELIO/PC IPC polishing holder for SFP-70D2, 2-axis
MT	PH072-MT8A-1	MT/APC 1AXIS
	PH072-MT-1	MT/PC 1AXIS
MT one-lever	PH072-MT8A-1Q	MT/APC 1AXIS, ONE-LEVER ACTION TYPE
	PH072-MT-1Q	MT/PC 1AXIS, ONE-LEVER ACTION TYPE
E2000 FERRULE	PH072-EF-2-H	H&S E2000/PC FERRULE, 2 AXIS
	PH072-EF-2-R	R&M E2000/PC FERRULE, 2 AXIS
	PH072-EF8A-2-H	H&S E2000/APC FERRULE, 2 AXIS
	PH072-EF8A-2-R	R&M E2000/APC FERRULE, 2 AXIS
E2000 PLUG* NEW	PH072-EF-2	E2000/PC plug type IPC holder for SFP-70D2, 2-axis
	PH072-EF8A-2	E2000/APC plug type IPC holder for SFP-70D2, 2-axis

Polishing
Pads & Films
Ordering Numbers

Polishing Pads for SFP-550/S/E

PG5X-480-00	GLASS PAD with rubber on one side and GA on the other side	3PCS/SET
PG5X-490-00	GLASS PAD with rubber on one side and GA on the other side	3PCS/SET
PG5X-500-00	GLASS PAD with rubber on one side and GA on the other side	3PCS/SET
PR5X-450-90	RUBBER PAD	3PCS/SET
PR5X-480-60	RUBBER PAD	3PCS/SET
PR5X-480-70	RUBBER PAD	3PCS/SET
PR5X-480-90	RUBBER PAD	3PCS/SET
PR5X-490-90	RUBBER PAD	3PCS/SET
PR5X-500-60	RUBBER PAD	3PCS/SET
PR5X-500-65	RUBBER PAD	3PCS/SET
PR5X-500-70	RUBBER PAD	3PCS/SET
PR5X-500-75	RUBBER PAD	3PCS/SET
PR5X-500-80	RUBBER PAD	3PCS/SET
PR5X-500-85	RUBBER PAD	3PCS/SET
PR5X-500-90	RUBBER PAD	3PCS/SET
PR5X-500-95	RUBBER PAD	3PCS/SET
PR5X-505-80	RUBBER PAD	3PCS/SET
PR5X-508-40	RUBBER PAD	3PCS/SET
PG5X-350-MT	GLASS PAD with GA on ONE sides	3PCS/SET
PG5X-450-MT	GLASS PAD with GA on ONE sides	3PCS/SET
PG5X-490-MT	GLASS PAD with GA on both sides	3PCS/SET
PG5X-490-MP	GLASS PAD with rubber on one side	3PCS/SET
PG5X-495-MP	GLASS PAD with rubber on one side	3PCS/SET
PG5X-500-MP	GLASS PAD with rubber on one side	3PCS/SET
PG5X-380-PL	GLASS PAD with GA on one side	3PCS/SET
PG5X-400-PL	GLASS PAD with GA on one side	3PCS/SET
PG5X-485-PL	GLASS PAD with GA on one side	3PCS/SET
PG5X-490-SR3	GLASS PAD with coated rubber one and silicon rubber other end	3PCS/SET (NEW)
PG5X-475-SR3	GLASS PAD with coated rubber one and silicon rubber other end	3PCS/SET
SR5D-10T	REPLACEMENT TACKY SHEET FOR PG5X-490-SR	3PCS/SET
PS5X-500-SR	SPONGE PAD	3PCS/SET
PS5X-500-00	SPONGE PAD	10PCS/SET

Polishing Pads for SFP-70D/D2

PG07-490-00	GLASS PAD with GA on both side	3PCS/SET
PG07-490-SR3	GLASS PAD with tacky sheet on one side and rubber on the other side	3PCS/SET (NEW)
PR07-480-80	RUBBER PAD	3PCS/SET
PR07-500-80	RUBBER PAD	3PCS/SET
PR07-508-40	RUBBER PAD	3PCS/SET
PR07-500-60	RUBBER PAD	3PCS/SET
PR07-500-70	RUBBER PAD	3PCS/SET
PR07-500-90	RUBBER PAD	3PCS/SET
PR07-505-80	RUBBER PAD	3PCS/SET

Polishing Films

DIAMOND FILM	DA5D-30U (20PCS/SET)	POLISHING FILM (20PCS/SET)
	DR5D-9U (20PCS/SET)	POLISHING FILM (20PCS/SET)
	DG5D-5U (20PCS/SET)	POLISHING FILM (20PCS/SET)
	DH5D-3U (20PCS/SET)	POLISHING FILM (20PCS/SET)
	DI5D-1.5U (20PCS/SET)	POLISHING FILM (20PCS/SET)
	DJ5D-1U (20PCS/SET)	POLISHING FILM (20PCS/SET)
DIAMOND FILM E-SERIES	EDA5D-30U	POLISHING FILM (20PCS/SET)
	EDR5D-9U	POLISHING FILM (20PCS/SET)
	EDG5D-5U	POLISHING FILM (20PCS/SET)
	EDH5D-3U	POLISHING FILM (20PCS/SET)
	EDI5D-1.5U	POLISHING FILM (20PCS/SET)
	EDJ5D-1U	POLISHING FILM (20PCS/SET)
SILICA FILM	XF5D (100PCS/SET)	POLISHING FILM (100PCS/SET)
OTHER FILM	GA5D (500PCS/SET)	POLISHING FILM (500PC/SET)
	GA5D-AD (25PCS/SET)	POLISHING FILM (25PC/SET)
	SF5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	AJ5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	AJ5D (100PCS/SET)	POLISHING FILM (100PCS/SET)
	AR5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	AR5D (50PCS/SET)	POLISHING FILM (50PCS/SET)
	DC5D (5PCS/SET)	POLISHING FILM (5PCS/SET)
	CF5D (20PCS/SET)	POLISHING FILM (20PCS/SET)
	EF5D (60PCS/SET)	POLISHING FILM (60PCS/SET)
MT POLISHING FILM	BR5D (100PCS/SET)	POLISHING FILM (100PCS/SET)
	GC5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	GC5D (50PCS/SET)	POLISHING FILM (50PCS/SET)
	GF5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	GF5D (50PCS/SET)	POLISHING FILM (50PCS/SET)
	GH5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	GH5D (50PCS/SET)	POLISHING FILM (50PCS/SET)
	GI5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	GI5D (50PCS/SET)	POLISHING FILM (50PCS/SET)
	BY5D (100PCS/SET)	POLISHING FILM (100PCS/SET)
	AO5D (500PCS/SET)	POLISHING FILM (500PCS/SET)
	FT5D-SC3	FLOCK FILM, SC, 3UM, NON-PSA (50PCS/SET)
	FT5D-SC3P	FLOCK FILM, SC, 3UM, PSA (50PCS/SET)
	LT5D-SC3	LAPPING FILM, SC, 3UM, NON-PSA (50PCS/SET)
	FM5D-AO1	FLOCK FILM, CE, 1UM, NON-PSA (50PCS/SET)
	FM5D-CE1	FLOCK FILM, CE, 1UM, NON-PSA (50PCS/SET)
	FM5D-SOAP2	SiO2 flock finishing film Ver.2 (50 sheets/set) (NEW)

Polishing Films for SFP-70D and SFP-70D2

FILM	GA07	200PCS/SET
	DR07-9U	20PCS/SET
	DH07-3U	20PCS/SET
	DI07-1.5U	20PCS/SET
	DJ07-1U	20PCS/SET
	SF07	200PCS/SET
	AR07	200PCS/SET
	AJ07-AD	200PCS/SET
	XF07	100PCS/SET
	CF07	20PCS/SET
SPACER	SP07-005	20PCS/SET
MT FILM	GC07	50PCS/SET
	AR07	50PCS/SET
	GH07	50PCS/SET
	FM07-SOAP2	50PCS/SET

Click here

Click here

Click here

SCAN ME

SCAN ME

SCAN ME

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP