



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



Call us at:
1-800-876-3135

REQUEST QUOTE

[Home](#) | [Company Profile](#) | [Contact Us](#)

- Custom Switches
- Mechanical Assemblies
- Lock-Out Relays
- Detented Power Switches 15 amp
- Detented Power Switches 30 amp
- Power Rocker Switches
- DutySafe® Breakers
- Precision Rotary Switch Products
- Snap-Action Power Switches
- Audio Attenuators and Networks
- Auxiliary Switches

Networks > Audio Attenuators

Precision Networks

Shalco offers two classes of attenuation networks:

- The 600 Series for general use audio measurements (20-20,000 Hz) when high extreme accuracy is not required. These units provide plug-in impedance matching network options and are economically priced for small labs and broadcast use.
- The 700 Series provides high accuracy over a broad frequency range up to 500 kHz and is usable to 10 mHz for losses less than 50 dB. Power Input: 28dBm (0.6 watt)
Terminals: 5-way Binding Posts



Portable	Rack Mt.	Impedance	Circuit	Range	Accuracy*
T-690	T-690R	600 ohms	Bridged-T	0-110 dB, 1 dB steps	+/- (2%+0.05dB)
T-693	T-693R	600 ohms	Bridged-T	0-111 dB, 0.1 dB steps	+/- (2%+0.05dB)
T-790	T-790R	600 ohms	Straight-T	0-110 dB, 1 dB steps	+/- (0.5%+0.03dB)
T-795	T-795R	600 ohms	Straight-T	0-111 dB, 0.1 dB steps	+/- (0.5%+0.03dB)

*Accuracy of the setting

Fixed Attenuator Pads



Impedance in Ohms		Min. Loss in dB	Max. Loss in dB Available by Type			
Input	Output		T-154	T-950	H-154	H-950
30	600	18.92	100	65	60	60
50	600	16.63	100	70	60	60
150	600	11.44	100	75	65	65
600	600	0	100	80	75	75
600	30	18.92	100	65	60	60
600	50	16.63	100	70	60	60
600	150	11.44	100	75	65	65

Note:

1. Observe the minimum and maximum loss limits indicated above when specifying loss.
2. It is necessary to make an external connection between the two "C" terminals on the H-950 type.
3. Resistor accuracy is +/- 1% and continuous power rating is 0.6 watt

Tapped Fixed Attenuator Pads

Type	Circuit	Range in dB	Description
1030-G*	"T"	0-40 dB, 1 dB steps	1, 2, 3, 4, 10 & 20 dB pads
1230-G*	"H"	0-40 dB, 1 dB steps	1, 2, 3, 4, 10 & 20 dB pads
1031	"T"	+4 to +24 VU, 1 VU steps	3600 ohm resistor & 3900/3900 VU pads

*standard impedance is 600 ohms, resistor accuracy is +/- 1% and continuous power rating is 0.6 watt

Branching Networks

Series 1130 branching networks may be obtained in single input/multiple output and multiple input/single output circuits for both balanced and unbalanced lines ("H" or "T"). Loss for a 1x2 or 2x1 is 6 dB; 1x3 or 3x1, 9.5 dB; 1x4 or 4x1, 12 dB. Our staff can assist with formulating the part number for specific applications.

Calibration Services

Shallco is equipped to provide accurate readings up to 100 dB at a frequency of 1000 Hz traceable to NIST. Our ratio standard is accurate to $\pm .005$ dB. Certification accuracy is within $\pm(0.5\% +0.03\text{dB})$ of the setting over the range of 0.1 dB to 100 dB when measured at 1000 Hz and 600 ohms impedance. Readings at higher frequencies can be supplied with decreased accuracy. Please consult our customer service department for complete details of our test procedures. We can provide either of two certifications: an overall accuracy statement or incremental accuracy with readings of each decade step. Copies of test procedures are available on request.

[Home](#) | [Company Info](#) | [Site Map](#) | [Contact Us](#) | ©2007 Shallco



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com