

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

6x Slimline Blu-ray Disc Writer: BD-5750H (1)

Read Speed: BD 6x, BD XL 4x, DVD 8x, CD 48x

Write Speed:

BD-R (TL/QL)*	**4x max**
BD-RE TL	**2x max**
BD-R/LTH	6x max
BD-R DL:	6x max
BD-RE:	2x max
DVD+/-R:	8x max
DVD+R DL:	6x max
DVD-R DL:	6x max
DVD+RW:	8x max
DVD-RW:	6x max
DVD-RAM:	5x max
CD-R:	24x max
CD-RW:	16x max



S-ATA interface

12cm and 8cm CD and DVD media supported

Emergency eject

***TL = 100GB**
QL = 128GB

6x Slimline Blu-ray Disc Writer: BD-5750H (2)

Specifications		6x slimline S-ATA BD Writer (BD-5750H)							
		Blu-ray disc		**DVD**			**CD**		
Transfer Rate **read**	BD	6x CAV	(27 Mbytes/Sec)	DVD	8x CAV	(11 Mbytes/sec)	CD	24x CAV	(3600 Kbytes/sec)
Transfer Rate **write**	BD-R	6x CAV	(27 Mbytes/Sec)	-R	8x CAV	(11 Mbytes/sec)	CD-R	24x ZCLV	(3600 Kbytes/sec)
	BD-R LTH	6x CAV	(27 Mbytes/Sec)	/					
	BD-R DL	6x CAV	(27 Mbytes/Sec)	-R DL	6x ZCLV	(5.5 Mbytes/sec)		./.	
	BD-RE	2x CLV	(9 Mbytes/Sec)	-RW	6x ZCLV	(8.3 Mbytes/sec)	CD-RW	16x ZCLV	(2400 Kbytes/sec)
	BD-R TL/QL	4x ZCLV	(18 Mbytes/Sec)	-RAM	5x ZCLV	(6.9 Mbytes/sec)		./.	
	BD-RE DL/TL	2x CLV	(9 Mbytes/Sec)	+R	8x CAV	(11 Mbytes/sec)		./.	
		./.		+R DL	6x ZCLV	(5.5 Mbytes/sec)		./.	
		./.		+RW	8x ZCLV	(11 Mbytes/sec)		./.	
Access Time (Random/Typical)		230 ms			180 ms	/DVD-RAM: 250ms		190 ms	
Mechanism		Tray load mechanism, Horizontal & Vertical mount							
Interface		S-ATA							
Burst Tranfer Rate		1.5 Gbit/s							
Cache Memory		5.8 Mbytes							
Media/Modes supported		BD-ROM(SL/DL), BD-R(SL/DL/TL/QL), BD-RE(SL/DL/TL), DVD-ROM, DVD-R/-R DL/-RW, DVD +R/+R9/+RW, DVD-RAM; DVD-Video; CD-DA, CD-ROM (XA), CD Extra, Video CD, Photo CD, CD Text							
Weight		170g							
Dimensions		128mm x 12.7mm x 126.1 ±0.2mm without Bezel							

***TL = 100GB**
QL = 128GB

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP