

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

EIA/CCIR

SONY
SURVEILLANCE
SYSTEMS

SSM-930/930CE

Black & White Monitor



SSM-930

The Sony SSM-930/930CE is a 9-inch black-and-white monitor with excellent picture quality. Its construction gives high immunity to external electrical and magnetic interference, making it ideal for compact, multi-monitor applications which require optimum picture quality displays. Two SSM-930/930CE monitors can be mounted side by side in a 19-inch equipment rack.

SONY®


Features

- SSM-930: EIA standard
  SSM-930CE: CCIR standard
- 9-inch CRT size
- Excellent picture quality with more than 750 TV line horizontal resolution
- Loop-through video input with switchable 75Ω termination allows up to three monitors to be connected
- DC clamp switch provides a stable reference for the black level
- 5-unit, 19-inch EIA standard rack mountable for dual monitor configuration
- Front controls: power, H-hold, V-hold, contrast and brightness
- High immunity to the external electrical and magnetic interference
- Suitable for many monitoring applications

Specifications

Video signal system:	SSM-930: EIA standard SSM-930CE: CCIR standard
Picture tube:	9-inch B/W measured diagonally, 90° deflection
Video input:	High impedance for loop-through; 75Ω terminated Composite: 0.5 to 2.0Vp-p, sync negative, BNC-type
Video output:	Impedance more than 10kΩ Composite: 0.5 to 2.0Vp-p, sync negative, BNC-type
Horizontal resolution:	More than 750 TV lines (at center)
Power requirements:	SSM-930: AC 120V, 60Hz SSM-930CE: AC 220V, 50/60Hz
Power consumption:	30W
Operating temperature:	0 to 35°C (32 to 95°F)
Storage temperature:	–10 to 40°C (14 to 104°F)
Mass:	5.8kg (13 lb)
Safety regulations:	SSM-930: UL1410, CSA C22.2 No.1, FCC class A, IC class A, DHHS, DNHW SSM-930CE: TÜV, IEC-65, CE (EMC, LVD)


Dimensions:




Features and specifications subject to change without notice.

System Connections

1. Triple multiplexing operation



2. AC line lock operation



MK4205MG9705P

Printed in Japan
©1997 Sony Corporation

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP