ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Speag EASY4* at our website: *Click HERE*

Exposure Acquisition System for Up To 4 High Precision Field Probes

Features	EASY4 is a standalone measurement system for multi-channel, high precision electromagnetic field evaluation and monitoring Connection of up to 4 probes with individual parameters compatible with all SPEAG E- and H-field and temperature probes Standalone operation, menu guided	
Field Measurement Capability	E-field	frequency range: 100 - 6000 MHz dynamic range: 2 - 1000 V/m spatial resolution: < 7 mm directivity: < ±0.3 dB
	H-field	frequency range: 200 - 3000 MHz dynamic range: 10 - 2000 mA/m at 1 GHz spatial resolution: < 4 mm directivity: < ±0.4 dB
	SAR	frequency range: 10 - 6000 MHz dynamic range: 5uW/g - 1000 mW/g spatial resolution: 2.5 - 7 mm directivity: < ±0.3 dB
	T	dynamic range: 0°C - 60°C noise: < 2 mK (sampling time: 0.1s) spatial resolution: 1 mm
Sampling Rate	< ms - hours	
Applications	Anechoic chambers, open test sites, EMC laboratories Dosimetric and in-house exposure evaluation Production line QA testing Further short and long-time high precision field monitoring	
Working Modes	Field strength meter (display of values, min, max and statistics) Scope meter (field components or total values vs. time) Separate process with individual parameters for each channel Remote operation capability	
Minimum Requirements	One DAEasy and one field or temperature probe (not included)	
System	Embedded computer system with 8.4" color LCD, trackpad with mouse buttons and Floppy Disc Drive and optional external keyboard.	

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

	4 independent measurement channels, individually parametrizable, for optical or electrical connection of high precision field probes (via individual DAEasy or DAE)
	Ethernet interface to external PC USB, serial interfaces and expansion slots for future applications Optional interface to LabView
Physical	19" module, table or rack mounted, 448.5 x 305 x 177mm, approx. 7kg
Power Supply	AC: 100-240 V, 50-60 Hz, approx. 50W DC & Battery Operation: available early 2004

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP