

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

S-4601

Portable HDMI to SDI converter

Introduction:

The S–4601 is a portable HDMI to 3G/HD/SD–SDI converter. It supports HDMI audio embedded into SDI output, and analog audio (3.5mm socket) input, embedded into SDI output.
The S–4601 is heavy duty housing design, protecting the BNC connectors well, and supplied various screw threads in the bottom, for convenient installing, and future accessories (battery mount, etc)



Specifications:

Input/Output		
Input	HDMI ×1	HDMI input
	3.5mm ×1	Analog audio input
Output	BNC ×2	Converted 3G/HD/SD–SDI output
Video Format		
SDI	SMPTE–425M	1080p (60 / 59.94 / 50)
	SMPTE–274M	1080p (30 / 29.97 / 25 / 24 / 23.98)
		1080i (60 / 59.94 / 50)
	SMPTE–RP211	1080psf (30 / 29.97 / 25 / 24 / 23.98)
	SMPTE–296M	720p (60 / 59.94 / 50)
	ITU–R BT.656	576i (50)
	SMPTE–125M	480i (59.94)
HDMI		480i / 576i
		1080i (60 / 59.94 / 50)
		720p (60 / 59.94 / 50)
		1080p (60/59.94/50/30/29.97/25/24/23.98)
Audio		48KHz Sync
General		
Power	⩽3W	
Working Voltage	DC 6–18V	
Working Environment	Temperature: 0°C–+70°C, Humidity:10%–90%	
Dimensions	98×84×29 mm	
Net weight	210g	

Features:

- Portable HDMI to 3G/HD/SD–SDI Converter
- 1 HDMI input, 2 SDI output, 1 analog audio input
- Embed HDMI audio into SDI output
- Embed Analog audio into SDI output
- Power/input/output status indicator
- Pole–tap 6–18V DC power input
- Heavy duty aluminium housing
- Bottom screw threads for installing

SWIT Electronics Co., Ltd.
Website:www.swit.cc
Email:contact@swit.cc
Tel:+86 2585805753
Fax:+86 2585805296

Distributed by:

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP