

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *WESCO / Sylvania 64251 HLX* at our website: *Click HERE*

Product datasheet

64251 HLX



Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

© 2020, OSRAM GmbH. All rights reserved.

Technical data

General product information

Product Number	54021
Product Name	64251HLX 6V 30/CS 1/SKU
Ordering Abbreviation	64251 HLX
Brand Name	OSRAM
Family Brand Name	XENOPHOT (HLX)
General Description	20 watt, tungsten halogen low voltage without reflector
Application	Projector

Electrical data

Nominal Wattage	20 W
Nominal Voltage	6 V
Type of Current	AC

Light technical data

Average Rated Life	100 h

Physical attributes

Base	PG22
Bulb Shape	T9
Maximum Overall Length (in)	1.560 in
Maximum Overall Length (mm)	40 mm
Length l (in)	1.560 in
Length l (mm)	40 mm
Diameter d (in)	0.354 in
Diameter d (mm)	9.00 mm
Distance a (in)	0.546 in
Distance a (mm)	14 mm
Filament Dimensions Length (in)	0.0310 in
Filament Dimensions Length (mm)	0.8 mm
Filament Dimensions Width (in)	0.09 in
Filament Dimensions Width (mm)	2.3 mm
Reflector Coating	9.00


Additional product data

Operating Position	Any

© 2020, OSRAM GmbH. All rights reserved.

Product datasheet

Class	C (gas)





Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54021	4050300338316	Folding box (SKU)	1	2.8 in x 0.9 in x 1 in	
54021	4050300338330	Shipping box (Case)	30	6.2 in x 3.2 in x 5.2 in	0.7 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

— OSRAM does not accept liability for errors, changes and omissions.

© 2020, OSRAM GmbH. All rights reserved.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP