



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

## 1.7 8030 RIM 101/361

---

For the specification on the 361 module click [HERE](#).

Class 8030 Type RIM-101 16 Function 120 VAC/DC Input Module.

Input 1	—	01
Input 2	—	02
Input 3	—	03
Input 4	—	04
L2	—	1A
Input 5	—	05
Input 6	—	06
Input 7	—	07
Input 8	—	08
L2	—	2A
Input 9	—	09
Input 10	—	10
Input 11	—	11
Input 12	—	12
L2	—	3A
Input 13	—	13
Input 14	—	14
Input 15	—	15
Input 16	—	16
L2	—	4A

### 1.7.1 Specifications

Module Topology

Inputs per Module	16
Type of Isolation	Optical
Isolation Rating	2500 V RMS
Voltage Operating Range	90-132 VAC (50/60Hz) or VDC
Input Current Draw	6 mA at 90 V and 10 mA at 138 V
Must Turn On Voltage	90 V
Must Turn On Current	6 mA (at 90 V)
Must Turn Off Voltage	30 V
Must Turn Off Current	2 mA (at 25 V)
Input Impedance	14.4K OHMS Resistive
Turn On Time	8 ms Nominal
Turn Off Time	8 ms Nominal
Rated Current Draw on Sy/Max Power Supply	300 mA at 100% Duty Cycle
Ambient Temperature Rating	0-60 C
Humidity Rating	5-95 % non-condensing
Detachable Terminal Block	Class 8030 Type CBP-116



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)