



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

# VXI Digital Test Solutions

## High Performance TTL

## VXI Digital Test Modules

### 3 Models

SR192/64TS

SR192/96TS

SR192/TS

Talon Instruments is offering it's popular SR192 VXI Digital Test Module in standard pre-configured models at significant savings.

If your digital test requirements include TTL logic levels, "at speed" testing and deep vector memory Talon has a low cost VXI digital system for you.

The new low cost pre-configured models are capable of performing stimulus/response, parallel and serial bus emulation test functions. These models include features such as:

- Timing Rates to 50MHz
- Data Rates to 25MHz, (50MHz Multiplexed)
- TTL voltage levels
- 50mA Source/Sink
- 5 Memory Architecture (Stimulus, Tristate, Record, Expect & Mask)
- 128K Bits Memory/Channel, (256K Multiplexed)
- Real-Time error capture
- Parallel and Serial bus emulation
- Data Formats (Hold,RTZ,RT0, & RTC)
- Conditional/Unconditional Jump, Go-sub Test Sequences
- 128K Test Sequence Memory
- VXI Plug&play Drivers
- Active X Graphic Software Development Routines

***talon***  
**INSTRUMENTS**

Contact Talon Instruments:  
150 E. Arrow Hwy  
San Dimas, CA 91773  
Phone 909-599-0690  
FAX 909-599-6529  
e-mail sales@taloninst.com  
**www.taloninst.com**



# Model Descriptions

The three High Performance TTL VXI models offered in standard configurations are housed in the SR192 motherboard which is a 2-slot "C" size VXI module. The SR101 timing generator(s) are utilized and the I/O modules are the SR115 bi-directional 16 channel modules. Each system includes the SR210 Accessory Module which provides a clock source programmable from 100Hz to 50MHz for internal timing and external devices. The SR192/20 Development Environment software package for creating and editing test programs is also included with each model. Models SR192/64TS and SR192/96TS may be field upgraded at a later date with a second timing generator and additional I/O modules.

- **SR192/64TS** provides 64 bidirectional channels of TTL voltage level digital stimulus/response and a single timing generator.
- **SR192/96TS** provides 96 bidirectional channels of TTL voltage level digital stimulus/response and a single timing generator.
- **SR192/TS** provides 192 bidirectional channels of TTL voltage level stimulus/response and 2 timing generators. The 192 channels may be programmed as a single test system or two fully independent 96 channel systems.

## SR115 Digital I/O Module

The SR115 is a 16 channel I/O module designed to be installed as 1 of 12 daughter boards in a Model SR192 VXI Digital Test Module. The following specifications apply:

### General

16 Bi-directional I/O Channels  
128K Bits per channel (256K Multiplex Mode)  
25MHz data rate (50MHz Multiplex Mode)  
Parallel and Serial Operating Modes  
Data Formats (Hold, RTZ, RT0, & RTC)  
<3ns skew

### Electrical

#### Output

High Level min 2.4V  
Low Level max 0.4V  
Source Current 50mA  
Sink Current 50mA  
Output Impedance 50Ω  
Short Circuit Protected

#### Input

High Threshold 2.0V  
Low Threshold 0.8V  
Input Impedance >10KΩ

## SR210 Clock Source

The SR210 is installed in its own daughter board slot and provides internal and external clock sources.

### Specifications

Internal 2  
External 3  
Range 100Hz to 50MHz  
Resolution 0.029 Hz  
Output Levels 2@TTL  
1@ +8 to -8 V

## SR101 Timing Generator

One or two SR101 timing generators may be installed in an SR192 motherboard. Each SR101 will control up to 6 I/O modules.

The function of the SR101 timing generator is to provide the timing and control for the SR192 when executing a test or emulating a bus interface. The SR101 generates timing signals to the UUT, tests signals from the UUT, generates the required memory address and control signals for the I/O modules, and samples the results from the I/O modules.

### Specifications

#### Clocks

Internal	1
External	2 Front Panel
Maximum Frequency	50MHz
External Input Levels	TTL
External Input Impedance	82Ω to ground

#### Output Signals

TSOUT1-5	Qty. 5
Minimum Period	20 nsec
Output Levels	TTL
Output Impedance	<50Ω

#### Input Signals

TSINP1-2	Qty. 2
Input Levels	TTL
Input Impedance	82Ω to ground

#### Test Sequencing

Test Sequence Memory	128K
Conditional & Unconditional	Jump, Go-sub
Looping	32K

## SR192/20

The Development Environment is an Active X editor used to generate and edit table data, timing data and create test sequences. It is an interactive 32bit Windows application which aids the test engineer in generating and testing his test programs. It shortens the test development time significantly and is compatible with most test languages.



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)