ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *TDK CXA-0217* at our website: *Click HERE*

DC-AC INVERTER CXA Series Line-up

26-Mar-03
TDK Corporation Rev.N

		Out put	Output Power (W)	Input Voltage (V)	Model Number	Input Connector	Output Connector	Specification: High Voltage Pin#	Specification: Outline(*1) (typ) (mm)	Specification: Output Current (typ) (mArms)	Specification: Open Voltage (typ) (Vrms)	Specification: Operation temp (°C)	Safety functiion: Alarm signal function	Safety functiion: Shut down function	Production status	Remark
Non Dimming	PCB Mountable Type	1 or 2	4.5	5	CXA-L10A	Pin Terminal	Pin Terminal	-	43x20x15	5	900	-10 to 60	-	-	In production	
				12	CXA-L10L											
			6	5	CXA-M10A-L				55x28x16.5		1200					
				12	CXA-M10L-L											
				24	CXA-M10M-L											
			8	12	CXA-M14L-P				55x28x17	7	1500					
			9	5	CXA-P10A-P					5						
				12	CXA-P10L-P											
					CXA-P20L-L					10	900					
				24	CXA-P10M-P					5	1500					
	Connector Type	1	3.5	5	CXA-L0505-NJL	53261-0590 (Molex)	SM02(8.0)B-BHS-1 (JST)	1	80x20x8	5	1500	0 to 60	-	-	In production	
				12	CXA-L0512-NJL											
				24	CXA-L0524-NJL											
		2	8	12	CXA-P1012-NJL	S5B-PH-SM3 (JST)			130x20x8			-10 to 60				
Dimming	Connector Type	1	2	5 to 12	CXA-K0505-VJL	53261-0590 (Molex)	SM02(8.0)B-BHS-1 (JST)	1	85x16x6.3	2 to 5	1100	0 to 60	-	-	In production	
				3 to 5.5	CXA-0341	CPH2705-0101 (SMK)	SM02B-BHSS-1 (JST)		84x10x5	0.8 to 2	1200	0 to 50			Jul-03 MP	
			4	10 to 15	CXA-L0612-VML	53261-0590 (Molex)	M60-04-30-134P (Mitsumi)		95x19.7x8.8	3 to 6	1500	0 to 50			In production	
					CXA-L0612-VJR		SM02(8.0)B-BHS-1 (JST)	3								
					CXA-L0612-VMR		M60-04-30-134P (Mitsumi)	4								
			5	4.5 to 6	CXA-L0605-VJL		SM02(8.0)B-BHS-1 (JST)	1	95x19.7x8		1600	0 to 60				
					CXA-L0605-VSL		SM02B-BHSS-1 (JST)									
				9.6 to 14.4	CXA-L0612A-VJL		SM02(8.0)B-BHS-1 (JST)			1.6 to 6	1800	0 to 70				CXA-L0612-VJL wide temp range and high power type
					CXA-L0612A-VSL		SM02B-BHSS-1 (JST)									
				20 to 28	CXA-L0624-VJL		SM02(8.0)B-BHS-1 (JST)			3 to 6	1500	0 to 60				
				9.6 to 15	CXA-L0712-VJL					2.5 to 7	1600					
		2	5	10.8 to 13.2	CXA-0271	S5B-PH-SM3 (JST)	SM02(8.0)B-BHS-1 (JST)	1	140x30x8.6	2.5 to 6	1500	0 to 60	yes	-	in production	
					CXA-0307	53261-0890 (Molex)			110x22x8.5			0 to 70		yes		
				9.6 to 14.4	CXA-0214	53261-0590 (Molex)			140x17.8x8	2 to 6		0 to 60	-	-		
				10.8 to 13.2	CXA-0320	53261-0890 (Molex)			103x30x8	2.2 to 5	1250	-10 to 70	yes			
				5	CXA-0321					(2.4) to 5					Jul-03 MP	
				9 to 19	CXA-0326					2.2 to 5	1300				in production	
			6	10.8 to 13.2	CXA-0308		SM03(4.0)B-BHS-1 (JST)	2,3	105x25x8.5	2.5 to 5	1250			yes		
					CXA-0338											
			8	9.6 to 14.4	CXA-0217	S5B-PH-SM3 (JST)	SM02(8.0)B-BHS-1 (JST)	1	180x25x8	2 to 6	1500	0 to 70	-	-		
					CXA-0231										in production	CXA-0217 wide dimming range type
				10.8 to 13.2	CXA-P1612-VJL				180x25x8	4 to 8	1600	0 to 60				
					CXA-P1212A-WJL	53261-0790 (Molex)	SM03(7-D1)B-BHS-1 (JST)	1,2	147×24×10	2 to 6	1700	-10 to 70		yes		
					CXA-P1212B-WJL		SM02(8.0)B-BHS-1 (JST)	1	153x21.5x8.5				yes			
					CXA-P1212C-WJL		SM03(7-D1)B-BHS-1 (JST)	1,2								CXA-P1212A-WJL Alarm signal function type
			10		CXA-0313	S5B-PH-SM3 (JST)	S4(9-E1)B-XH-A (JST)	1,4	120x50x11	2.5 to 6.4	2000	0 to 60		-		
		3	15	10.8 to 13.2	CXA-0286	S7B-PH-SM3 (JST)	SM02B-BHSS-1 (JST)	1	140x70x9	3 to 6	1500	0 to 60	-	yes	in production	
		4	15	10.8 to 13.2	CXA-0283	S7B-PH-SM3 (JST)	SM02B-BHSS-1 (JST)	CN2-1 CN2-2 CN4-1 CN4-2	180x37x8.5	2 to 5.5	1600	0 to 60	yes	yes	in production	
							SM02(4.0)B-BHS (JST)									
			16		CXA-0315		SM02B-BHSS-1 (JST)			2 to 7.5	1800		-			
							SM02(4.0)B-BHS (JST)									
					CXA-0346		SM03(7-D1)B-BHS-1 (JST)	1,2		3 to 7	1600		yes		in production NEW	
					CXA-0349		SM02B-BHSS-1 (JST)	1	180x37x12	2.5 to 6.7	2100					

(*1) Only hight is specified with Max figure.

(*2) All specifications are subject to change without notice.

Regarding to details, please refer to Product Drawing.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP