ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Technipower / General Radio W10MT3A* at our website: *Click HERE*

VARIAC®


PORTABLE ENCLOSED MODELS

Portable, metered or unmetered cased units are available in many models for laboratory and test bench applications. Each unit consists of a variable autotransformer and an overload protector.

A voltmeter, ammeter and/or wattmeter is available on some models.The output circuit is protected by either a thermal overload protector, resettable from the front panel or by easily accessible and replaceable fuses.

Shielding is provided to reduce stray fields sufficiently to provide an overall accuracy of 3% of full scale.

A double pole on-off switch interrupts both sides of the AC line. Where dual range meters are used, make before break range switches permit switching under load. A convenient carrying handle is provided on all models.



SINGLE PHASE, 120V, 50-60Hz INPUT

RATED CURRENT AMPERES	MAX CURRENT AMPERES	KVA	OUTPUT VOLTAGE RANGE	TYPE NO.	METER RANGE AMPS	METER RANGE WATTS	METER RANGE VOLTS	2 OR 3 WIRE CORD AND RECEPTACLE	NET WEIGHT (lbs)	SHIP WEIGHT (lbs)	W	H	D
5.0	6.5	0.78	0-140	W5MT † *	-	-	-	3	8	15	4.875	6.562	4.375
5.0	6.5	0.78	0-140	W5MT3 † *	-	-	-	3	8	15	4.875	6.562	4.375
5.0	6.5	0.78	0-140	W5MT3VM	-	-	150	3	8	19	4.875	6.562	4.375
5.0	6.5	0.78	0-140	W5MT3A	1 / 5	-	150	3	11	19	6.750	9.50	5.250
5.0	6.5	0.78	0-140	W5MT3W	-	150/750	150	3	12	19	6.750	9.50	5.250
5.0	6.5	0.78	0-140	W5MT3AW	1 / 5	150/750	150	3	12	21	11.937	8.625	5.375
7.1	9.2	1.1	0-120	W5LMT3	-	-	-	3	8	18	4.875	6.562	4.375
10.0	11.0	1.32	0-140	W8MT3 ‡	-	-	-	3	10	16	5.375	7.0	6.125
10.0	11.0	1.32	0-140	W8MT3VM	-	-	150	2	10	16	5.375	7.0	6.125
10.0	13.0	1.56	0-140	W10MT †	-	-	-	3	16	24	6.750	9.5	5.250
10.0	13.0	1.56	0-140	W10MT3 †	-	-	-	3	16	24	6.750	9.5	5.250
10.0	13.0	1.56	0-140	W10MT3A	2 / 10	-	150	3	18	30	8.625	11.937	5.375
10.0	13.0	1.56	0-140	W10MT3W	-	300/1500	150	3	18	30	8.625	11.937	5.375
18.1	23.0	2.6	0-140	W20MT3A	20	-	150	3	27	34	8.625	11.937	5.375
18.1	23.0	2.6	0-140	W20MT3 †	-	-	-	3	20	23	8.625	11.937	5.375

SINGLE PHASE, 240V, 50-60Hz INPUT

2.0	2.6	0.62	0-280	W5HMT †	-	-	-	2	8	8	4.875	6.562	4.375
4.0	5.2	1.25	0-280	W10HMT	-	-	-	2	15	15	6.750	9.50	5.250
4.0	5.2	1.25	0-280	W10HMT3	-	-	-	3	15	15	6.750	9.50	5.250
8.0	10.4	2.50	0-280	W20HMT3 †	-	-	-	3	27	27	8.625	11.937	5.375
8.0	10.4	2.50	0-280	W20HMT3A	10	-	300	3	25	25	8.625	11.937	5.375

† UL Listed * CSA Approved ‡ 60Hz Only

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP