



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

3000P High Voltage Power Supply

Features

- Suitable for submarine electrophoresis, SDS page, DNA sequencing and multiple step IEF
- All models offer constant voltage, constant current and constant power operating modes, with automatic cross-over
- Four output connectors allow multiple chambers to be run simultaneously
- All models feature an auto restart function in case of temporary power interruption

Programmable Power Supplies

- Allows up to 20 programs to be stored, each having up to 10 different steps
- “Smart Key” programming eliminates confusion and the need to refer to the operating manual



3000P High Voltage Power Supply

Specifications

Model	3000P
Maximum Voltage	3000 V
Maximum Current	300 mA
Maximum Power	300 W
Output Modes	Constant power, constant voltage or constant current with automatic cross-over
Regulation	1%
Accuracy	±1.5% full scale for each display.
Output Terminals	Four recessed sets of 4 mm sockets (female)
Auto-Restart Function	Yes
Safety Features	Ground Leakage Detection, No Load Detection, Overcurrent Detection, Overheating Detection
Dimensions W x D x H	320 x 310 x 158 mm
Weight (net)	5.46 Kgs
Programming	
Max Programs	20
Max Steps/Programs	10
Timer	00.00 - 99.59
Volt-hour Integrator	999,999 V-H maximum
mA-hour Integrator	99,999 mA-H maximum
W-hour Integrator	99,999 W-H maximum
Catalog Number	
115 V	3000PECA-115
230 V	3000PECA-LVD

MicroAmp Adapter

Today's Isoelectric Focusing experiments require extremely low current to run. The microamp adapter is designed to enable our high voltage power supplies to operate at a current less than 2mA.

Specifications

	MicroAmp Adapter
Voltage	4KV DC
Current	2mA
Resistance	3M Ohms
Catalog Number	
115 V 60 Hz	159-1700-00
230 V 50 Hz	159-1710-00



MicroAmp Adapter



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com