

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Find the *Thermo / Milton Roy 4004* at our website: ***Click HERE***

Spectronic GENESYS 20 Visible Spectrophotometer














Compact, low-cost spectrophotometer offers all the essentials for today's busy labs

The Spectronic™ GENESYS™ 20 spectrophotometer, from Thermo Electron Corporation, is an invaluable tool for the testing of a wide variety of samples with applications ranging from educational, to environmental, to QC and more. The system is compact, easy to use, and carries the same reputation, value, and ruggedness that has been the hallmark of the SPECTRONIC 20 spectrophotometer for over fifty years. This system takes you to the next level with improved performance and expanded capabilities to meet the ever-increasing demands of your lab. The same tests you typically ran with the SPECTRONIC 20 system now run faster, with more efficiency, and yield more accurate results. And for your complete peace of mind, the Spectronic GENESYS 20 system is backed by our three-year warranty.

System Benefits:

- Easy operation and reliable design for fast, accurate results
- Small size saves valuable lab space
- Low cost to stretch your budget
- Multiple-purpose capabilities to measure a wide range of analytes
- Versatile accessories to increase your productivity and to enhance your results
- Can be used with test kits available from leading test kit manufacturers

Easier Than Ever to Use

The simple operation of the Spectronic GENESYS 20 spectrophotometer makes it ideal for students and technicians. Every user can quickly get reliable results, maximizing your sample throughput.

- Only 10 keys simplify use
- 2-line, 20-character LCD readout displays data and gives easily understood instructions
- Clear messages indicate error conditions
- Read concentration directly – enter a factor or use a standard

Four Simple Steps to Measure Absorbance or Transmittance:

1. Select wavelength
2. Select mode
3. Insert blank and press ***0 ABS/100 %T*** key
4. Insert sample and observe reading

Increase Accuracy in Recording your Results

For your data output, choose either the built-in printer or external parallel printer option. Both options offer automatic recording of results, which means fewer errors in your data. Select the option that best suits your lab needs:

- Built-in, fully functional bi-directional RS-232C interface permits remote computer operation or printer link which allows you to select hardcopy or electronic recording of data
- Built-in printer port for parallel-interface printers allows you to use existing printers which saves budget funds
- Internal 20-column printer allows you to record hard copy data and saves valuable bench space

Versatile Sampling Options Boost Productivity

The Spectronic GENESYS 20 sample compartment is designed to accommodate a wide array of tubes, cuvettes, vials and ampules to handle a broad range of analytes. Use 10 mm square cuvettes, 10 mm test tubes or the SPECTRONIC 20 test tubes – they all fit in the sample cell holder provided with the instrument. There is no need to change accessories when moving from test tube to a rectangular cell – this saves you time and increases productivity.

In addition, optional "click-in" holders are available to accommodate:

- COD test tubes such as those used in the HACH COD kit; no need to transfer your reacted sample to another cell
- 1" test tubes which allow you to measure low concentration samples without reducing sample volume, and test tubes are less expensive than glass cells
- Filters or lenses – measure the absorbance or transmittance of glass or plastic samples
- Cylindrical and rectangular longpath cells up to 50 mm long for increased sensitivity in the measurement of low concentration samples
- Spacers for short pathlength cells which are ideal for the measurement of high concentration or highly absorbing samples without dilution; prevent dilution errors and save time

Spectronic GENESYS 20 Spectrophotometer
Part Number 4001 & 4004 Series

Spectral Slitwidth	8 nm
Optical System	Grating-based, 1200 lines/mm
Wavelength	
Range	325 to 1100 nm
Accuracy	± 2.0 nm
Display	20-character, 2-line LCD
Photometric	
Range	0 to 125 % Transmittance – 0.1 to 2.5 Absorbance 0 to 1999 Concentration ± 0.1 to ± 9990 Factor
Accuracy*	0.003 A from 0.0 to 0.3 A 1.0% from 0.301 A to 2.5 A
Noise (at 500 nm)	≤ 0.001 A at 0 A ≤ 0.004 A at 2 A
Drift	0.003 A/hour
Stray Radiant Energy**	< 0.1%T at 340 nm and 400 nm
Lamp Source Lifetime	Approx. 1,000 hours
Standard Interfaces	RS-232C and Centronics ports
Languages	
Display	User selectable (English, Spanish, French, or German)
Printer Output	User selectable (English, Spanish, French, or German)
Operator's Manual	English, Spanish, French and German
Power Requirements	100/240 V ± 10 50/60 Hz ± 10%
Dimensions	30 cm W x 33 cm D x 19 cm H (12" W x 13" D x 7" H)
Weight	4.5 kg (10 lbs)

** Measured using NIST 930D filters*

*** 340 and 400 nm measurements made with Spectronic Standards (#333150)*

The "click-in" design of these holders means no tools are needed. Simply click the holder in place, and you are ready to go.



Expand your Capabilities with Software

Optional software packages allow you to perform a wider range of analyses. Wavelength scanning, multiple-wavelength, rate (time scanning) and standard curve analyses can easily be performed with the software. In addition, the increased data manipulation features allow you to get your results in the form you need. Choose either Spectro *Pro* or VISION*lite*™ software. Contact your local sales representative for assistance in selecting the software package that best meets your needs.

** VISIONlite requires a standard PC with a 32-bit Microsoft® Windows® operating system (Windows 95, 98, 2000, NT or XP) and an RS232 cable.*

©2004 Thermo Electron Corporation. All rights reserved. Microsoft and Windows are registered trademarks of MIcrosoft Corporation. All other trademarks are the property of Thermo Electron Corporation and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.

BR50856_E 12/04M

ISO 9001

Thermo Electron Scientific Instruments Corp., Madison, WI USA is ISO Certified.

Australia +61 2 9898 1244
Austria +43 1 333 50340
Belgium +32 2 482 30 30
Canada +1 800 532 4752
China +86 10 5850 3588
France +33 1 60 92 48 00
Germany +49 6103 4080
Italy +39 02 950 591
Japan +81 45 453 9100
Latin America +1 512 251 1503
Netherlands +31 76 587 98 88
Nordic +46 8 556 468 00
South Africa +27 11 570 1840
Spain +34 91 657 4930
Switzerland +41 61 48784 00
UK +44 1442 233555
USA +1 800 532 4752

www.thermo.com

Thermo ELECTRON CORPORATION

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP