

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Temperature Recorders

All six inch recorders utilize pressure-sensitive chart paper (1 box @ 50 charts included), no inking is required except Catalog No. 6183 which utilizes an inked pen. All four inch recorders utilize inked pens.

Description	Catalog No.
Temperature recorder, 6 in. circular chart, seven-day drive, panel mounted. Factory installed.	6171
Temperature recorder, 6 in. circular chart, seven-day drive, for -120°C, -140°C, and -150°C models only, panel mounted. Factory installed.	6183
Temperature recorder, 6 in. circular chart, seven-day drive, free-standing, for all ULT freezers -40°C to -90°C. Customer installed.	6170
Temperature recorder, 6 in. circular chart, seven-day drive, free-standing, for -120°C, -140°C, and -150°C models only. Customer installed.	6236

Chart Paper

Description	Catalog No.
Chart paper, package of 50, for 6 in., seven-day recorder, -115°C to +50°C.	6185
Chart paper, package of 50, 6 in., seven-day recorder, -150°C to +20°C.	6186

Special Voltages

Standard voltages are listed under *Voltage* in Specification Charts associated with each product category. Standard voltages are available at no charge; alternative voltages may be available at an extra charge. All voltages must be specified when ordering. Contact Revco for more information.

Electronic Backup Systems

CO_2 Backup System. Choose built-in or free-standing. Injects liquid CO_2 into cabinet when cabinet temperature warms to pre-set level. Automatic shut-off on door or lid opening. Adjustable CO_2 setpoint in 1°C increments to -75°C with digital display and actual cabinet temperature at the push of a button. Indicator lights when system is activated. System is powered by continually recharged battery. Includes all hardware except CO_2 cylinder.

Description	Catalog No.
CO_2 Backup, built-in, panel mounted, factory installed. Ultima and Elite only. Low battery indictor lights when battery needs replacing. Empty cylinder indicator lights when cylinder is exhausted.	6594
CO_2 Backup, free-standing, field installed. Specify freezer model number and voltage when ordering.	6593

LN_2 Backup System. Choose built-in or free-standing. Injects liquid nitrogen into cabinet when cabinet temperature warms to pre-set level. Automatic shut-off on door or lid opening. Adjustable LN_2 setpoint in 1°C increments to -150°C with digital display and actual cabinet temperature at the push of a button. Indicator lights when system is activated. System is powered by continually recharged battery. Includes all hardware except low-pressure liquid nitrogen cylinder.

Description	Catalog No.
LN_2 Backup, built-in, panel mounted, factory installed. Ultima and Elite only. Low battery indicator lights when battery needs replacing. Empty cylinder indicator lights when cylinder is exhausted.	6595
LN_2 Backup, free-standing, field installed. Specify freezer model number and voltage when ordering.	6214

Low Voltage Protection

Built-in voltage safeguards are standard on all Ultima models. Optional on all other models.

Voltage Safeguard. Helps protect electrical equipment from damage by boosting low voltage automatically. Panel light flashes to indicate when deficient line voltage is being corrected. Specify when ordering freezer. Standard on all Ultima II and Ultima models. Optional on all other models.

Description	Catalog No.
Built-in, factory installed, for Elite and Value -86°C to -40°C models only.	6240
Free-standing. Helps protect electrical equipment from damage by boosting low voltage automatically. Provided with terminal board for direct wiring. Field installed. Specify freezer model number and voltage when ordering. For Elite and Value only.	5575

Surge Protection

Surge Protector. Provides protection against external electrical spikes (temporary high voltage condition). Built-in surge protection is standard on Revco Ultima II and Ultima models; free-standing surge protection is optional on all other models.

Description	Catalog No.
Free-standing, for Elite and Value models only. Field installed by qualified electrician or factory authorized Revco service center. Specify freezer model number and voltage when ordering.	6402

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP