ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Fisher Scientific / Hamilton 950P201GY* at our website: *Click HERE*

FORENSICS CABINET



Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

FORENSICS CABINET


Fisher Hamilton Forensics cabinets feature ducted fuming chambers to provide protection for laboratory personnel from dangerous fumes and odors generated during the treatment of evidentiary materials.

Forensics cabinets are ideal for print analysis and fuming processes using Cyanoacrylates.

The cabinets contain individually vented chambers of various sizes designed to minimize overall airflow. Reduced airflow enhances the effectiveness of the fuming process and minimizes fuming time.

Fisher Hamilton Forensics cabinets are available in both bench and floor mounted configurations.






Bench Top Unit

- Bench mounted unit provides a total of 15 cubic feet of fuming chamber area.
- Energy efficient exhaust only 15 cubic feet of air per minute.

Floor Mounted Unit

- Floor mounted unit provides a total of 51 cubic feet of combined area.
- Energy efficient exhaust only 51 cubic feet of air per minute.




Common Features:

- Three chambers, each chamber can be operated independently.
- Each chamber features a vapor-proof double-centerlight fixture.
- Chamber doors include padlock hasp to secure evidence during fuming procedure.
- Hanging rods are provided in each chamber. Shelf is provided in the large chamber of floor mounted unit.
- Electrical outlets with power cord pass through for mounting hot plate cords are provided for each chamber.
- Plastic laminate construction with 45 lb density particle board core, doweled joinery, Wilsonart Chemsurf chemical resistant plastic laminate interior and high pressure plastic laminate exterior.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

FORENSICS CABINET



Fisher Hamilton

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com


Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

FORENSICS CABINET

ORDERING INFORMATION


Counter Top Unit

Product Number	Capacity	Exhaust Volume	Exhaust Collar Diameter	Weight
950P200GY	13 Cubic Feet	13 CFM	1.5" I.D.	230 LBS.




Floor Mounted Unit

Product Number	Capacity	Exhaust Volume	Exhaust Collar Diameter	Weight
950P201GY	31 Cubic Feet	31 CFM	2" I.D.	395 LBS.



Base Cabinet

Product Number	Width	Depth	Height	Weight
148P732GY	42"	22"	35"	155 LBS.




Counter Top - Black Chemsurf

Product Number	Width	Depth	Height	Weight
20L2443	43"	24"	1"	55 LBS.



Shelves

Product Number	For Cabinet Style	Compartment Location
950P202	Counter Top	Right
950P203	Floor Mounted	Upper Left
950P204	Floor Mounted	Lower Left
950P205	Floor Mounted	Right



Specifications

Unit shall consist of three separate fuming chambers of various sizes to allow separate fuming processes concurrently. Each chamber shall be dampered, lockable, and glazed. Chambers shall have v-strip sealed doors to minimize airflow during fuming process. Each compartment shall include a vapor-proof incandescent light and access to 110 volt AC receptacles.

Construction shall be 45 pound density particle board core with doweled joinery. Wilson Art Chemsurf® chemical resistant plastic laminate interior and high-pressure plastic laminate exterior. Color – D354 White (interior), 1500N Gray (exterior).

Each unit shall contain a test report verifying proper containment with the chamber closed. Test shall be based on ASHRAE 110-1995 methodology. Containment must be 4.0 AM 0.05 PPM or better.

Dimensions are nominal and illustrations and specifications are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice.

Fisher Hamilton

Fisher Hamilton Inc.
1316 18th Street
Two Rivers, WI 54241
Tel: 920-793-1121

AL-1355-1 May98 USA

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP