ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Thermo / HAAKE K20* at our website: ***Click HERE***

HAAKE DC10 Immersion Circulator

The HAAKE DC10 immersion circulator gives you simple, reliable options for obtaining consistent results. This compact unit can be combined with any existing baths up to 26 mm wall thickness.
Other benefits:
· Wide temperature range to meet application needs
· Digital display with user-preset temperatures for simple operation
· Strong pump for high temperature conformity

Product Detail

DC10 immersion circulator to be used with water as heat transfer liquid in already existing, differently sized baths; screw clamp for bath walls up to 26 mm; robust design using high grade stainless steel and temperature resistant polymer; 2-speed power-pump to reduce turbulences in open baths, wear-free; integrated overload protection; user-resettable, adjustable over-temperature cut-out and low liquid level protection; easy to operate by only 4 navigation keys; electronic PID control using a digital sensor for good temperature accuracy; user-defined fixed temperatures with separate RTA for each temperature; display resolution selectable between 0.1 and 0.01 deg C; limitation of the usable temperature range by high and low temperature setting; RTA = Real-Temperature-Adjustment. User-adjustable correction factor to meet ISO 9004; Alarm indication by FIS = Fault-Identification-System. The reason for any malfunction is clearly displayed; max. temperature 100 deg C.

HAAKE DC10 Immersion Circulator

Product#	Voltage
426-1001	230 V
426-1006	100 V
426-1002	115 V

Specifications:	
Heater capacity 115V:	1.2 kW
Heater capacity 230V:	2 kW
Temperature accuracy:	+/- 0.02 K
Working temperature range :	25 to 100°C
with additional cooling :	-30 to 100°C

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP