

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

TOT SERIES

Technology

- **Toroidal Isolation**
- **Noise Filtering**
- **High Instantaneous Current Capability**


Description

Torus Power's "TOT" Series consists of three compact models that bring toroidal power conditioning to a new price point. Compact in size, affordable for most applications and packed with features, the TOT Series is an easy choice to improve performance of all audio and video systems.

The **TOT Mini**, rated at 7 Amps, is ideal to provide clean power to Audio/Video systems, projectors, flat panels, powered speakers, media/ source players, processors, or network devices.

The **TOT Max**, rated at 15 Amps, can provide current to demanding power hungry systems including substantial power amplifiers.

All TOT models feature a courtesy USB charger outlet. Options include a dress aluminum faceplate (Black or Silver) and a 19" rack mount adapter kit. TOT units include circuit protection through a replaceable varistor. Torus Power non-sacrificial Series Mode Surge Suppression (SMSS) is also available as a factory-installed option.





TOT Mini

With 19″ rack mount faceplate

SPECIFICATIONS

TOT MINI
TOT MAX

CONFIGURATION	SHELF MODEL	19″ RACK MOUNT (RK)
CHASSIS	2U	
INPUT VOLTAGE	120V	

OUTPUT VOLTAGE	120V	
INPUT CIRCUIT BREAKER	1 X 8A FUSE	
OUTPUT CURRENT	7A	
POWER RATING	805VA	
FREQUENCY	60Hz	
NO. OUTLETS	6	
INLET TYPE	IEC 15A	
OUTLET TYPE	3 DUPLEX 5-15R	
WEIGHT KG	11.6	12
WEIGHT LBS	25.5	26.4
DIMENSIONS W X H X D MM	318 X 101 X 268	480 X 88 X 271
DIMENSIONS W X H X D IN	12.5 X 4.0 X 10.5	18.9 X 3.4 X 10.7

Each model is available with SMSS (Series Mode Surge Suppression) factory installed as an option.

SPECIFICATIONS

TOT MINI

TOT MAX

CONFIGURATION	STAND ALONE	19″ RACK MOUNT (RK)
CHASSIS	2U	
INPUT VOLTAGE	120V	
OUTPUT VOLTAGE	120V	
INPUT CIRCUIT BREAKER	1 X 15A FUSE	
OUTPUT CURRENT	15 A	
POWER RATING	1725VA	
FREQUENCY	60Hz	
NO. OUTLETS	8	
INLET TYPE	IEC 15A	
OUTLET TYPE	4 DUPLEX 5-15R	
WEIGHT KG	17.7 KG	18.1 KG
WEIGHT LBS	38.9 LBS	39.8 LBS
DIMENSIONS W X H X D MM	318 X 101 X 369	480 X 88 X 373
DIMENSIONS W X H X D IN	12.5 X 4.0 X 14.5	18.9 X 3.4 X 14.7

Each model is available with SMSS (Series Mode Surge Suppression) factory installed as an option

Privacy - Terms

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP