

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*



Anemometers



Velometer® Model 6000AP

Velometer® Anemometer
Model 6000AP

The Velometer® anemometer has been used for decades measuring static pressures, diffuser, and duct velocities in HVAC systems.

Features and Benefits

- No batteries or power supply
- Inheritantly intrinsically safe
- Simulated analog display shows air trends and digital readings
- Includes a low flow probe used for face velocities

Velometer Jr.® Anemometer
8100 Series

The Velometer Jr.® anemometer measures low face velocity commonly found in spray booth or exhaust hood applications and grocery store refrigerator cases.

Features and Benefits

- Small size
- No batteries or power supply
- Inheritantly intrinsically safe
- Use for face velocity measurements



Velometer Jr.® 8100 Series

Rugged. Reliable. Professional.

TSI | ALNOR®

Anemometers
Velometers

Model 6000AP and 8100 Series

Specifications
Velometer 6000 AP

Range

Velocity	0 to 300, 1250, 2500, 5000, 10,000 fpm
Static Pressure	0 to 1 in., 0 to 10 in. H_2O

Accuracy

Velocity	±2% of full scale, all ranges
Static Pressure	±5% of full scale, all ranges

Weight
1.75 lb. (0.8 kg)

Model Description

6000AP	All purpose kit includes: 6006AP meter 6030CP range selector 6030DP range selector 6050P low flow probe 6060P-12 in. (305 mm) pitot probe 6070P diffuser probe 6080AP static pressure probe 6080CP static pressure probe (2) hoses carrying case manual NIST calibration certificate 1-year warranty

Specifications
Velometer Jr. 8100 Series

Range

Velocity	0 to 200, 800 fpm or 0 to 400, 1600 fpm or 0 to 500, 2500 fpm

Accuracy

Velocity	±5% of full scale, all ranges

Weight
0.5 lb. (0.24 kg)

Model Description

8100-8	0 to 200, 0 to 800 fpm
8100A-16	0 to 400, 0 to 16000 fpm
8100B-25	0 to 500, 0 to 2500 fpm

Models include:
carrying pouch
manual
NIST calibration certificate
1-year warranty

Specifications subject to change without notice.

Alnor Products, TSI Incorporated - 500 Cardigan Road Shoreview, MN 55126-3996 USA
USA **Tel:** +1 800 874 2811 **E-mail:** customerservice@alnor.com

Contact your local Alnor Distributor or visit our website **www.alnor.com** for more detailed specifications.

P/N 5001038 Rev A
Copyright © 2007 by TSI Incorporated
Printed in U.S.A.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP