ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Turck RK4.5T-10* at our website: *Click HERE*







TURCK works Industrial Automation

## 4-Wire Cordsets, Standard Plug Body

- NEMA 1, 3, 4, 6P
- IEC IP68 Protection
- 250 V, 4 A





| Connector Style | Female Part Number | Male Part Number | Features | Pinout | |
|---|---|---|---|---|---|
| RK ..**<br> | RK 4.41T-*<br>WK 4.41T-* | RS 4.41T-*<br>WS 4.41T-* | AWM PVC NAMUR Blue, 4x22 AWG, 105°C, 5.1 mm OD, Cable #RF50598-*M†, flexlife* | 1. BN<br>2. WH<br>3. BU<br>4. BK | Female<br> |
| | RK 4.41T-*/S529<br>WK 4.41T-*/S529 | RS 4.41T-*/S529<br>WS 4.41T-*/S529 | TPU/Heavy Braid Double Jacket Yellow, 4x20 AWG, 90°C, 5.7 mm OD, Cable #RF50526-*M†, Cut/Abrasion Immune Braided Mechanical Shield | | |
| WK ..**<br> | RK 4.43T-*<br>WK 4.43T-* | RS 4.43T-*<br>WS 4.43T-* | AWM PVC Yellow, 4x22 AWG, 105°C, 5.1 mm OD, Cable #RF50530-*M†, flexlife | | |
| | RK 4.43T-*/S90<br>WK 4.43T-*/S90 | RS 4.43T-*/S90<br>WS 4.43T-*/S90 | ITC/PLTC TPU Yellow, 4x22 AWG, 105°C, 5.3 mm OD, Cable #RF50613-*M†, Cut/Abrasion Immune, tray rated | | |
| | RK 4.4T-*<br>WK 4.4T-* | RS 4.4T-*<br>WS 4.4T-* | AWM PVC Grey, 4x22 AWG, 105°C, 5.1 mm OD, Cable #RF50516-*M†, flexlife | | |
| RS ..**<br> | RK 4.4T-*/S90<br>WK 4.4T-*/S90 | RS 4.4T-*/S90<br>WS 4.4T-*/S90 | AWM TPU Grey, 4x22 AWG, 90°C, 5.1 mm OD, Cable #RF50532-*M†, Cut/Abrasion Immune | | |
| | RK 4.4T-*/S101<br>WK 4.4T-*/S101 | RS 4.4T-*/S101<br>WS 4.4T-*/S101 | AWM TPE Grey, 4x22 AWG, 105°C, 5.7 mm OD, Cable #RF50941-*M†, *flexLife-20*, High Flex Over 20 Million Cycles | | Male<br> |
| WS ..**<br> | RK 4.4T-*/S824<br>WK 4.4T-*/S824 | RS 4.4T-*/S824<br>WS 4.4T-*/S824 | ITC/PLTC PVC Grey, 4x22 AWG, 105°C, 5.3 mm OD, Cable #RF50698-*M†, Tray Rated | | |
| | RK 4.4T-*/S618<br>WK 4.4T-*/S618 | RS 4.4T-*/S618<br>WS 4.4T-*/S618 | AWM PVC Grey, 4x22 AWG Foil/Drain, 105°C, 5.1 mm OD, Cable #RF50577-*M†, RFI/EMI Shielding | | |
| | RK 4.4T-*/S618/S824<br>WK 4.4T-*/S618/S824 | RS 4.4T-*/S618/S824<br>WS 4.4T-*/S618/S824 | ITC/PLTC PVC Grey, 4x22 AWG Foil/Drain, 105°C, 5.1 mm OD, Cable #RF50773-*M†, RFI/EMI Shielding, Tray Rated | | |

* Length in meters. Standard cable lengths are 2, 4, 6, 8 and 10 meters. Consult factory for other lengths.
** Standard coupling nut material is nickel plated brass "RK .."; "RKK .." indicates nylon and "RKV .." indicates stainless steel.
† See Section N for ***reelfast***® cable information.



Courtesy of Steven Engineering, Inc. - (800) 258-9200 - sales@steveneng.com - www.stevenengineering.com
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP