ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *United Electronic Industries PD-CBL-96* at our website: *Click HERE*

PCI/ISA HARDWARE

PowerDAQ MF Accessories - Cables & Connectors




PD-CBL-96

PD-CBL-96 Cable

96-way pinless, round shielded cable with metal cover plates. Use this cable to connect a PD2-MF(S) series board to any accessories with 96-way connector. It includes two Fujitsu FCN-247J096-G/E connectors.

PD-CBL-96 ..... 1m
PD-CBL-96-6FT ..... 6 ft
PD-CBL-96-9FT ..... 9 ft



PD-CBL-9626

PD-CBL-9626 Cable

Shielded 96/26-way cable for connecting any PowerDAQ MF(S) board to a 5B-rack. It includes 96-pin Fujitsu FCN-247J096-G/E and 26-pin Adam Tech FCS-26-SG connectors.

PD-CBL-9626 ..... 18”




PD-CBL-9637

PD-CBL-9637 Cable

Shielded 96/37-way cable for connecting any PowerDAQ MF(S) board to PD-STP-3716 screw-terminal panel. It includes Fujitsu FCN-247J096-G/E and Adam Tech DC-37-SF-M2 connectors.

PD-CBL-9637 ..... 1m



PD-CBL-37 & PD-CBL-37TP

PD-CBL-37 DIO Cable Set

The PD-CBL-37 digital I/O cable set includes a 37-way internal ribbon cable with mounting bracket and a 37-way external ribbon cable. Use this set to connect from 36-pin digital connector on any PowerDAQ MF(S) board to any accessory with 36-pin digital connector.


The PD-CBL-37TP is twisted-pair version of the digital I/O cable set.

PD-CBL-37 ..... 1m
PD-CBL-37-6FT ..... 6 ft
PD-CBL-37TP ..... 1m twisted-pair

Ordering Information:

Part Number	Description
PD-CBL-96	96-way pinless, 1m round shielded cable with metal cover plates
PD-CBL-96-6FT	96-way pinless, 6 ft round shielded cable with metal cover plates
PD-CBL-96-9FT	96-way pinless, 9 ft round shielded cable with metal cover plates
PD-CBL-9626	18" round shielded cable that connects from PD-5BCONN to PD-STP-16 or PD-BNC-16
PD-CBL-9637	18" round shielded cable that connects from PowerDAQ II MF(S) board to PD-STP-3716
PD-CBL-37	DIO cable set: 37-way, 1m D-sub cable, internal cable with mounting bracket
PD-CBL-37-6FT	DIO cable set: 37-way, 6 ft D-sub cable, internal cable with mounting bracket
PD-CBL-37TP	DIO twisted-pair cable set: 37-way, 1m D-sub cable, internal cable with mounting bracket

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com




PD-CBL-37BRKT

PD-CBL-37BRKT Internal DIO Cable

37-way internal ribbon cable with mounting bracket. The cable is included as part of PD-CBL-37 digital I/O cable set.

PD-CBL-37BRKT. . . . . 18″




PD-CBL-3650-8/8

PD-CBL-3650-8/8 Digital I/O Cable Set

The PD-CBL-3650-8/8 is a digital I/O cable set. It includes a 24-way internal ribbon cable with mounting bracket that connects to the 36-pin digital connector on any PowerDAQ MF(S) board and a 36-way external ribbon cable that connects to any 8-channel SSR backplane (50-pin connector).

PD-CBL-3650-8/8 . . . . . 1m




PD-CBL-3650-16I

PD-CBL-3650-16I Digital Input Cable Set

The PD-CBL-3650-16I is a digital input cable set. It includes a 36-way internal ribbon cable with mounting bracket that connects to two (J2 and J4) 36-pin digital connectors on any PowerDAQ MF(S) boards and a 36-way external ribbon cable that connects to any 8- or 16-channel SSR backplane (50-pin connector).

PD-CBL-3650-16I 1m



PD-CBL-3650-16O

PD-CBL-3650-16I Digital Output Cable Set


The PD-CBL-3650-16I is a digital output cable set. It includes a 36-way internal ribbon cable with mounting bracket that connects to two (J2 and J4) 36-pin digital connectors on any PowerDAQ MF(S) boards and a 36-way external ribbon cable that connects to any 8- or 16-channel SSR backplane (50-pin connector).

PD-CBL-3650-16O 1m

Ordering Information:

Part Number	Description
PD-CBL-37BRKT	DIO cable: 37-way, 18' internal cable with mounting bracket
PD-CBL-3650-8/8	DIO cable set: 36/50-way, 1m ribbon cable, internal cable with mounting bracket (8 DI and 8 DO)
PD-CBL-3650-16I	DIO cable set: 36/50-way, 1m ribbon cable, internal cable with mounting bracket (16 DI)
PD-CBL-3650-16O	DIO cable set: 36/50-way, 1m ribbon cable, internal cable with mounting bracket (16 DO)

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



PD-CBL-5B

PD-CBL-5B Ribbon Cable

26-conductor ribbon cable that connects from a 5B backplane (26-pin connector) to PD-5BCONN (26-pin male connector).

PD-CBL-5B. . . . . 18″




PD-CBL-7B

PD-CBL-7B Ribbon Cable

25-conductor ribbon cable that connects from a 7B backplane (25-pin connector) to PD-7BCONN (25-pin female connector).

PD-CBL-7B. . . . . 18″



PD-CBL-SYNC-4

PD-CBL-SYNC Syncronization Cable

Use PD-CBL-SYNC cables to interconnect from 4 to 10 PowerDAQ MF(S) boards.

PD-CBL-SYNC4 . . . . . 4 boards

PD-CBL-SYNC5 . . . . . 5 boards

PD-CBL-SYNC10 . . . . . 10 boards



PD-CONN-CBL

PD-CONN-CBL Shielded Cable

A 96-way pinless cable with metal cover plate and bare wires at one end. It includes Fujitsu FCN-247J096-G/E connector.

PD-CONN-CBL. 0.5m

Ordering Information:

Part Number	Description
PD-CBL-5B	18" ribbon cable that connects from PD-5BCONN to 5B-xx racks
PD-CBL-7B	18" ribbon cable that connects from PD-7BCONN to 7B-xx racks
PD-CBL-SYNC4	Internal cable to synchronize up to 4 PowerDAQ II multifunction boards
PD-CBL-SYNC5	Internal cable to synchronize up to 5 PowerDAQ II multifunction boards
PD-CBL-SYNC4	Internal cable to synchronize up to 10 PowerDAQ II multifunction boards
PD-CBL-SYNC5	96-way pinless, 0.5m round shielded cable with metal cover plate (bare wires at one end)

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP