

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Visit our website - *Click HERE*

UNIPOWER CORPORATION

WORLD CLASS POWER SOLUTIONS

3900 CORAL RIDGE DRIVE
CORAL SPRINGS, FL 33065
TEL: 305-346-2442
FAX: 305-340-7901

TP SERIES: HOT PLUG N + 1
1-12 Outputs, Up To 3000 Watts



KEY FEATURES

- P Series Units In A Pluggable Case
- 250 To 600 Watts Per Unit
- 1 To 4 Outputs Per Unit
- Outputs From 2VDC To 48VDC
- N + 1 Redundancy
- Current Share On All Outputs
- Integral Isolation Diodes
- True Hot Plug Replacement
- High Reliability Connectors
- Up To 6 Units Per Chassis
- Standard 19" Rack Mountable
- Standard 3.5" and 7" Panel Height
- LED DC Power Good Indicators
- Each Unit Independently Cooled
- Pluggable Interface Termination

OTHER FEATURES

- Similar To Low Profile P Series

NOTE: All output, input, general and environmental specifications are similar to the P Series. Consult factory for mating connectors.

POWER SYSTEM OPTIONS	
A	Worldwide Autorange (115/230VAC)
M	Extra Rack-Mount Brackets
Q	DC Input (42 to 60VDC)

UL 1950 CSA 22.2, No. 234 TUV EN 60 950

SPECIFICATIONS

All output, input, general and environmental specifications are similar to the P Series.

STANDARD MODEL NUMBERS

At least two model numbers must be specified: One or more for the power supplies and one for the chassis configuration.


Power Supplies: Any P Series 250 to 600 watt model. Add "T" to the "P" in model number. For example: A PF2330 in a hot plug case is TPF2330.

Chassis Configuration:


T W X Y Z

- Z — No. of outputs
- Y — No. of slots (1-6)
- X — No. of rows (1 or 2)
- W — Height: 2U (3.5") 4U (7.0")

POWER SUPPLY CASE



CHASSIS CONFIGURATIONS (17.50 DEEP)



FRONT VIEWS

ALL DIMENSIONS IN INCHES (mm). All specifications subject to change without notice.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP