

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *UVP CL-1000L* at our website: ***Click HERE***

UVP, Inc. 2066 W. 11th Street, Upland, CA 91786
Tel: (800) 452-3197 or (909) 946-3197
Fax: (909) 946-3597
E-Mail: uvp@uvp.com

Application Bulletin
Bulletin UVP-AB-114
Ultra-Violet Products Limited, Science Park,
Cambridge, England, CB4 4FH
Tel: +44(0)1223-420022 Fax: +44(0)1223-420561
E-Mail: uvp@uvp.co.uk

USES OF THE CL-1000 UV CROSSLINKER IN THE LABORATORY

The CL-1000 UV Crosslinker is a multi-purpose ultraviolet exposure instrument for use in the laboratory. Utilizing a 254nm shortwave ultraviolet (UV) radiation, the Crosslinker has the ability to perform a wide variety of applications.

CL-1000 CROSSLINKER



INTRODUCTION

Ultraviolet radiation is a fast, easy, and effective method to fix nucleic acids to nitrocellulose, nylon, and nylon-reinforced membranes after Northern, Southern, slot or dot blotting. Ultraviolet radiation catalyzes the covalent attachment of nucleic acids to these membranes by activating interactions between thymines or uracils with the amine groups on the membrane matrix [1]. The result is higher resolution and sensitivity of subsequent hybridization analysis. The entire fixing process performed on the Crosslinker is around two to ten minutes, compared to the two hour period required for fixing by the baking method.

The Crosslinker is not limited to just fixing nucleic acid. The versatile wavelength is effective in many applications, compatible with most molecular biology experiments. CL-1000 UV Crosslinker can be used to nick ethidium bromide stained DNA in agarose gels, a step in alternating contour-clamped homogeneous electric field gel electrophoresis (CHEF) [2]. CHEF is a type of pulsed field gel electrophoresis, when used with the CL-1000 UV Crosslinker, can resolve DNA fragments greater than five megabases with clarity and ease.

UV irradiation of DNA provides an easy way to control the extent of restriction endonuclease digestion due to the fact that UV radiation dimerizes neighboring thymidines (TT, TTT, etc.). The restriction enzymes can not recognize and cleave the DNA if the thymidines within their restriction sites were dimerized [3]. The Crosslinker allows a greater control over partial digestions.

The Crosslinker offers a simple method to test for *recA* mutations. *RecA+* strains repair UV-induced damages and grow normally whereas mutations in *recA* prevent the cells to grow because of inability to repair damages [4]. By irradiating a strain with an unknown genotype, a mutation can be easily detect due to the properties mentioned above.

Ultraviolet radiation is often used in sterilization. The Crosslinker is effective in killing bacteria cultures, viruses, bacteriophages, and small organisms on surfaces [5]. It is an efficient alternative to the traditional heat germicide.

UV radiation can solve the problem of PCR (polymerase chain reaction) contamination. UV irradiated fragments form pyrimidine dimers which function as termination sites [6]. The formation of these termination sites eliminates most contamination caused by the reagents from the previous amplified material.

MATERIALS AND METHODS

A. FIXING NUCLEIC ACIDS ON TO MEMBRANES

Run agarose gel electrophoresis [7]. Transfer nucleic acids on to the membrane by capillary or other transfer methods [8]. Lay the membrane, nucleic acid side up, on a piece of tin foil. Do not cover. Turn the Crosslinker on. Press one of the

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

auto settings: UV energy exposure or time. Remove the membrane when the Crosslinker beeps five times. Continue with hybridization [9, 10].

B. NICKING ETHIDIUM BROMIDE STAINED DNA IN AGAROSE GELS

Prepare DNA samples. Run CHEF gel electrophoresis using a hexagonal array of electrodes. After electrophoresis, the gel is stained with ethidium bromide (0.5 μg/ml) and irradiated by the Crosslinker for about one minute [2]. The gel is then subjected to hybridization [10].


C. GENE MAPPING FOR CREATING CLEAVAGE-INHIBITING THYMINE DIMERS

Prepare DNA samples. Add 0.1-1 μg of DNA and 20 μl of restriction buffer. The restriction buffer must contain MgCl2. In the experiment conducted by Whittaker it was added into the mixture when the appropriate oligo was end-labeled. This mixture is irradiated for up to 60 minutes [3]. Then the mixture can be analyzed by agarose gel electrophoresis [7]. Longer irradiation time equals less cleavage by the restriction enzymes.

D. TESTING recA FUNCTION

Streak the strain being tested along with *recA+* strain on a petri dish. Us a piece of cardboard to cover about three quarters of each streak, expose the remaining portion to the Crosslinker for about ten seconds. Move the cardboard so half of the dish is covered. Expose the dish to the Crosslinker for ten seconds. Then move the cardboard so three forth of the petri dish is exposed, place it in the Crosslinker for ten seconds. Incubate the dish at 37°C overnight [4]. The *recA-* strain should be shriveled and shorter than the wild type strain (fig. 1).

fig.1



E. ULTRAVIOLET STERILIZATION

Place the surfaces to be sterilized in to the Crosslinker for a set amount of time. Consult the Bacteria Destruction Chart on the UVP Internet home page for suggested time. Note: the Crosslinker cannot sterilize liquid nor solids.

F. ELIMINATION OF PCR CONTAMINATION

Irradiate the target DNA with the Crosslinker, five minutes is sufficient. For best results, the photoinduced defects should be in the sequence region bounded by the 3' ends of the PCR primers [11]. Add the PCR reaction components. Perform amplification as practiced [12].

REFERENCES

1. Reed, K.C. & Mann, D.A. NUCLEIC ACID RESEARCH Vol. 13, 1985 "Rapid Transfer of DNA From Agarose Gels to Nylon Membranes"
2. Vollrath, D & Davis, R.W. NUCLEIC ACID RESEARCH Vol. 15 No. 19 "Resolution of DNA Molecules Greater Than 5 Megabases by Contour-Clamped Homogeneous Electric Fields"
3. Whittaker, P.A. & Southern, E.M. GENE 41 1986 "Ultraviolet Irradiation of DNA: A Way of Gernerating Partial Digests for Rapid Restriction Site Mapping"
4. J. Sambrook, E.F. Fritsch & T. Maniatis MOLECULAR CLONING: A LABORATORY MANUAL Cold Springs Harbor Laboratory "Maintenance and Testing of Bacteriophage Lysogens"
5. Koller, L.R. ULTRAVIOLET RADIATION 1965 pp 236-245
6. Sarkar, Godinda & Sommer, Steve S. NATURE Vol. 343 4 Jan 1990 "Shedding Light on PCR Contamination"
7. Ausubel, F.M. et al SHORT PROTOCOLS IN MOLECULAR BIOLOGY 2nd ed. John Wiley and Sons "Agarose Gel Electrophoresis"
8. Ross, J. NUCLEIC ACID HYBRIDIZATION: ESSENTIAL TECHNIQUES John Wiley and Sons 1998 "Capillary Transfer of DNA From Agarose Gels"
9. Ross, J. NUCLEIC ACID HYBRIDIZATION: ESSENTIAL TECHNIQUES John Wiley and Sons 1998 "Membrane Fixation by UV Crosslinking"
10. Ross, J. NUCLEIC ACID HYBRIDIZATION: ESSENTIAL TECHNIQUES John Wiley and Sons 1998 "Hybridization of membranes"
11. Cimino, G.D., Metchette, K., Issac, S. & Zhu, Y.S. NATURE Vol. 345 28Jun 1990 "More False-Positive Problems"
12. J. Sambrook, E.F. Fritsch & T. Maniatis MOLECULAR CLONNING: A LABORATORY MANUAL Cold Spring Harbor Laboratory "In Vitro Amplification of DNA by the Polymerase Chain Reaction"

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP