

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

KM6-II GUIDES

ONE PART GUIDES

Type 1 PCB For Eurocards of 1,6mm thickness, either 100mm, 160mm or 220mm long. Compatible with grounding clip, see page 35

Type 2 PCB For Eurocards of 2,4mm thickness, either 160mm or 220mm long. Not compatible with grounding clip.

Type 3 PIU Plug-in unit (piu) type for cards 111,76 or 245,1mm height, 1,6mm thickness, 160 or 220mm long.

Type 4 PCB For Eurocards of 1,6mm thickness, 220mm long, this guide will fit over intermediate extrusions, permitting mixing of pcb depths. Compatible with grounding clip. See page 36.

Contents of kit

Description	Material/Finish
Types 1, 3, 4	Luranyl¤ 2452/1 or equivalent, green
Types 2	Luranyl¤ 2452/1 or equivalent, black

Ordering information

Description: KM6-II Guides - One part

Type	Application	Board Length	Qty.	Order code
1	PCB 1,6mm thick	100 mm	10	**950-242850**
		160 mm	10	**950-232662**
		160 mm	1000	**956-243239**
		220 mm	10	**950-232663**
		220 mm	1000	**956-243240**
2	PCB 2,4mm thick	160 mm	10	**173-232666**
		220 mm	10	**173-232667**
3	Plug-in-unit	160 mm	10	**950-232664**
		220 mm	10	**950-232665**
4	Low profile PCB	220 mm	10	**950-232668**

THREE PART GUIDES

Type 5 Aluminium centre section, with plastic slide in guide section, for 280mm, 340mm or 400mm lengths, 1,6mm thickness. Order separately: End feet for pcb or piu.

Type 6 Three part guide end feet for Eurocards of 1,6mm thickness.

Type 8 Three part guide end feet for piu of 1,6mm thickness.

Contents of kit


Item/Description	Material/Finish
Type 5	Al extrusion, anodised, plastic side-in section
	Noryl 2452/1¤, black
Type 6 and 8	Noryl 2452/1¤, green

Luranyl¤ 2452/1 is a UL94 VI rated material with a continuous rating of 105°C


Ordering information

Description: KM6-II Guides - Three part

Type	Application	Board Length	Qty.	Order code
5	PCB 1,6mm thick	280 mm	10	**950-276108**
		340 mm	10	**950-276109**
		400 mm	10	**950-276110**
6	Guide feet, PCB 1,6mm thick		10 prs.	**950-202635**
8	Guide feet, PIU 1,6mm thick		10 prs.	**950-202636**




One part guides




One part guides


PCB Guides



Plug-in unit guides



Three part guides



Guide length 'L' Guides should be cut to pcb length minus 76mm.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP