

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Vincent / UniBlitz VMM-D3* at our website: ***Click HERE***

VMM-D3 Three Channel Driver

Features


- The VMM-D3 is a three-channel shutter driver capable of controlling up to three *UNIBLITZ*® shutters independently.
- One input to trigger all shutters simultaneously
- LED Indicators for Power, Driver Active, and SYNC Active status
- Exposure determined by external pulse width, or switch contact closure.
- One output to monitor when all individual SYNC outputs are active.
- Manual open/close switch for each channel. Allows inverse shutter operation.
- Selectable pulse energy for operation of the 35, 45, 65 and 90mm shutter types (slide switch for each channel).
- Up to 8 units can be controlled independently from one computer serial port.
- RS-232C interface addressable via 8 selectable addresses.
- Separate fuse for each shutter channel.
- (Three) 710C 10ft. shutter interconnect cables included



Fig. 1 VMM-D3 Three Channel Unistable Driver


Drawings

Front Panel



Simple and straightforward controls allow the VMM-D3 to be easy to use and configure. LED indicators reveal each shutter's status at a glance. Three fuse holders with .6A slow blow fuses, accessible at the front panel for ease or replacement. N.O./N.C. switches allow manual shutter operation. Addressable RS-232C control is available via the DB-9 connector. Address selected by SW1.

Rear Panel



All main input/output functions can be accessed at the VMM-D3 rear panel, including the 115/230VAC input. Manual switching as required. Additionally, (2) 6-pin pluggable terminal strips allow for easy termination to input (active high) and output (active low) signals. Channel #4 is not operational.

803 Linden Avenue • Rochester, NY 14625 • 585-385-5930 tel • 800-828-6972 toll-free • 585-385-6004 fax • www.uniblitz.com

Due to our ongoing product development program, Vincent Associates reserves the right to discontinue or change specifications or designs at any time, without incurring any obligations. Teflon is a registered trademark of E.I. DuPont. Drawings shown for illustrative purposes only. Updated 06/13. *Specification sheet Ver. 1.1*

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Compatibility

The VMM-D3 is compatible with the following UNIBLITZ® shutter devices:

VS	LS	CS	DSS	TS	NS	XRS
VS14	LS2	CS25				XRS6
VS25	LS3	CS35				XRS14
VS35	LS6	CS45				XRS25[1]
		CS65				
		CS90HS				

Use with shutter devices other than those listed to the left is not recommended. Please contact us for further information.

[1] *This device requires two drive channels for operation.*

Product Options

Part Number: **VMM-D3** ❷

❶ ❷

❷ **J:** For sale in Japan only
- ***Leave blank*** *if not required*

Specifications

- Size (HWD) 2.64 x 5.35 x 8.19 inches (67.0 x 136.0 x 208.0 mm).
- Weight 4.45 lbs. (2.02 kg).
- Power 115/230 VAC, 50-60 Hz, 60 W

For information regarding applicable intellectual property, please visit www.uniblitz.com/patents.

803 Linden Avenue • Rochester, NY 14625 • 585-385-5930 tel • 800-828-6972 toll-free • 585-385-6004 fax • www.uniblitz.com

Due to our ongoing product development program, Vincent Associates reserves the right to discontinue or change specifications or designs at any time, without incurring any obligations. Teflon is a registered trademark of E.I. DuPont. Drawings shown for illustrative purposes only. Updated 06/13. *Specification sheet Ver. 1.1*

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP