



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

- Standard features
 - PCI mezzanine card (PMC)-based Gigabit Ethernet adapter
 - 1000T CAT5 copper interface via front panel RJ45 connector
 - IEEE 802.3/802.3x/802.3z/802.3ab compliant
 - 64-bit/66 MHz interface for optimum performance
 - 64 Kbyte packet buffer
 - PCI revision 2.2 compliant
 - Universal PMC signaling operation

INTRODUCTION — The VMIPMC-6101 is a PMC-based Gigabit Ethernet adapter. This product is ideal for applications requiring 1000T Ethernet. This VMIPMC-6101 can operate at 10, 100, or 1,000 Mbit/s rates using CAT5 twisted-pair cables.

The VMIPMC-6101 uses the Intel® 82543GC Gigabit Ethernet MAC. The 82543GC provides a 32-/64-bit, 33/66 MHz interface compliant to PCI Rev. 2.2. It also has a 64 Kbyte packet buffer to maintain high performance. A CAT5 copper 1000T interface is provided via the PMC front panel using a RJ45 connector. Drivers are available for download, making the VMIPMC-6101 easy to integrate with single-board computer (SBC) products, such as VMIC's VMEbus and CompactPCI® offerings.

Gigabit Ethernet adapters help servers in organizations to address the demanding bandwidth requirements of evolving networks and data centers supporting the latest e-business and Internet applications.

FUNCTIONAL CHARACTERISTICS

PMC: Universal +5 V and + 3.3 V PMC (PCI) signaling is supported

PHYSICAL/ENVIRONMENTAL

Temperature: 10 to 50 °C operating range

Relative Humidity: 10 to 90 percent (noncondensing) recommended operating range

ELECTRICAL CHARACTERISTICS

PMC Power: + 5 V, TBD maximum

PMC Signaling: Universal 3.3 or 5 V, 32-/64-bit, 33/66 MHz



SOFTWARE

Windows NT®/Windows® 2000, Linux, and Solaris drivers supported.

NETWORK CONNECTIONS

- RJ45 CAT5 copper connector
 - 100 meters maximum cable length

TRADEMARKS

The VMIC logo is a registered trademark of VMIC. Windows and Windows NT are registered trademarks of Microsoft Corporation. CompactPCI is a registered trademark of PCI Industrial Computer Manufacturers' Group. Other registered trademarks are the property of their respective owners.

Ordering Options							
May 24, 2001 800-756101-000 B	A	B	C	–	D	E	F
VMIPMC-6101	–	0	0	0	–		
ABC = 000 (Options reserved for future use)							
For Ordering Information, Call: 1-800-322-3616 or 1-256-880-0444 • FAX (256) 882-0859 E-mail: info@vmic.com Web Address: www.vmic.com Copyright © January 2001 by VMIC Specifications subject to change without notice.							



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com